




Spare parts for the professional sector: Ovens



Suitable for:

ROLLER GRILL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ROLLER GRILL



Suitable for:

Axial motor fans

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ROLLER GRILL SA03018

Cable glands

- 7151078 GROMMET WITH TERMINAL BLOCK 2-POLES**
for Convection oven electric (ROLLER GRILL) FCV280
FC260 - FC280 - FC340 - FC340TQ - FC380
FC380TQ



ROLLER GRILL A10002

Contact thermostats

- 3443052 CONTACT THERMOSTAT 135°C 16A 250V**
with automatic reset
for Convection oven electric (ROLLER GRILL) FC110
FC110G



ROLLER GRILL A06034

ROLLER GRILL A06034/1


- 3444610 CONTACT THERMOSTAT 90°C 10A 250V**
with automatic reset
for BOILER
for Convection oven electric (ROLLER GRILL) FC110
FC110G



ROLLER GRILL A06048

Contactors

- 3446223 CONTACTOR AEG LS02K400**
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



ROLLER GRILL A05002

ROLLER GRILL A05006

- 3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10**
18A 400V 7.5Kw - coil 220/240V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ROLLER GRILL A05007

3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact
 for Convection oven electric (ROLLER GRILL) FC110E
 FC110EG



ROLLER GRILL A05008

Door glasses for oven and accessories

7104373 GLASS EXTERNAL OVEN DOOR 575x435 mm
 for Convection oven electric (ROLLER GRILL) FC60
 FC60P - FC60TQ



ROLLER GRILL H01011

Energy regulators

3350026 ENERGY REGULATOR
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ROLLER GRILL A04006

Fans for motors

5068175 FAN $\varnothing$ 150 mm
 height 20 mm
 central hole for D-shaped pin 6x5 mm
 for Convection oven electric (ROLLER GRILL) FC60
 FC60P - FC60TQ



ROLLER GRILL A03058



Suitable for:


ROLLER GRILL



Suitable for:

Gaskets for oven door

- 3186692 GASKET FOR OVEN DOOR 370x235 mm**
made of silicone elastomer
with fastening clips
profile dimensions 9x8 mm
black colour
for Convection oven electric (ROLLER GRILL)
CLASSIC NOIR - FC33 - FC34
for Convection oven electric (ROLLER GRILL) FC340
FC340TQ



ROLLER GRILL H03010

- 3186691 GASKET FOR OVEN DOOR 445x340 mm**
made of silicone elastomer
with fastening clips
profile dimensions 12x10 mm
red colour
for Convection oven electric (ROLLER GRILL) FC60
FC60G
for Convection oven electric (ROLLER GRILL) FC60P
FC60TQ



ROLLER GRILL H03005

- 3186669 GASKET FOR OVEN DOOR 630x340 mm**
made of silicone elastomer
with fastening clips
profile dimensions 12x10 mm
red colour
for Convection oven electric (ROLLER GRILL) FC110
FC110G
for Convection oven electric (ROLLER GRILL) FC110E
FC110EG



ROLLER GRILL H03006

Handles

- 3242735 OVEN DOOR HANDLE**
distance between mounting holes 180 mm



ROLLER GRILL A15018

Heating elements

- 7102245 HEATING ELEMENT FOR OVEN 700W 230V**
dimensions 330x187 mm - flange 70x22 mm
for EP 800



ROLLER GRILL D02148

- 7151101 HEATING ELEMENT 1200W 230V**
length 365 mm - width 360 mm
2 flanges 33x16 mm
for Convection oven electric (ROLLER GRILL) FC60P
FC60TQ



ROLLER GRILL D02157

ROLLER GRILL



7150287 HEATING ELEMENT 1500W 230V
 ø external 145 mm - ø internal 130 mm
 overall height 69 mm
 for Convection oven electric (ROLLER GRILL)
 for Convection oven electric (ROLLER GRILL) FCV280
 FC280



ROLLER GRILL D02009

5033457 HEATING ELEMENT 1500W 240V
 external ø 190 mm - ø internal 178 mm
 overall height 51 mm
 flange 47x17 mm
 for Electric oven (ROLLER GRILL) FC26



ROLLER GRILL D02144

7106204 HEATING ELEMENT 2400W 230V
 external ø 145 mm - internal ø 132 mm
 overall height 80 mm
 for Electric oven electric (ROLLER GRILL) FC
 for Convection oven electric (ROLLER GRILL) FC340
 FC340TQ - FC380 - FC380TQ



ROLLER GRILL D02158

3855002 HEATING ELEMENT 2500W 240V
 external ø 190 mm - internal ø 178 mm
 total height 68 mm
 flange 47x17 mm
 for Electric oven (ROLLER GRILL) FC33-FC34



ROLLER GRILL D02143

3755634 HEATING ELEMENT 3000W 230V
 external ø 190 mm - internal ø 178 mm
 total height 80 mm
 flange 70x22 mm
 for Convection oven electric (ROLLER GRILL) FC60
 FC60G
 for Convection oven electric (ROLLER GRILL) FC60TQ



ROLLER GRILL D02034

3755621 HEATING ELEMENT 5000W 230V
 external ø 240 mm - internal ø 220 mm
 total height 83 mm
 flange 100x22 mm
 for Convection oven electric (ROLLER GRILL) FC110
 FC110G



ROLLER GRILL D02045

7102219 HEATING ELEMENT 6000W 240V
 external ø 255 mm - internal ø 245 mm
 total height 80 mm
 flange 100x22 mm
 for Convection oven (ROLLER GRILL) FC110E
 for Convection oven electric (ROLLER GRILL)
 FC110EG



ROLLER GRILL D02151

5027373 INSULATOR FOR CERAMIC HEATING ELEMENT
 external ø 15 mm - length 20.5 mm



ROLLER GRILL A09001



Suitable for:

ROLLER GRILL



5065379 QUARTZ HEATING ELEMENT 1200W 115V
length 680 mm - ø 11 mm
for Convection oven gas (ROLLER GRILL) FC110G
for Convection oven (ROLLER GRILL) FC100EG



ROLLER GRILL D04025

Suitable for:

7102247 QUARTZ HEATING ELEMENT 530W 77V
length 480 mm - ø 11 mm
for Convection oven electric (ROLLER GRILL) FC60G
for Convection oven electric (ROLLER GRILL) FC60P
FC60TQ



ROLLER GRILL D04028

7111071 QUARTZ HEATING ELEMENT 600W 115V
length 365 mm - ø 11 mm



ROLLER GRILL D04034

7102246 QUARTZ HEATING ELEMENT 750W 115V
length 415 mm - ø 11 mm
for Convection oven electric (ROLLER GRILL) FC60G
for Convection oven (ROLLER GRILL) FC340TQ
for Convection oven electric (ROLLER GRILL) FC34TQ
FC340



ROLLER GRILL D04020

Hinges, catches and accessories

3053281 RIGHT/LEFT HINGE FOR OVEN
mounting distance 130 mm - overall length 155 mm
height 147 mm
for Convection oven electric (ROLLER GRILL) FC110
FC110G - FC60 - FC60G
for Convection oven electric (ROLLER GRILL) FC110EG
FC110EG - FC60P - FC60TQ



ROLLER GRILL B09005

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm
for Convection oven electric (ROLLER GRILL) FC110
FC110G - FC60 - FC60G
for Convection oven (ROLLER GRILL) FC100EG
for Convection oven electric (ROLLER GRILL) FC60P
FC60TQ



ROLLER GRILL B09007

3053108 ROLL HOLDER FOR HINGE
mounting distance 95 mm - overall length 110 mm
height 23 mm
for Convection oven electric (ROLLER GRILL) FC110
FC110G - FC60 - FC60G
for Convection oven (ROLLER GRILL) FC100EG
for Convection oven electric (ROLLER GRILL) FC60P
FC60TQ



ROLLER GRILL B09007

Hydraulic piping

- 3010133 HOSE POLYETHYLENE BLACK LLDPE JG**
 ø 8x4.75 mm
 sold per linear meter



ROLLER GRILL SH03012

Indicator lights

- 3221085 INDICATOR LIGHT GREEN 230V**
 ø head 18 mm - ø hole 12 mm - 120°C



ROLLER GRILL A08020

- 1221006 INDICATOR LIGHT GREEN 250V**
 head ø 14 mm - hole ø 12 mm - 75°C
 for Convection oven (ROLLER GRILL) FC100EG



ROLLER GRILL A08009

- 3221095 INDICATOR LIGHT ORANGE 230V**
 head ø 13.5 mm - hole ø 10 mm - 120°C
 universal application



ROLLER GRILL A08003

- 3221024 INDICATOR LIGHT RED 230V**
 head ø 15 mm - hole ø 13 mm - 120°C
 faston M 6.3x0.8 mm
 universal application



ROLLER GRILL A08008

- 3221139 INDICATOR LIGHT RED 230V**
 head ø 14 mm - hole ø 12 mm - 120°C



ROLLER GRILL A08005

Knobs

- 3241515 BLACK KNOB ø 40 mm**
 D shaft hole 6x4.6 mm
 for Convection oven electric (ROLLER GRILL) FC260



ROLLER GRILL A14042

ROLLER GRILL A14084

ROLLER GRILL A14121

- 3241512 BLACK KNOB ø 51 mm**
 D shaft hole 6x4.6 mm



ROLLER GRILL A14078



Suitable for:

ROLLER GRILL



Suitable for:

- 7151083 KNOB BLACK ø 40 mm**
D-shaped hole 6x4.6 mm
for Convection oven electric (ROLLER GRILL) FCV280
FC260 - FC280 - FC380 - FC380TQ



ROLLER GRILL A14111


Lamp receptacles and spare parts

- 3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C



ROLLER GRILL A18022

- 3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN



ROLLER GRILL A18004

- 3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



ROLLER GRILL A18005

Microswitches, mechanical

- 5025981 MICROSWITCH MARQUARDT 1115**
6A 250V
for Convection oven (ROLLER GRILL) FC33



ROLLER GRILL A07023

- 3240589 MICROSWITCH METALFLEX MS-385**
16A 250V
for Convection oven electric (ROLLER GRILL) FC110
FC110E - FC110G



ROLLER GRILL A07017

Motors

5068174 MOTOR WITH FAN
55W 220V 50/60Hz
fan ø 150 mm
for Convection oven electric (ROLLER GRILL) FC60
FC60P - FC60TQ



ROLLER GRILL A03057

ROLLER GRILL A03057+B08050

ROLLER GRILL A03057+B08050+

5068175 FAN ø 150 mm
height 20 mm
central hole for D-shaped pin 6x5 mm
for Convection oven electric (ROLLER GRILL) FC60
FC60P - FC60TQ



ROLLER GRILL A03058

7150278 MOTOR WITH FAN
30W 220/240V 50/60Hz
fan ø 120 mm
for Convection oven electric (ROLLER GRILL) FC260
FC340TQ - FC60TQ



ROLLER GRILL A03044

ROLLER GRILL A03063

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm
for Convection oven electric (ROLLER GRILL) FC26
FC34
for Electric oven (ROLLER GRILL) FC26 - FC33
FC34
for Convection oven electric (ROLLER GRILL) FCV280
FC280 - FC340 - FC340TQ - FC380 - FC380TQ
FC60G



ROLLER GRILL A03001

ROLLER GRILL A03006

ROLLER GRILL A03063

Pilot burners and accessories

3020054 PILOT JET ø 0.20 mm



ROLLER GRILL E02086

3020055 PILOT JET ø 0.35 mm



ROLLER GRILL E02086

Selector switches

7104489 SELECTOR SWITCH 4 POSITIONS
contact capacity 6A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (ROLLER GRILL) FC110G



ROLLER GRILL A01014

7102236 SELECTOR SWITCH 5 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



ROLLER GRILL A01006

ROLLER GRILL A01006/1



Suitable for:

ROLLER GRILL



Suitable for:

Springs


- 3250138 SPRING FOR DOOR $\varnothing$ 8x130 mm**
for Electric oven (ROLLER GRILL) CLASSIC NOIR
FC26 - FC33 - FC34



ROLLER GRILL B07002

Switches

- 3319154 BIPOLAR SWITCH BLACK 16A 250V**
16(4)A 250V - max. temperature 120°C
with push-button cap - silk screen printing 0 - I
mounting hole 22x30 mm



ROLLER GRILL A07002

ROLLER GRILL SA07002

- 3319252 BIPOLAR SWITCH BLACK 16A 250V**
16(4)A 250V - max. temperature 120°C
mounting hole 22x30 mm
for Convection oven electric (ROLLER GRILL) FC33



ROLLER GRILL A07022

- 3319310 BIPOLAR SWITCH BLACK 16A 250V**
silk-screen printing 0 - I
mounting hole 13x20 mm
faston 4.8 mm
for Convection oven electric (ROLLER GRILL) TH1



ROLLER GRILL A07005

- 3319371 BIPOLAR SWITCH BLACK 16A 250V**
16(4)A 250V
silk screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm
for Proving oven electric (ROLLER GRILL) EP800



ROLLER GRILL A07025

ROLLER GRILL A07027


ROLLER GRILL A07030

- 3319029 BIPOLAR SWITCH GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole 22x30 mm



ROLLER GRILL A07032

- 3319944 BIPOLAR SWITCH GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



ROLLER GRILL A07032

ROLLER GRILL




- 3319016 BIPOLAR SWITCH RED 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



ROLLER GRILL A07003

Suitable for:

- 3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V**
for IGNITION
with protection cap
mounting hole 13x20 mm
for Convection oven electric (ROLLER GRILL) FC110
for Convection oven gas (ROLLER GRILL) FC110G
for Electric oven (ROLLER GRILL) FC110G



ROLLER GRILL A07015

- 5053098 SINGLE-POLE SWITCH 16A 250V RED**
with push-button cap
mounting hole 13x20 mm
for Convection oven (ROLLER GRILL) FC110E



ROLLER GRILL A07014

- 3319969 SWITCH 1-POLE RED 16A 250V**
16(4)A 250V - with indicator light
max. temperature 120°C
mounting hole 11x30 mm



ROLLER GRILL A07012

Telethermometers

- 3441029 TELE-THERMOMETER WHITE 56x25 mm 50-350°C**
plastic body
capillary length 1000 mm
bulb ø 6x25 mm



ROLLER GRILL A18007

Terminal blocks

- 3247018 TERMINAL BLOCK 2-POLES FV77 20A 600V**
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ROLLER GRILL A16012

- 3247003 TERMINAL BLOCK 2-POLES OF CERAMIC**
for cable 0.75-4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 21x18x16 mm



ROLLER GRILL A16003



Suitable for:

ROLLER GRILL




3247006 TERMINAL BLOCK 2-POLES OF CERAMIC
for cable 2.5-10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 23.5x20.5x19.5 mm



ROLLER GRILL A16021

Suitable for:

5015893 TERMINAL BLOCK 3-POLES FV77 25A 450V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V
for Convection oven electric (ROLLER GRILL) FC60
FC60P - FC60TQ
for Proving oven electric (ROLLER GRILL) EP800



ROLLER GRILL A16013

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V
for Convection oven electric (ROLLER GRILL) FC110E
FC110EG



ROLLER GRILL A16014

Thermocouples and accessories

3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1



ROLLER GRILL E02251

3440051 THERMOCOUPLE SIT M8x1 32 cm.THREAD M8x1



ROLLER GRILL E02237

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ROLLER GRILL E02147

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



ROLLER GRILL E02011

Thermostats

3744138 SINGLE-PHASE THERMOSTAT 45-230°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 620 mm - 16A 400V
bulb $\varnothing$ 3x150 mm
for Electric oven (ROLLER GRILL) TH1



ROLLER GRILL A06019

3444361 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary 950 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



ROLLER GRILL A06042

3444596 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1180 mm - 16A 400V
bulb $\varnothing$ 3x150 mm
for Convection oven electric (ROLLER GRILL)
CLASSIC NOIR - FC110 - FC26 - FC33 - FC34
FC60 - FC60G - FC60G-FC110G



ROLLER GRILL A06006


ROLLER GRILL A06020

ROLLER GRILL A06022

ROLLER GRILL A06044

5045789 SINGLE-PHASE THERMOSTAT 58-173°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 610 mm - 16A 400V
bulb $\varnothing$ 6x75 mm
for Convection oven electric (ROLLER GRILL) FC26
FC33 - FC34 - FC60



ROLLER GRILL A06007


ROLLER GRILL A06009

ROLLER GRILL A06026

ROLLER GRILL A06056

3444758 THERMOSTAT SINGLE-PHASE 30-85°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 850 mm - 16A 230V
bulb $\varnothing$ 6x92 mm



ROLLER GRILL A06002

ROLLER GRILL A06041

Timers

5077132 TIMER 12 HOURS M2

mechanical movement with rocker arm
manual reset cycle 12 hours
contacts payload 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



ROLLER GRILL A02030

5049696 TIMER 120 MINUTES MI7

mechanical movement with balance wheel
mechanical timer with manual reset
120 minute manual reset cycle
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (ROLLER GRILL) TH1



ROLLER GRILL A02010



Suitable for:

ROLLER GRILL



3446111 **TIMER 120 MINUTES MT59**
mechanical movement with balance wheel
120 minute manually set cycle
2-pole with contact capacity 16A 250V
max temperature 125°C - D-shaped pin ø 6x4.6 mm
for Convection oven electric (ROLLER GRILL)
FC26-FC33-FC34-CLASSIC NOIR



ROLLER GRILL A02015

7150277 **TIMER 120 MINUTES MT59**
mechanical movement with balance wheel
manually set mechanical timer
120 minute manually set cycle
2-pole with contact capacity 16(4)A 250V
max. temperature 125°C
D-shaped pin ø 6x4.6 mm
for Convection oven (ROLLER GRILL) FC26 - FC34



ROLLER GRILL A02019


3446056 **TIMER 120 MINUTES M2**
mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (ROLLER GRILL) FC110
FC60
for Convection oven electric (ROLLER GRILL) FC110E
FC110EG - FC60P - FC60TQ



ROLLER GRILL A02014

ROLLER GRILL A02028

3446114 **TIMER 15 MINUTES M2**
manually set mechanical timer
manually set cycle 15 minutes
contact capacity 16(4)A 250V 50Hz
max temperature 120°C
D-shaped pin ø 6x4.6 mm



ROLLER GRILL A02013

ROLLER GRILL A02016

ROLLER GRILL A02029

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |