




Spare parts for the professional sector: Ovens



Suitable for:

INOXTREND



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

INOXTREND



Suitable for:

Axial motor fans

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



INOXTREND FX0068-12

Bushings

- 5036031 BUSHING FOR HINGE**
ø external 28/18 mm
ø internal 12 mm
h 20 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C7062-00

- 5049018 BUSHING FOR OVENDOOR HINGE PIN**
thread M10x1
for Convection oven electric (INOXTREND)



INOXTREND C8305-00

- 3053572 HINGE BUSHING**
ø external 20/14 mm
ø internal 10 mm
h 18 mm
for Convection oven electric (INOXTREND) SDA-5E-00
SDA-5EM-00




INOXTREND C1043-00

INOXTREND RRC1043-00

Buzzers

- 3397117 ALARM WITH CARD**
dimensions 45x48 mm
for Convection oven (INOXTREND)



INOXTREND C5366-00

Contact thermostats


- 3443035 CONTACT THERMOSTAT 180°C**
 with automatic reset
 for boiler safety
 for Convection oven electric (INOXTREND) FBA-106E
 FBE-106E - FBP-106E - WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBE-106G - FBP-106G



INOXTREND C2065-00

Contactors


- 3446556 CONTACTOR LOVATO BG0910A**
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



INOXTREND LC-310

Controllers and changeover switches

- 3210050 REVERSING SWITCH P255 2 CAMS 250V 50Hz**
 8 minutes cycle
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00
 for Convection oven gas (INOXTREND) BUA606G00
 BUA610G00 - BUE606G00 - BUE610G00



INOXTREND C3056-00


Door glasses for oven and accessories

- 5027948 EXTERNAL GLASS OVEN DOOR 413x353 mm**
 for Convection oven electric (INOXTREND)
 SCA-4-5E-00 - SDA-4-5E-00 - SDA-4-5EM-00
 SUA-4-5E-00 - SUTA-4-5E-00 - WBE-4E



INOXTREND C6045-13/B

- 5072986 EXTERNAL GLASS OVEN DOOR 590x590 mm**
 for Convection oven (INOXTREND)



INOXTREND C5233-24/B

INOXTREND C5233-24/G



Suitable for:

INOXTREND



5087280 GLASS THICKNESS GASKET
dimensions $\varnothing$ 16x2.7 mm



INOXTREND C9032-00

Suitable for:

5030462 INTERNAL GLASS OVEN DOOR 610x330 mm
for Convection oven (INOXTREND)



INOXTREND C2167-00

7104817 KIT INTERNAL GLASS OVEN DOOR 515x410 mm
for Convection oven (INOXTREND)



INOXTREND AZ365-00

7111705 KIT INTERNAL GLASS OVEN DOOR 605x410 mm
for Convection oven (INOXTREND)



INOXTREND AZ367-00


Doors

5031641 EXTERNAL DOOR FOR OVEN GLASS 592x590 mm
for Convection oven electric (INOXTREND)
Series BUA 6 GRIGLIE - Series BUE 6 GRIGLIE
Series FBA 6 GRIGLIE - Series FBE 6 GRIGLIE
Series FBP 6 GRIGLIE - Series FDA 6 GRIGLIE
Series FDE 6 GRIGLIE - Series FDP 6 GRIGLIE
Series FUA 6 GRIGLIE - Series FUE 6 GRIGLIE
for Convection oven gas (INOXTREND)
Series BUA 6 GRIGLIE - Series BUE 6 GRIGLIE
Series FBA 6 GRIGLIE - Series FBE 6 GRIGLIE
Series FBP 6 GRIGLIE - Series FDA 6 GRIGLIE
Series FDE 6 GRIGLIE - Series FDP 6 GRIGLIE
Series FUA 6 GRIGLIE - Series FUE 6 GRIGLIE



INOXTREND C8114-90

5047167 EXTERNAL DOOR FOR OVEN GLASS 870x592 mm
for Convection oven electric (INOXTREND)
Series BUA 10 GRIGLIE - Series BUE 10 GRIGLIE
Series FBA 10 GRIGLIE - Series FBE 10 GRIGLIE
Series FBP 10 GRIGLIE - Series FDA 10 GRIGLIE
Series FDE 10 GRIGLIE - Series FDP 10 GRIGLIE
Series FUA 10 GRIGLIE - Series FUE 10 GRIGLIE
for Convection oven gas (INOXTREND)
Series BUA 10 GRIGLIE - Series BUE 10 GRIGLIE
Series FBA 10 GRIGLIE - Series FBE 10 GRIGLIE
Series FBP 10 GRIGLIE - Series FDE 10 GRIGLIE
Series FDP 10 GRIGLIE - Series FUA 10 GRIGLIE
Series FUE 10 GRIGLIE



INOXTREND C8115-90

Electrical cables


1050501 16-POLE CABLE FLAT 600 mm
for Convection oven electric (INOXTREND) FBE106E00
FBE106E01 - FBE110E00 - FBE110E01 - FBE210E00
for Convection oven gas (INOXTREND) FBE106G00
FBE106G01 - FBE110G01 - FBE210G00



INOXTREND MC-853

Electrical gas valves and accessories

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



INOXTREND C2225-00

3526361 VALVE 822 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FDA-106G - FDA-110G - FDA-210G - FDE-106G
FDE-110G - FDE-210G - FUA-106G - FUA-110G
FUA-210G - FUE-106G - FUE-110G - FUE-210G



INOXTREND C5350-00

Electronic boards

5028236 CIRCUIT BOARD CONTROL 195x95 mm
for Pastry oven (INOXTREND)



INOXTREND C2561-00

5027415 CIRCUIT BOARD CONTROLS 315x105 mm
for Convection oven electric (INOXTREND) BUE-606E
BUE-610E - FUE-106E - FUE-110E - FUE-120E
FUE-210E - FUE-220E
for Convection oven gas (INOXTREND) BUE-610G
FUE-106G - FUE-110G - FUE-120G - FUE-210G
FUE-220G



INOXTREND C8164-00

5032387 CIRCUIT BOARD CONTROLS 315x105 mm
for Convection oven electric (INOXTREND) CDE-107E
CDE-111E - CDE-207E - CDE-211E - CUE-107E
CUE-211E - FBE-106E - FBE-110E - FBE-120E
FBE-210E - FBE-220E - FDE-106E - FDE-110E
FDE-120E - FDE-210E - FDE-220E - RDE-105E
RDE-110E - RDE-305E - RDE-605E
for Convection oven gas (INOXTREND) FBE-106G
FBE-110G - FBE-120G - FBE-210G - FBE-220G
FDE-106G - FDE-110G - FDE-120G - FDE-210G
FDE-220G



INOXTREND C8165-00

7101292 CIRCUIT BOARD PUSH-BUTTON PANEL
dimensions 88x25x39 mm
for Steam oven (INOXTREND) WBE-4E



INOXTREND MC-852



Suitable for:

INOXTREND



Suitable for:

- 3390038 ELECTRONIC CONTROL BOARD 195x95 mm**
for ovens with penetration probe
for Convection oven electric (INOXTREND) RDE5E
RPDE5E - RPDE5EP - WBE4E



INOXTREND C2560-00

INOXTREND RRC2560-00

Electronic boxes

- 3526182 CONTROL BOX S4565A2092B**
model HONEYWELL - 220/240V 50/60Hz 4VA
for Convection oven gas (INOXTREND) FBA110G00
FBA120G00 - FBA210G00 - FBA220G00 - FBE110G00
FBE120G00 - FBE210G00 - FBE220G00 - FBP110G00
FBP120G00 - FBP210G00 - FBP220G00 - FDA120G00
FDA220G00 - FDE120G00 - FDE220G00 - FDP120G00
FDP220G00 - FUA120G00 - FUA220G00 - FUE120G00
FUE220G00



INOXTREND C5965-00

- 3091005 KIT CONTROL BOX 571 DBC**
complete with cable
model SIT - 230V 50/60Hz
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
FUE110G01 - FUE210G00



INOXTREND C2236-00

INOXTREND C2236-90

Energy regulators

- 3350026 ENERGY REGULATOR**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



INOXTREND C2192-00




Fans for motors

3240243 FAN ø 165 mm
 thickness 43 mm
 total blades 36 - ø hole 8 mm
 for Convection oven electric (INOXTREND) SCA4E00
 SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
 SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
 SUTA5E00



INOXTREND C3612-00


3240244 FAN ø 210 mm
 thickness 100 mm
 totale blades 20 - ø tapered hole 11-16 mm
 for Convection oven electric (INOXTREND) FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01
 for Convection oven gas (INOXTREND) FBA106G00
 FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00
 FBE106G01 - FBE110G00 - FBE110G01 - FBP106G00
 FBP106G01 - FBP110G00 - FBP110G01 - FDA106G00
 FDA106G01 - FDA110G00 - FDA110G01 - FDE106G00



INOXTREND C2030-00

INOXTREND C2037-00

5036540 FAN ø 240 mm
 thickness 60 mm
 blade number 55 - ø cone-shaped hole 9-10.5 mm
 for Convection oven electric (INOXTREND) CDA-107E
 CDE-107E - CRCA-105E - CRCA-107E - CRUA-107E
 CUA-107E - CUE-107E



INOXTREND C9012-00

INOXTREND C9012-00K

5051995 FAN ø 240 mm
 thickness 43 mm
 blade number 55 - ø cone-shaped hole 9-11 mm
 for Convection oven electric (INOXTREND) RCA-605E
 RDA-105E - RDA-110E - RDA-305E - RDE-105E
 RDE-110E - RDE-305E - RDE-605E - RUA-105E
 RUA-110E - RUA-305E - RUA-605E



INOXTREND C7535-00

INOXTREND C7535-00K

5038800 FAN ø 248 mm
 thickness 120 mm
 blade number 24 - ø cone-shaped hole 11-15 mm
 for Convection oven electric (INOXTREND)
 for Convection oven gas (INOXTREND)



INOXTREND C2430-1160

5068332 FAN ø 248 mm
 thickness 100 mm
 blade number 26 - ø cone-shaped hole 11-16 mm
 for Convection oven electric (INOXTREND) FUA-110E
 FUE-110E



INOXTREND C7175-00



Suitable for:

5032385 FAN ø 250 mm
thickness 120 mm
number of blades 26 - conical hole ø 11-16 mm
for Convection oven electric (INOXTREND) FBA-210E
FBE-210E - FBP-210E - FDA-210E - FDE-210E
FDP-210E
for Convection oven gas (INOXTREND) FBA-210G
FBE-210G - FBP-210G - FDA-210G - FDE-210G
FDP-210G - FUA-210G - FUE-210G



INOXTREND C2430-11

INOXTREND C2430-11K

Suitable for:

5028626 FAN ø 300 mm
thickness 120 mm
blade number 24 - ø cone-shaped hole 19.5-23 mm
for Convection oven electric (INOXTREND) FBA-120E
FBE-120E - FBP-120E - FDA-120E - FDE-120E
FDP-120E - FUA-120E - FUE-120E



INOXTREND C7165-00

INOXTREND C7168-00

Feet

3313040 ADJUSTABLE S/ST. FOOT ø 1"1/2 x h 95 mm
with fixed screw M10x25 mm
adjustable height 95÷150 mm



INOXTREND C2407-00

Filters

5031005 DRAIN FILTER STAINLESS STEEL ø 86 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C2125-00

Fittings

3349342 NICHEL-PL.HOSE-END FITTING ø 1/4" M ø 7



INOXTREND HR-595

1349363 T-FITTING ø 1/8" M-1/8" F-1/8" F NICKEL-PL



INOXTREND HR-040


Fuses

3049016 DELAY FUSE $\varnothing$ 5x20 mm - 10 PCS
250V 2A



INOXTREND LC-422

3049092 FUSE HOLDER $\varnothing$ 5x20 mm
500V 6.3A
for Convection oven electric (INOXTREND)
SDA-5EM-00



INOXTREND LC-420

Gas burners

3023176 BURNER $\varnothing$ 40x450 mm
overall length 460 mm
made of STAINLESS STEEL
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00
FBE106G01 - FBE110G00 - FBE110G01 - FBP106G00
FBP106G01 - FBP110G00 - FBP110G01 - FDA106G00
FDA106G01 - FDA110G00 - FDA110G01 - FDE106G00
FDE106G01 - FDE110G00 - FDE110G01 - FDP106G00
FDP106G01 - FDP110G00 - FDP110G01 - FUA106G00
FUA106G01 - FUA110G00 - FUA110G01 - FUE106G00
FUE106G01 - FUE110G00 - FUE110G01




INOXTREND C2297-00

3023174 BURNER $\varnothing$ 50x550 mm
overall length 560 mm
made of STAINLESS STEEL
for Convection oven gas (INOXTREND) FBA-210G
FBE-210G - FBP-210G - FDA-210G - FDE-210G
FDP-210G - FUA-210G - FUE-210G



INOXTREND C2480-00

3023175 BURNER $\varnothing$ 60x550 mm
made of STAINLESS STEEL
for Convection oven gas (INOXTREND) - Series G
Series L



INOXTREND C7188-00



Suitable for:


INOXTREND



Suitable for:


Gaskets for oven door

3786107 EXTERNAL GASKET FOR OVEN GLASS 3500 mm
made of silicone elastomer
profile dimensions 11x8 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) FBA120E
FBA220E - FBE120E - FBE220E - FBP120E
FBP220E - FDA120E - FDA220E - FDE120E
FDE220E - FDP120E - FDP220E - FUA120E
FUA220E - FUE120E - FUE220E
for Convection oven gas (INOXTREND) FBA120G
FBA220G - FBE120G - FBE220G - FBP120G
FBP220G - FDA120G - FDA220G - FDE120G
FDE220G - FDP120G - FDP220G - FUA120G
FUA220G - FUE120G - FUE220G




INOXTREND C7116-00

5057998 GASKET FOR OVEN DOOR 2225 mm
made of silicone elastomer
profile dimension 24x15 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)
for Convection oven (INOXTREND) RDA-110E




INOXTREND C7625-00

5029098 GASKET FOR OVEN DOOR KIT
made of silicone elastomer
4 pieces profile dimension 26.4x26 mm
2 pcs length 750 mm - 2 pz length 580 mm
COLOUR: BLACK
for Convection oven (INOXTREND)



INOXTREND C2215-02

3286030 GASKET FOR OVEN DOOR 04880 - 15 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR




INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03

3286084 GASKET FOR OVEN DOOR 04880 - 3 m
made of silicone elastomer
profile dimensions
BLACK COLOUR




INOXTREND C2215-03

INOXTREND C2215-06

INOXTREND RRC2215-01

INOXTREND RRC2215-03

3286029 GASKET FOR OVEN DOOR 04880 - 6 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR



INOXTREND C2215-03

INOXTREND C2215-06

INOXTREND RRC2215-01


INOXTREND RRC2215-03

Suitable for:

Suitable for:

3186412 GASKET FOR OVEN DOOR 1420 mm

made of silicone elastomer
profile dimensions 24x15 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) SCA-4E-00
SCA-5E-00 - SDA-4E-00 - SDA-4EM-00 - SDA-5E-00
SDA-5EM-00 - SUA-4E-00 - SUA-5E-00
SUTA-4E-00 - SUTA-5E-00 - WBE4E




INOXTREND C6013-00

INOXTREND C6090-00

5060021 GASKET FOR OVEN DOOR 1600 mm


made of silicone elastomer
profile dimension 24x15 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) RDA-105E
RDA-305E - RDE-105E - RDE-305E - RUA-105E
RUA-305E



INOXTREND C7562-00

3186397 GASKET FOR OVEN DOOR 2200 mm


made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) FBA106E00
FBA106E01 - FBE106E00 - FBE106E01 - FBP106E00
FBP106E01 - FDA106E00 - FDA106E01 - FDE106E00
FDE106E01 - FDP106E00 - FDP106E01 - FUA106E00
FUA106E01 - FUE106E00 - FUE106E01
for Convection oven gas (INOXTREND) FBA106G00
FBA106G01 - FBE106G00 - FBE106G01 - FBP106G00
FBP106G01 - FDA106G00 - FDA106G01 - FDE106G00
FDE106G01 - FDP106G00 - FDP106G01 - FUA106G00
FUA106G01 - FUE106G00 - FUE106G01



INOXTREND C5220-00

5059504 GASKET FOR OVEN DOOR 2570 mm


made of silicone elastomer
profile dimension 28x20 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) CDA-111E
CDE-111E - CDUA-110E - CRCA-111E - CUA-111E
CUE-111E



INOXTREND C9029-00

3186414 GASKET FOR OVEN DOOR 2600 mm


made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) BUA606E00
BUE606E00
for Convection oven gas (INOXTREND) BUA606G00
BUE606G00



INOXTREND C5737-00

3186398 GASKET FOR OVEN DOOR 2820 mm

made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) FBA110E00
FBA110E01 - FBE110E00 - FBE110E01 - FBP110E00
FBP110E01 - FDA110E00 - FDA110E01 - FDE110E00
FDE110E01 - FDP110E00 - FDP110E01 - FUA110E00
FUA110E01 - FUE110E00 - FUE110E01
for Convection oven gas (INOXTREND) FBA110G00
FBA110G01 - FBE110G00 - FBE110G01 - FBP110G00
FBP110G01 - FDA110G00 - FDA110G01 - FDE110G00
FDE110G01 - FDP110G00 - FDP110G01 - FUA110G00
FUA110G01 - FUE110G00 - FUE110G01



INOXTREND C5221-00


INOXTREND RRC5221-00



Suitable for:

Suitable for:

- 3186413 GASKET FOR OVEN DOOR 3200 mm**
made of silicone elastomer
profile dimensions 28x20 mm
COLOUR BLACK
for Convection oven electric (INOXTREND) BUA610E00
BUE610E00
for Convection oven gas (INOXTREND) BUA610G00
BUE610G00



INOXTREND C5738-00

INOXTREND RRC5738-00

- 5040244 GASKET FOR OVEN DOOR 420x320 mm**
made of silicone elastomer
profile dimension 12x10 mm
with fastening clips
COLOUR BLACK
for Convection oven (INOXTREND)



INOXTREND C1608-00

- 7111302 GASKET FOR OVEN GLASS KIT**
made of silicone elastomer
profile dimension 11x8 mm
2 pcs length 1550 mm
COLOUR: BLACK
for Convection oven (INOXTREND)



INOXTREND C2183-01

- 5016472 GASKET FOR OVEN GLASS 450 mm**
made of silicone elastomer
profile dimension 11x8 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C5227-00

- 7102222 GUARNIZIONE INFERIORE PORTA FORNO 715 mm**
made of silicone elastomer
profile dimension 22x6 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) FBA-120E
FBA-220E - FBE-120E - FBE-220E - FBP-120E
FBP-220E - FDA-120E - FDA-220E - FDE-120E
FDE-220E - FDP-120E - FDP-220E - FUA-120E
FUA-220E - FUE-120E - FUE-220E
for Convection oven gas (INOXTREND) FBA-120G
FBA-220G - FBE-120G - FBE-220G - FBP-120G
FBP-220G - FDA-120G - FDA-220G - FDE-120G
FDE-220G - FDP-120G - FDP-220G - FUA-120G
FUA-220G - FUE-120G



INOXTREND C5207-00

- 5040249 GUARNIZIONE PANNELLO COMANDI 640 mm**
made of silicone elastomer
profile dimension 11x8 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) BUA-606E
BUE-606E - FBA-106E - FBE-106E - FBP-106E
FDA-106E - FDE-106E - FDP-106E - FUA-106E
FUE-106E
for Convection oven gas (INOXTREND) BUA-606G
BUE-606G - FBA-106G - FBE-106G - FBP-106G
FDA-106G - FDE-106G - FDP-106G - FUA-106G
FUE-106G




INOXTREND C5246-00

Suitable for:

Suitable for:

7100206 GUARNIZIONE PORTA FORNO 2040 mm


made of silicone elastomer
profile dimension 28x20 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) CDA-107E
CDE-107E - CRCA-105E - CRCA-107E - CRUA-107E
CUA-107E - CUE-107E



INOXTREND C9031-00

5040247 INTERNAL GASKET FOR OVEN GLASS 1800 mm


made of silicone elastomer
profile dimension 11x8 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) BUA-606E
BUE-606E - FBA-106E - FBE-106E - FBP-106E
FDA-106E - FDE-106E - FDP-106E - FUA-106E
FUE-106E
for Convection oven gas (INOXTREND) BUA-606G
BUE-606G - FBA-106G - FBE-106G - FBP-106G
FDA-106G - FDE-106G - FDP-106G - FUA-106G
FUE-106G



INOXTREND C5223-00

5035151 INTERNAL GASKET FOR OVEN GLASS 2400 mm


made of silicone elastomer
profile dimension 11x8 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) BUA-610E
BUE-610E - FBA-110E - FBE-110E - FBP-110E
FDA-110E - FDE-110E - FDP-110E - FUA-110E
FUE-110E
for Convection oven gas (INOXTREND) BUA-610G
BUE-610G - FBA-110G - FBE-110G - FBP-110G
FDA-110G - FDE-110G - FDP-110G - FUA-110G
FUE-110G



INOXTREND C5219-00

5040251 INTERNAL GASKET FOR OVEN GLASS 3000 mm


made of silicone elastomer
profile dimension 9.5x9 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) FBA-106E
FBE-106E - FBP-106E - FDA-106E - FDE-106E
FDP-106E - FUA-106E - FUE-106E
for Convection oven gas (INOXTREND) FBA-106G
FBE-106G - FBP-106G - FDA-106G - FDE-106G
FDP-106G - FUA-106G - FUE-106G



INOXTREND C5209-00

5040246 INTERNAL GASKET FOR OVEN GLASS 3600 mm

made of silicone elastomer
profile dimension 9.5x9 mm
COLOUR: BLACK
for Convection oven electric (INOXTREND) FBA-110E
FBE-110E - FBP-110E - FDA-110E - FDE-110E
FDE-110G - FDP-110E - FDP-110G - FUA-110E
FUE-110E
for Convection oven gas (INOXTREND) FBA-110G
FBE-110G - FBP-110G - FDA-110G - FUA-110G
FUE-110G



INOXTREND C5211-00

5029099 KIT GASKET FOR OVEN GLASS

made of silicone elastomer
profile dimension 11x8 mm
2 pcs length 2000 mm
COLOUR: BLACK
for Convection oven (INOXTREND)



INOXTREND C2183-02



Suitable for:

INOXTREND



Suitable for:

Handles

3242255 CENTRAL LOCK MECHANISM RIGHT



INOXTREND HC-025

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



INOXTREND C1447-00

3242440 COMPLETE OVEN DOOR HANDLE

for Convection oven electric (INOXTREND) FBA120E00
FBA220E00 - FBE120E00 - FBE220E00 - FBP120E00
FBP220E00 - FDA120E00 - FDA220E00 - FDE120E00
FDE220E00 - FDP120E00 - FDP220E00 - FUA120E00
FUA220E00 - FUE120E00 - FUE220E00
for Convection oven gas (INOXTREND) FBA120G00
FBA220G00 - FBE120G00 - FBE220G00 - FBP120G00
FBP220G00 - FDA120G00 - FDA220G00 - FDE120G00
FDE220G00 - FDP120G00 - FDP220G00 - FUA120G00
FUA220G00 - FUE120G00 - FUE220G00



INOXTREND C7082-00

3242445 DOOR HANDLE BUSHING

dimensions $\varnothing$ 22x12x6 mm



INOXTREND C7083-00

3242238 STRIKE FOR DOOR HANDLE

distance between mounting holes 26 mm



INOXTREND HC-029

3242255 CENTRAL LOCK MECHANISM RIGHT



INOXTREND HC-025

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm



INOXTREND HC-027

3242446 TO/BOT TIE ROD SHAFT $\varnothing$ 10x365 mm



INOXTREND C7086-00

INOXTREND C7086-12

Suitable for:

3242445 DOOR HANDLE BUSHING
dimensions $\varnothing$ 22x12x6 mm



INOXTREND C7083-00

Suitable for:

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm



INOXTREND C2210-02

3242048 DOOR STRIKE
distance between mounting holes 40 mm



INOXTREND C2211-02

5066692 HANDLE FOR OVEN DOOR COMPLETE
for Convection oven (INOXTREND)



INOXTREND X0460-00

7105815 HANDLE FOR OVEN DOOR COMPLETE
for Convection oven electric (INOXTREND) RCA-605E
RDA-105E - RDA-110E - RDA-305E - RDE-105E
RDE-110E - RDE-305E - RDE-605E - RUA-105E
RUA-110E - RUA-305E - RUA-605E



INOXTREND C7557-00

INOXTREND C7565-00

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



INOXTREND C7564-00

5037815 HANDLE FOR OVEN DOOR 144 mm
distance between holes 117 mm
for Convection oven electric (INOXTREND) SCA-4-5E
SUA-4-5E - SUTA-4E-5E



INOXTREND C4014-00

5028006 KIT LOCKING COMPLETE OVEN DOOR
complete with oven door handle
for Convection oven (INOXTREND)



INOXTREND C7095-00

3242753 LH-RH CATCH WITHOUT LOCK 791 CR
for high temperatures
curved handgrip
length 254x30 mm - distance 133 mm
adjustable catch from 9 to 22 mm
for Convection oven electric (INOXTREND) RDA5E
RDE5E - RPDA5E - RPDE5E - RPDE5EP



INOXTREND

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm



INOXTREND C2210-02



Suitable for:

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - mounting distance 150 mm
base length 185.5x23.5x33.2h mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E



INOXTREND C8050-00

Suitable for:

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



INOXTREND C1447-00

3242144 OVEN DOOR HANDLE 260x30 mm
with strike mounting distance 45 mm
handle mounting distance 133 mm



INOXTREND C2210-01

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm



INOXTREND C2210-02

3242047 OVEN DOOR HANDLE 265x30 mm
with strike mounting distance 43 mm
handle mounting distance 122-132 mm
for Convection oven electric (INOXTREND) BUA606E00
BUA610E00 - BUE606E00 - BUE610E00 - CDA107E
CDA111E - CDA207E - CDA211E - CDE107E
CDE111E - CDE207E - CDE211E - CRCA105E
CRCA107E - CRCA111E - CRUA107E - CRUA110E
CUA107E - CUA111E - CUA211E - CUE107E
CUE111E - FBA106E00 - FBA106E01 - FBA210E00
FBE106E00 - FBE106E01 - FBE210E00 - FBP210E00
FDA210E00 - FDE210E00 - FDP210E00 - FUA210E00
FUE210E00
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA210G00 - FBE106G00 - FBE106G01



INOXTREND C2211-01

INOXTREND C8118-00

INOXTREND C8118-00CR

INOXTREND RRC2211-01

3242048 DOOR STRIKE
distance between mounting holes 40 mm



INOXTREND C2211-02

3242607 OVEN DOOR HANDLE 265x30 mm
with strike mounting distance 43 mm
handle mounting distance 122-132 mm



INOXTREND RRC2211-01

3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm



INOXTREND HC-027

Suitable for:

3242238 STRIKE FOR DOOR HANDLE
distance between mounting holes 26 mm



INOXTREND HC-029

Suitable for:

3242111 STRIKE FOR DOOR HANDLE M8
overall length 50.5 mm



INOXTREND C7564-00

5053179 SUPPORT FOR LATCH DOOR HANDLE
dimensions 70x21 mm
distance between the holes 42 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C8112-00

3242446 TO/BOT TIE ROD SHAFT $\varnothing$ 10x365 mm



INOXTREND C7086-00

INOXTREND C7086-12

Heating elements

3755234 HEATING ELEMENT 11000W 230V
external $\varnothing$ 310 mm - internal $\varnothing$ 294 mm
total height 180 mm
flange 142x25 mm
for Convection oven electric (INOXTREND) FBA210E00
FBE210E00 - FBP210E00 - FDA210E00 - FDE210E00
FDP210E00 - FUA110E00 - FUA110E01 - FUE110E00
FUE110E01



INOXTREND C2431-00

INOXTREND C2538-00

INOXTREND C2538-12

5070306 HEATING ELEMENT 12000W 230V
immersed length 460 mm
flange $\varnothing$ ext. 72 mm
complete with O-ring
for Convection oven electric (INOXTREND) FBA-210E
FBE-210E - FBP-210E



INOXTREND C5854-00

3755233 HEATING ELEMENT 14000W 230V
external $\varnothing$ 390 mm - internal $\varnothing$ 370 mm
height 200 mm
flange 142x25 mm
for Convection oven electric (INOXTREND) FBA120E00
FBE120E00 - FBP120E00 - FDA120E00 - FDE120E00
FDP120E00 - FUA120E00 - FUE120E00



INOXTREND C7170-00

5053771 HEATING ELEMENT 15000W 230V
immersed length 500 mm
flange $\varnothing$ ext. 72 mm
complete with O-ring
for Convection oven electric (INOXTREND) FBA-120E
FBE-120E - FBP-120E



INOXTREND C5856-00

INOXTREND C5856-12



Suitable for:

5056444 HEATING ELEMENT 16000W 230V
external $\varnothing$ 385 mm - internal $\varnothing$ 370 mm
total height 155 mm
flange 142x25 mm
for Convection oven electric (INOXTREND)



INOXTREND LC-003

INOXTREND LC-003-12

Suitable for:

5069646 HEATING ELEMENT 22500W 400V
external $\varnothing$ 503 mm - internal $\varnothing$ 488 mm
total height 163 mm
flange 142x25 mm
for Convection oven electric (INOXTREND)



INOXTREND LC-004

3755229 HEATING ELEMENT 2800W 230V
external $\varnothing$ 205 mm - internal $\varnothing$ 190 mm
total height 40 mm
flange 100x22 mm
for Convection oven electric (INOXTREND) SCA-4E-00
SCA-5E-00 - SDA-4EM-00 - SDA-5EM-00
SUA-4E-00 - SUA-5E-00 - SUTA-4E-00
SUTA-5E-00



INOXTREND C6015-00

3755231 HEATING ELEMENT 3900W 230V
external $\varnothing$ 220 mm - internal $\varnothing$ 208 mm
total height 103 mm
flange 142x25 mm
for Convection oven electric (INOXTREND)
Series R - Series S
for Convection oven (INOXTREND) SDA-304E



INOXTREND C3616-00

7100982 HEATING ELEMENT 3900W 230V
immersed length 148 mm
flange $\varnothing$ ext. 72 mm
complete with O-ring
for Convection oven electric (INOXTREND) FBA-106E
FBE-106E - FBP-106E
for Convection oven gas (INOXTREND) FBA-106G
FBE-106G - FBP-106G



INOXTREND C5851-00

7109333 HEATING ELEMENT 5800W 230V
external $\varnothing$ 290 mm - internal $\varnothing$ 275 mm
total height 106 mm
flange 142x25 mm
for Convection oven electric (INOXTREND) RCA-605E
RDA-105E - RDA-110E - RDE-105E - RDE-110E
RDE-605E - RUA-105E - RUA-605E



INOXTREND C7558-00

Suitable for:

Suitable for:

3755230 HEATING ELEMENT 7800W 230V
 external $\varnothing$ 280 mm - internal $\varnothing$ 264 mm
 total height 170 mm
 flange 142x25 mm
 for Convection oven electric (INOXTREND) BUA606E00
 BUA610E00 - BUE606E00 - BUE610E00 - FBA106E00
 FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
 FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
 FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
 FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
 FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
 FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
 FUA106E01 - FUE106E00 - FUE106E01



INOXTREND C2036-00

INOXTREND C3090-00

INOXTREND LC-001

3755996 HEATING ELEMENT 8000W 230V
 immersed depth 335 mm
 flange external $\varnothing$ 72 mm
 complete with O-ring
 nut and washer upon demand
 for Convection oven electric (INOXTREND) FBA110E00
 FBA110E01 - FBE110E00 - FBE110E01 - FBP110E00
 FBP110E01



INOXTREND C5852-00

INOXTREND C5852-12

5028194 HEATING ELEMENT 8000W 230V
 external $\varnothing$ 320 mm - internal $\varnothing$ 302 mm
 total height 60 mm
 flange 142x25 mm
 for Convection oven electric (INOXTREND) CDA-107E
 CDE-107E - Series CRCA-105E - CRCA-107E
 CRUA-107E - CUA-107E - CUE-107E



INOXTREND C9013-00

INOXTREND LC-002

Hinges, catches and accessories

3053659 HINGE LOWER OVEN DOOR
 for Convection oven electric (INOXTREND)
 Series CDA - Series CDE - Series CRCA
 Series CRUA - Series CUA - Series CUE - Series RCA
 Series RDA - Series RDE - Series RUA



INOXTREND C9022-00

INOXTREND C9522-00

5049018 BUSHING FOR OVENDOOR HINGE PIN
 thread M10x1
 for Convection oven electric (INOXTREND)



INOXTREND C8305-00

5049017 PIN FOR LOWER HINGE OVEN DOOR
 thread M10x1 - pin $\varnothing$ 8.4 mm
 for Convection oven electric (INOXTREND)



INOXTREND C8316-00



Suitable for:

Suitable for:

5034479 HINGE LOWER OVEN DOOR

for Convection oven electric (INOXTREND) SCA-4-5E
SDA-4-5E - SDA-4-5EM - SUA-4-5E - SUTA-4-5E



INOXTREND C6041-00

3053572 HINGE BUSHING

ø external 20/14 mm
ø internal 10 mm
h 18 mm
for Convection oven electric (INOXTREND) SDA-5E-00
SDA-5EM-00



INOXTREND C1043-00

INOXTREND RRC1043-00

5036030 HINGE LOWER OVEN DOOR

for Convection oven electric (INOXTREND) FBA-120E
FBA-220E - FBE-120E - FBE-220E - FBP-120E
FBP-220E - FDA-120E - FDA-220E - FDE-120E
FDE-220E - FDP-120E - FDP-220E - FUA-120E
FUA-220E - FUE-120E - FUE-220E
for Convection oven gas (INOXTREND) FBA-120G
FBA-220G - FBE-120G - FBE-220G - FBP-120G
FBP-220G - FDA-120G - FDA-220G - FDE-120G
FDE-220G - FDP-120G - FDP-220G - FUA-120G
FUA-220G - FUE-120G - FUE-220G



INOXTREND C7061-00

5036031 BUSHING FOR HINGE


ø external 28/18 mm
ø internal 12 mm
h 20 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C7062-00

5058726 HINGE UPPER FOR OVEN DOOR

for Convection oven electric (INOXTREND)



INOXTREND C9021-00

INOXTREND C9521-00

5049018 BUSHING FOR OVENDOOR HINGE PIN

thread M10x1
for Convection oven electric (INOXTREND)



INOXTREND C8305-00

5049017 PIN FOR LOWER HINGE OVEN DOOR

thread M10x1 - pin ø 8.4 mm
for Convection oven electric (INOXTREND)



INOXTREND C8316-00

5038428 PLATE SUPPORT FOR UPPER HINGE

dimensions 60x36 mm
for Convection oven electric (INOXTREND)
Series CDA - Series CDE - Series CRCA
Series CRUA - Series CUA - Series CUE - Series RCA
Series RDA - Series RDE - Series RUA



INOXTREND C8311-00

Suitable for:

5038428 PLATE SUPPORT FOR UPPER HINGE
 dimensions 60x36 mm
 for Convection oven electric (INOXTREND)
 Series CDA - Series CDE - Series CRCA
 Series CRUA - Series CUA - Series CUE - Series RCA
 Series RDA - Series RDE - Series RUA



INOXTREND C8311-00

Suitable for:

3053528 UPPER HINGE FOR OVEN DOOR
 for Convection oven (INOXTREND)



INOXTREND C5175-00

3053452 UPPER/LOWER HINGE FOR OVEN DOOR
 for Convection oven electric (INOXTREND) SCA-4E-00
 SCA-5E-00 - SDA-4E-00 - SDA-4EM-00 - SDA-5E-00
 SDA-5EM-00 - SUA-4E-00 - SUA-5E-00
 SUTA-4E-00 - SUTA-5E-00



INOXTREND C6040-00

3053572 HINGE BUSHING
 ø external 20/14 mm
 ø internal 10 mm
 h 18 mm
 for Convection oven electric (INOXTREND) SDA-5E-00
 SDA-5EM-00



INOXTREND C1043-00

INOXTREND RRC1043-00

3053573 UPPER/LOWER HINGE FOR OVEN DOOR
 for Convection oven electric (INOXTREND) BUA-606E
 BUA-610E - BUE-606E - BUE-610E - FBA-106E
 FBA-110E - FBE-106E - FBE-110E - FBP-106E
 FBP-110E - FDA-106E - FDA-110E - FDE-106E
 FDE-110E - FDP-106E - FDP-110E - FUA-106E
 FUA-110E - FUE-106E - FUE-110E
 for Convection oven gas (INOXTREND) BUA-606G
 BUA-610G - BUE-606G - BUE-610G - FBA-106G
 FBA-110G - FBE-106G - FBE-110G - FBP-106G
 FBP-110G - FDA-106G - FDA-110G - FDE-106G
 FDE-110G - FDP-106G - FDP-110G - FUA-106G
 FUA-110G - FUE-106G - FUE-110G



INOXTREND C5180-00

Hydraulic piping

5025932 PIPE FOR HUMIDIFIER ø 8 mm 210 mm
 for Convection oven (INOXTREND)



INOXTREND C5068-00

5068943 PIPE FOR HUMIDIFIER ø 8 mm 387 mm
 for Convection oven (INOXTREND)



INOXTREND C2458-00



Suitable for:

3450209 RUBBER PIPE $\varnothing$ 13x20 mm - 40 m
operating temperature $-40+100^{\circ}\text{C}$



INOXTREND RRC2181-00

Suitable for:


3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m
operating temperature $-40+100^{\circ}\text{C}$



INOXTREND RRC2181-00

Incandescent lamps and neon lamps

3221041 LAMP E14 15W 230V
max temperature 300°C - $\varnothing$ 22x50 mm



INOXTREND C6085-05

3221061 LAMP E14 25W 230V
max temperature 300°C - $\varnothing$ 26x57 mm



INOXTREND C2104-03

INOXTREND C6073E-00

3221457 NEUTRAL HALOGEN LAMP G6.35 35W 12V
max. temperature 250°C
for Convection oven (INOXTREND)



INOXTREND C5252-00

3221382 NEUTRAL HALOGEN LAMP G9 40W 230V
max. temperature 250°C



INOXTREND LC-051

Indicator lights

3221176 INDICATOR LIGHT GREEN 230V
head $\varnothing$ 10 mm - hole $\varnothing$ 9 mm - 120°C



INOXTREND C5410-00

INOXTREND 5410-00

3221216 INDICATOR LIGHT GREEN 230V
head $\varnothing$ 16 mm - hole $\varnothing$ 11.5 mm - 120°C



INOXTREND C2205-00

3221215 INDICATOR LIGHT ORANGE 230V
head $\varnothing$ 16 mm - hole $\varnothing$ 11.5 mm - 120°C



INOXTREND C2189-00



Suitable for:

3221170 INDICATOR LIGHT ORANGE 230V
head ø 10 mm - hole ø 9 mm - 120°C



INOXTREND C5411-00

INOXTREND 5411-00

Suitable for:

3221176 INDICATOR LIGHT GREEN 230V
head ø 10 mm - hole ø 9 mm - 120°C



INOXTREND C5410-00

INOXTREND 5410-00

3221215 INDICATOR LIGHT ORANGE 230V
head ø 16 mm - hole ø 11.5 mm - 120°C



INOXTREND C2189-00

Interference suppression filters

5028007 INTERFER. SUP. CAPACITOR 1µF 275Vac
for Convection oven electric (INOXTREND)
Series BUA - Series BUE - Series FBA - Series FBE
Series FBP - Series FDE - Series FDP - Series FUA
Series FUE
for Convection oven gas (INOXTREND) - Series BUA
Series BUE - Series FBA - Series FBE - Series FBP
Series FDA - Series FDE - Series FDP - Series FUA
Series FUE



INOXTREND MC-800

Knobs

3241233 BLACK KNOB ø 39 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (INOXTREND) RDE-5E
RPDA-5E - RPDE-5E - RPDE-5EP



INOXTREND C2188-00

3241392 BLACK KNOB ø 40 mm
D shaft hole 6x4.6 mm
for Convection oven (INOXTREND) SCA4/5E00
SDA4/5EM00 - SDA4/5E00 - SUA4/5E00
SUTA4/5E00
for Convection oven electric (INOXTREND) WBE4E



INOXTREND C5385-00




Suitable for:

Suitable for:

5038426 KNOB SILVER ø 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (INOXTREND)
Series BUE - Series FBE - Series FBP - Series FDE
Series FDP - Series FUE - Series RDE
for Convection oven gas (INOXTREND) - Series BUE
Series FBE - Series FBP - Series FDE - Series FDP
Series FUE

5047166 KNOB SILVER ø 55 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (INOXTREND)
Series BUA - Series BUE - Series CRCA
Series CRUA - Series FBA - Series FBE - Series FDA
Series FDE - Series FUA - Series FUE - Series RCA
Series RDA - Series RDE - Series RUA
for Convection oven gas (INOXTREND) - Series BUA
Series BUE - Series FBA - Series FBE - Series FDA
Series FDE - Series FUA - Series FUE



INOXTREND C8124-00

INOXTREND C8119-00

INOXTREND C8119-22

7105044 KNOB SILVER ø 60 mm
D-shaped hole 6x4.6 mm
for Convection oven electric (INOXTREND)
Series CDA - Series CDE - Series CUA - Series CUE



INOXTREND C8293-00

INOXTREND C8293-22

Labels for control panels

3319275 ELECTRONIC PLATE GREY
sizes 275x100 mm - adhesive
for Convection oven electric (INOXTREND) RDE5E



INOXTREND C3655-00/B

5066934 PLATE ELECTRONIC GREY
dimensions 250x100 mm
for Convection oven (INOXTREND)



INOXTREND C2246-00

5075085 PLATE ELECTRONIC RED
dimensions 675x115 mm
for Convection oven electric (INOXTREND) BUE-606E
BUE-610E
for Convection oven gas (INOXTREND) BUE-606G
BUE-610G



INOXTREND C8271-00/R

Lamp receptacles and spare parts

3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



INOXTREND C6073D-00

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm
for Convection oven (INOXTREND)



INOXTREND C2104-12

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm
for Convection oven (INOXTREND)



INOXTREND C2104-32

3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



INOXTREND C6073F-00

3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



INOXTREND C6073C-00

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C
for Convection oven (INOXTREND)



INOXTREND C2104-22

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
thread ø 33.5 mm - overall height 34 mm



INOXTREND C6085-20

3221212 HALOGEN LAMP RECEPTACLE G4-6.35 35W 12V
wire connection length 150 mm
for Convection oven (INOXTREND) - Series BUA
Series BUE - Series FBA - Series FBE - Series FBP
Series FDA - Series FDE - Series FDP - Series FUA
Series FUE



INOXTREND C5251-00

INOXTREND C5259-00

3621005 LAMP CAP FOR HALOGEN G9 40W 230V
external dimensions 74x59 mm
max. temperature 300°C



INOXTREND LC-050

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
extern size 140x72 mm
maximal temperature 300°C




INOXTREND



Suitable for:

3221274 LAMP RECEPTACLE E14 25W 230V
external dimensions 75x60 mm



INOXTREND C6073B-00

Suitable for:

3221311 LAMP RECEPTACLE E14 25W 230V
mounting hole $\varnothing$ 36 mm
max temperature 300°C
for Convection oven (INOXTREND)



INOXTREND C6085-01


3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm



INOXTREND C2272-01

INOXTREND C2272-1

3221268 LAMP RECEPTACLE W/LAMP G9 25W 240V
external dimensions 96x80 mm
max temperature 300°C



INOXTREND C6073-00

Level regulators

7101293 CONTROL BOILER CLEANING
12Vac 50/60Hz
for Steam oven (INOXTREND) WBE-4E



INOXTREND MC-851

3341000 LEVEL REGULATOR RL30/3ES/F/G
230V 50/60Hz



INOXTREND HC-055

Level sensors

5035865 LEVEL PROBE $\varnothing$ 1/4" M-70 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND HC-054



Microswitches, magnetic

3240256 MAGNETIC MICROSWITCH STEM E550 1B

1 contact NO 250V 1A 50W
cable length 1200 mm
for Convection oven (INOXTREND)



INOXTREND C8310-00

Microswitches, mechanical

3240410 MICROSWITCH 16(4)A 250V



INOXTREND C6018-00

Motors

3340008 COUNTER-FLANGE FOR MAIN SHAFT

external $\varnothing$ 60 mm - internal $\varnothing$ 18.5 mm
thickness 6 mm



INOXTREND C2029-00

3161004 FLANGE FOR MAIN SHAFT

external $\varnothing$ 60 mm - internal $\varnothing$ 18.5 mm
thickness 8 mm
for Convection oven electric (INOXTREND) BUA-606E
BUA-610E - BUE-606E - BUE-610E - CDA-111E
CDA-207E - CDE-111E - CDE-207E - CRCA-111E
CRUA-110E - CUA-111E - CUE-111E - RDA-5E
RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G



INOXTREND C2028-00

3240240 FLANGE FOR MAIN SHAFT

external $\varnothing$ 45mm - internal $\varnothing$ 12mm - thickness 6mm



INOXTREND C6103-00

5025121 MOTOR FIR 1020.2350

0.37 kW 230V 50Hz
2.5A - 2800rpm
capacitor 10 μ f
shaft length 86 mm
shaft $\varnothing$ 17 mm - thread $\varnothing$ 12 mm
for Convection oven (INOXTREND)



INOXTREND C2900-00



Suitable for:

Suitable for:

3240253 MOTOR FIR 1020.5450
0.37 kW 230/400V 50Hz
1.9/1.1A - 2600rpm
shaft length 78 mm
shaft $\varnothing$ 17 mm - thread $\varnothing$ 12 mm
for Convection oven electric (INOXTREND) BUA606E00
BUA610E00 - BUE606E00 - BUE610E00 - CDA111E
CDA207E - CDE111E - CDE207E - CRCA111E
CRUA110E - CUA111E - CUE111E - FBA106E00
FBA106E01 - FBA110E00 - FBA110E01 - FBA210E00
FBE106E00 - FBE106E01 - FBE110E00 - FBE110E01
FBE210E00 - FDA106E00 - FDA106E01 - FDA110E00
FDA110E01 - FDA210E00 - FDE106E00 - FDE106E01
FDE110E01 - FDE210E00 - FUA106E00 - FUE106E01
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00



INOXTREND C2901-00


INOXTREND C2901-00+C2027-00

3340008 COUNTER-FLANGE FOR MAIN SHAFT
external $\varnothing$ 60 mm - internal $\varnothing$ 18.5 mm
thickness 6 mm



INOXTREND C2029-00

3240244 FAN $\varnothing$ 210 mm
thickness 100 mm
totale blades 20 - $\varnothing$ tapered hole 11-16 mm
for Convection oven electric (INOXTREND) FBA106E00
FBA106E01 - FBA110E00 - FBA110E01 - FBE106E00
FBE106E01 - FBE110E00 - FBE110E01 - FBP106E00
FBP106E01 - FBP110E00 - FBP110E01 - FDA106E00
FDA106E01 - FDA110E00 - FDA110E01 - FDE106E00
FDE106E01 - FDE110E00 - FDE110E01 - FDP106E00
FDP106E01 - FDP110E00 - FDP110E01 - FUA106E00
FUA106E01 - FUE106E00 - FUE106E01
for Convection oven gas (INOXTREND) FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBE106G00
FBE106G01 - FBE110G00 - FBE110G01 - FBP106G00
FBP106G01 - FBP110G00 - FBP110G01 - FDA106G00
FDA106G01 - FDA110G00 - FDA110G01 - FDE106G00



INOXTREND C2030-00

INOXTREND C2037-00

5068332 FAN $\varnothing$ 248 mm
thickness 100 mm
blade number 26 - $\varnothing$ cone-shaped hole 11-16 mm
for Convection oven electric (INOXTREND) FUA-110E
FUE-110E



INOXTREND C7175-00

5038800 FAN $\varnothing$ 248 mm
thickness 120 mm
blade number 24 - $\varnothing$ cone-shaped hole 11-15 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C2430-1160

5032385 FAN $\varnothing$ 250 mm
thickness 120 mm
number of blades 26 - conical hole $\varnothing$ 11-16 mm
for Convection oven electric (INOXTREND) FBA-210E
FBE-210E - FBP-210E - FDA-210E - FDE-210E
FDP-210E
for Convection oven gas (INOXTREND) FBA-210G
FBE-210G - FBP-210G - FDA-210G - FDE-210G
FDP-210G - FUA-210G - FUE-210G



INOXTREND C2430-11

INOXTREND C2430-11K



Suitable for:

INOXTREND



3161004 FLANGE FOR MAIN SHAFT

external $\varnothing$ 60 mm - internal $\varnothing$ 18.5 mm
thickness 8 mm
for Convection oven electric (INOXTREND) BUA-606E
BUA-610E - BUE-606E - BUE-610E - CDA-111E
CDA-207E - CDE-111E - CDE-207E - CRCA-111E
CRUA-110E - CUA-111E - CUE-111E - RDA-5E
RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G



INOXTREND C2028-00

Suitable for:

3340007 MAIN SHAFT SEALING GASKET

external $\varnothing$ 22mm - internal $\varnothing$ 17mm - thickness 4mm



INOXTREND C2027-00

3240105 MOTOR FIR 1048.1920

0,045/0,0765kW 220/240V
50/60Hz - 2800/3400rpm
shaft length 60 mm
shaft $\varnothing$ 10 mm - thread $\varnothing$ 8 mm
plate dimensions 150x150 mm
distance between holes 130 mm
capacitor 2 μ F
for Convection oven electric (INOXTREND) RDA5E
RDE5E - RPDA5E - RPDE5E - RPDE5EP - SCA4E00
SCA5E00 - SDA4EM00 - SDA4E00 - SDA5EM00
SDA5E00 - SUA4E00 - SUA5E00 - SUTA4E00
SUTA5E00



INOXTREND C3610-00

INOXTREND RRC3610-00

3186411 MAIN SHAFT SEALING GASKET

external $\varnothing$ 22mm - internal $\varnothing$ 10mm-thickness 3.5mm



INOXTREND C3614-00

3161004 FLANGE FOR MAIN SHAFT

external $\varnothing$ 60 mm - internal $\varnothing$ 18.5 mm
thickness 8 mm
for Convection oven electric (INOXTREND) BUA-606E
BUA-610E - BUE-606E - BUE-610E - CDA-111E
CDA-207E - CDE-111E - CDE-207E - CRCA-111E
CRUA-110E - CUA-111E - CUE-111E - RDA-5E
RDE-5E - RPDA-5E - RPDE-5E - RPDE-5EP
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G



INOXTREND C2028-00



Suitable for:

5032048 MOTOR FIR 3003A2357

0.25 kW 230V 50/60Hz
1.5A - 2600/3200rpm
shaft length 62 mm
shaft $\varnothing$ 12 mm - thread $\varnothing$ 10 mm
capacitor 10 μ f
for Convection oven electric (INOXTREND) CDA-107E
CDE-107E - CRCA-105E - CRCA-107E - CRUA-107E
CUA-107E - CUE-107E - RDA-105E - RDA-110E
RDA-305E - RDE-105E - RDE-110E - RDE-305E
RDE-605E - RUA-105E - RUA-110E - RUA-305E
RUA-605E



INOXTREND C9011-00

INOXTREND C9011-12

5051995 FAN $\varnothing$ 240 mm

thickness 43 mm
blade number 55 - $\varnothing$ cone-shaped hole 9-11 mm
for Convection oven electric (INOXTREND) RCA-605E
RDA-105E - RDA-110E - RDA-305E - RDE-105E
RDE-110E - RDE-305E - RDE-605E - RUA-105E
RUA-110E - RUA-305E - RUA-605E




INOXTREND C7535-00

INOXTREND C7535-00K

3240245 MOTOR FIR 3011.4050

0.55 kW 230/400V 50Hz
2.6/1.5A - 2800rpm
shaft length 92 mm
shaft $\varnothing$ 24 mm - thread $\varnothing$ 20 mm
for Convection oven electric (INOXTREND) CDA211E
CDE211E - CUA211E - FBA120E00 - FBA220E00
FBE120E00 - FBE220E00 - FDA120E00 - FDA220E00
FDE120E00 - FDE220E00 - FUA120E00 - FUA210E00
FUA220E00 - FUE120E00 - FUE210E00 - FUE220E00
for Convection oven gas (INOXTREND) FBA120G00
FBA220G00 - FBE120G00 - FBE220G00 - FDA120G00
FDA220G00 - FDE120G00 - FDE220G00 - FUA120G00
FUA220G00 - FUE120G00 - FUE220G00



INOXTREND C7160-00

Suitable for:

5036540 FAN $\varnothing$ 240 mm

thickness 60 mm
blade number 55 - $\varnothing$ cone-shaped hole 9-10.5 mm
for Convection oven electric (INOXTREND) CDA-107E
CDE-107E - CRCA-105E - CRCA-107E - CRUA-107E
CUA-107E - CUE-107E



INOXTREND C9012-00

INOXTREND C9012-00K

5032049 MAIN SHAFT SEALING GASKET $\varnothing$ 11-8



INOXTREND C9153-00

5028626 FAN $\varnothing$ 300 mm

thickness 120 mm
blade number 24 - $\varnothing$ cone-shaped hole 19.5-23 mm
for Convection oven electric (INOXTREND) FBA-120E
FBE-120E - FBP-120E - FDA-120E - FDE-120E
FDP-120E - FUA-120E - FUE-120E




INOXTREND C7165-00

INOXTREND C7168-00

Suitable for:

5028628 MOTOR FIR 3011B4050
 0.55/0.11 kW 400V 50Hz
 1.6/0.6A - 2800/1400rpm
 shaft length 92 mm
 shaft $\varnothing$ 24 mm - thread $\varnothing$ 20 mm
 for Convection oven electric (INOXTREND) FBA-120E
 FBA-220E - FBE-120E - FBE-220E - FBP-120E
 FBP-220E - FDA-120E - FDE-120E - FDP-120E
 FDP-220E - FUA-120E - FUE-120E
 for Convection oven gas (INOXTREND) FBA-120G
 FBA-220G - FBE-120G - FBE-220G - FBP-120G
 FBP-220G - FDA-120G - FDE-120G - FDP-120G
 FDP-220G - FUA-120G - FUE-120G



INOXTREND C7161-00

Suitable for:

5028626 FAN $\varnothing$ 300 mm
 thickness 120 mm
 blade number 24 - $\varnothing$ cone-shaped hole 19.5-23 mm
 for Convection oven electric (INOXTREND) FBA-120E
 FBE-120E - FBP-120E - FDA-120E - FDE-120E
 FDP-120E - FUA-120E - FUE-120E



INOXTREND C7165-00

INOXTREND C7168-00

Outlet solenoid valves and accessories

3525006 BOILER MOTOR DRAIN VALVE
 4 wires - type 224D-230-VI15-006
 230V 50/60Hz 2,5W
 fittings $\varnothing$ 1/2"FF DN15



INOXTREND LC-500

Penetration probes

3397202 PENETRATION PROBE PT100
 2 wires - bulb $\varnothing$ 4x100 mm
 cable length 1600 mm



INOXTREND C2209-00

INOXTREND C2209-22

5037988 PENETRATION PROBE PT1000
 2 wires
 probe length 100 mm
 cable length 1700 mm
 for Convection oven (INOXTREND)



INOXTREND C8250-22

Pilot burners and accessories

3020042 PILOT JET $\varnothing$ 0.19 mm



INOXTREND C2231-00

3020043 PILOT JET $\varnothing$ 0.36 mm



INOXTREND C2232-00



Suitable for:

INOXTREND



Suitable for:

Pins

- 5049017 PIN FOR LOWER HINGE OVEN DOOR**
thread M10x1 - pin $\varnothing$ 8.4 mm
for Convection oven electric (INOXTREND)



INOXTREND C8316-00


Potentiometers

- 5032991 SELECTOR SWITCH ENCODER WITH CABLE**
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND)
Series BUE - Series CDE - Series CUE - Series FBE
Series FBP - Series FDE - Series FDP - Series FUE
Series RDE
for Convection oven gas (INOXTREND) - Series BUE
Series FBE - Series FBP - Series FDE - Series FDP
Series FUE



INOXTREND MC-802

- 5051162 SELECTOR SWITCH ENCODER WITH CABLE**
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) FBP-120E
FBP-220E - FDP-120E - FDP-220E
for Convection oven gas (INOXTREND) FBP-120G
FBP-220G - FDP-120G - FDP-220G



INOXTREND MC-803

Pressure gauges

- 3245010 PRESSURE GAUGE $\varnothing$ 49 mm**
fitting $\varnothing$ 1/4" M
scale 0-6 bar
for Convection oven electric (INOXTREND) FDA106E
FDA110E - FDA120E - FDA210E - FDA220E
FDE106E - FDE110E - FDE120E - FDE210E
FDE220E - FDP106E - FDP110E - FDP120E
FDP210E - FDP220E
for Convection oven gas (INOXTREND) FDA106G
FDA110G - FDA120G - FDA210G - FDA220G
FDE106G - FDE110G - FDE120G - FDE210G
FDE220G - FDP106G - FDP110G - FDP120G
FDP210G - FDP220G



INOXTREND C2080-00

- 3120502 BRASS PRESSURE REDUCER VALVE $\varnothing$ 1/2" FF**
for Convection oven electric (INOXTREND) FDA-106E
FDA-110E - FDA-120E - FDA-210E - FDA-220E
FDE-106E - FDE-110E - FDE-120E - FDE-210E
FDE-220E - FDP-106E - FDP-110E - FDP-120E
FDP-210E - FDP-220E
for Convection oven gas (INOXTREND) FDA-106G
FDA-110G - FDA-120G - FDA-210G - FDA-220G
FDE-106G - FDE-110G - FDE-120G - FDE-210G
FDE-220G - FDP-106G - FDP-110G - FDP-120G
FDP-210G - FDP-220G



INOXTREND C2090-00



Pressure reducers

- 3120502 BRASS PRESSURE REDUCER VALVE $\varnothing$ 1/2"FF**
 for Convection oven electric (INOXTREND) FDA-106E
 FDA-110E - FDA-120E - FDA-210E - FDA-220E
 FDE-106E - FDE-110E - FDE-120E - FDE-210E
 FDE-220E - FDP-106E - FDP-110E - FDP-120E
 FDP-210E - FDP-220E
 for Convection oven gas (INOXTREND) FDA-106G
 FDA-110G - FDA-120G - FDA-210G - FDA-220G
 FDE-106G - FDE-110G - FDE-120G - FDE-210G
 FDE-220G - FDP-106G - FDP-110G - FDP-120G
 FDP-210G - FDP-220G



INOXTREND C2090-00

Pressure switches

- 3320114 BOILER PRESSURE SWITCH 0.5-1.2 BAR**
 16A 250V - fitting 1/8"M
 for Convection oven electric (INOXTREND) FBA-106E
 FBE-106E - FBE-110E - FBE-120E - FBE-210E
 FBE-220E - FBP-106E - FBP-110E - FBP-210E
 FBP-220E - WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND C2074-00

- 3320113 BOILER PRESSURE SWITCH 1.5-4 BAR**
 16A 250V - connection $\varnothing$ 1/8"M
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-120E - FBA-210E - FBA-220E
 FBE-106E - FBE-110E - FBE-120E - FBE-210E
 FBE-220E - FBP-106E - FBP-110E - FBP-120E
 FBP-210E - FBP-220E - WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-120G - FBA-210G - FBA-220G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND C2076-00

- 7100109 PRESSURE SWITCH FOR BOILER 1.6 BAR**
 16A 250V - connection $\varnothing$ 1/8"M
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-120E - FBA-210E - FBA-220E
 FBE-106E - FBE-110E - FBE-120E - FBE-210E
 FBE-220E - FBP-106E - FBP-110E - FBP-120E
 FBP-210E - FBP-220E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-120G - FBA-210G - FBA-220G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND C2075-00



Suitable for:

INOXTREND



Suitable for:

Probes

3445012 PROBE PT100
2-wire probe
bulb $\varnothing$ 4x60 mm - cable length 1000 mm
for Convection oven electric (INOXTREND) RDE-5E-00
RPDE-5E-00



INOXTREND C2471-00


7108743 TEMPERATURE PROBE NTC100K 1200 mm
probe 2-wire
bulb $\varnothing$ 5x20 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C8248-00

INOXTREND C8248-12

5036176 TEMPERATURE PROBE PT1000
2-wire - bulb $\varnothing$ 4x60 mm
cable length 1280 mm
for Convection oven electric (INOXTREND)
for Convection oven gas (INOXTREND)



INOXTREND C8138-00

Relays

5050720 KIT RELAY SCHRACK 6A 230V
complete with terminal block
4 changeover contacts
for Convection oven electric (INOXTREND) FBA-106E
FBA-110E - FBA-120E - FBA-210E - FBA-220E
FBE-106E - FBE-110E - FBE-120E - FBE-210E
FBE-220E
for Convection oven gas (INOXTREND) FBA-106G
FBA-110G - FBA-120G - FBA-210G - FBA-220G
FBE-106G - FBE-110G - FBE-120G - FBE-210G
FBE-220G



INOXTREND AZ003-00

5027416 KIT RELAY SCHRACK 8A 230V
complete with terminal block
2 changeover contacts
for Convection oven electric (INOXTREND) BUE-606E
BUE-610E - FBA-106E - FBA-110E - FBA-120E
FBA-210E - FBA-220E - FBE-106E - FBE-110E
FBE-120E - FBE-210E - FBE-220E
for Convection oven gas (INOXTREND) BUE-606G
BUE-610G - FBA-106G - FBA-110G - FBA-120G
FBA-210G - FBA-220G - FBE-106G - FBE-110G
FBE-120G - FBE-210G - FBE-220G - FBP-120G
FDP-120G - FDP-220G



INOXTREND AZ004-00


- 5033573 KIT RELAY SCHRACK 8A 230V**
complete with terminal block
2 changeover contacts
for Convection oven electric (INOXTREND) CDA-107E
CDA-111E - CDA-207E - CDA-211E - CRCA-105E
CRCA-107E - CRCA-111E - CRUA-107E - CRUA-110E
CUA-107E - CUA-111E - CUA-211E - CUE-111E



INOXTREND AZ019-00


Selector switches

- 3057132 BOARD SELECTOR SWITCH**
contact capacity 12A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) RDE-5E
RPDE-5E - RPDE-5EP - WBE-4E



INOXTREND C2241-00

- 3057129 SELECTOR SWITCH SINGLE-POLE**
with automatic switchback
contact capacity 12A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) SUA-4E-00
SUA-5E-00 - SUTA-4E-00 - SUTA-5E-00



INOXTREND C6074-00


INOXTREND C6074-12

- 3057026 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



INOXTREND FX0189-00

- 5030542 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



INOXTREND FX0189-12



Suitable for:


INOXTREND



Suitable for:

3057228 SELECTOR SWITCH 0-10 POSITIONS


contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - CDA-107E
CDA-111E - CDA-207E - CDA-211E - CUA-107E
CUA-111E - CUA-211E - FDA-106E-00
FDA-110E-00 - FDA-120E-00 - FDA-210E-00
FDA-220E-00 - FUA-106E-00 - FUA-110E-00
FUA-120E-00 - FUA-210E-00 - FUA-220E-00
RDA-105E - RDA-110E - RDA-305E - RUA-105E
RUA-110E - RUA-305E - RUA-605E
for Convection oven gas (INOXTREND) BUA-606G-00
BUA-610G-00 - FDA-106G-00 - FDA-110G-00
FDA-120G-00 - FDA-210G-00 - FDA-220G-00
FUA-106G-00 - FUA-110G-00 - FUA-120G-00



INOXTREND C8160-00

3057229 SELECTOR SWITCH 0-11 POSITIONS


contact capacity 12A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND)
FBA-106E-00 - FBA-106E-01 - FBA-110E-00
FBA-110E-01 - FBA-120E-00 - FBA-210E-00
FBA-220E-00
for Convection oven gas (INOXTREND) FBA-106G-00
FBA-106G-01 - FBA-110G-00 - FBA-110G-01
FBA-120G-00 - FBA-210G-00 - FBA-220G-00



INOXTREND C8161-00

3057010 SELECTOR SWITCH 0-4 POSITIONS


contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



INOXTREND C2214-00

7101291 SELECTOR SWITCH 3 POSITIONS


contact capacity 16A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Steam oven (INOXTREND) WBE-4E



INOXTREND C8047-00

3057075 SELECTOR SWITCH 4 POSITIONS

contact capacity 16A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) RCA-605E




INOXTREND C5500-00

INOXTREND C5500-12

3057120 SELECTOR SWITCH 5 POSITIONS

contact capacity 12A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND)
MDA-10E-00 - MDE-6E-00




INOXTREND C5390-00

INOXTREND C5390-12

3057128 SELECTOR SWITCH 5 POSITIONS

contact capacity 12A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) RDA-5E
RPDA-5E - RPDE-5E - RPDE-5EP




INOXTREND C3652-00

INOXTREND C3652-12

3057130 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 600V - max 60/75°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) SDA-4E-00
SDA-4EM-00 - SDA-5E-00 - SDA-5EM-00



INOXTREND C6200-00

INOXTREND C6200-12

Suitable for:

3057125 SELECTOR SWITCH 6 POSITIONS
 contact capacity 16A 600V - max 60/75°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 for Convection oven (INOXTREND) - Series MB




INOXTREND C5395-01

INOXTREND C5395A-00

Suitable for:

5032992 SELECTOR SWITCH 6-POSITION
 contact capacity 12A 600V - 75°C
 D-shaped pin 6x4.6 mm
 for Convection oven (INOXTREND)



INOXTREND C8162-00

Solenoid valves

3120005 SOLEN. VALVE ELBITYPE 329 1 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet $\varnothing$ 10.5 mm



INOXTREND AZ005-00

INOXTREND C3057-00

3120007 SOLEN. VALVE ELBITYPE 349 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets $\varnothing$ 10.5 mm



INOXTREND C2087-00

3120405 SOLEN. VALVE T&P 1 WAY 180°
 230V 50/60Hz - max. temperature 90°C
 inlet 3/4" - outlet $\varnothing$ 10.5 mm




INOXTREND C305700

3120014 SOLENOID VALVE ELBITYPE 369 3-WAY 180°
 220/240V 50/60Hz - max temperature 90°C
 inlet 3/4" - three outlets $\varnothing$ 10.5 mm



INOXTREND C2088-00

5059894 SOLENOID VALVE STEAM 2-WAY 230V $\varnothing$ 1/4"
 coil 6610 EN series 688 230V 50Hz
 max. pressure 13bar
 max. temperature 150°C
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-120E - FBA-210E - FBE-106E
 FBE-110E - FBE-120E - FBE-210E - FBP-106E
 FBP-110E - FBP-120E - FBP-210E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-120G - FBA-210G - FBA-220G
 FBE-106G - FBE-110G - FBE-120G - FBE-210G
 FBE-220G - FBP-106G - FBP-110G - FBP-120G
 FBP-210G - FBP-220G



INOXTREND LC-455

3120509 STEAM SOLENOID VALVE 3-WAYS 230V $\varnothing$ 1/8"
 coil 6628 EN series 688 230V 50Hz
 pressure from 0.1 to 4.5 bar
 max. temperature 150°C
 for Convection oven electric (INOXTREND) FBA-106E
 FBA-110E - FBA-210E - FBE-106E - FBE-110E
 FBE-210E - FBP-106E - FBP-110E - FBP-210E
 WBE-4E
 for Convection oven gas (INOXTREND) FBA-106G
 FBA-110G - FBA-210G - FBE-106G - FBE-110G
 FBE-210G - FBP-106G - FBP-110G - FBP-210G



INOXTREND C2072-00



Suitable for:


INOXTREND



Suitable for:


Sparking and detection plugs

5037371 DETECTION AND IGNITION PLUG
ø 9x95 mm - overall length 177-190 mm
with covered cables length 350 mm
plate 56x22 mm
for Convection oven gas (INOXTREND) FBA-110G
FBA-120G - FBA-210G - FBA-220G - FBE-110G
FBE-120G - FBE-210G - FBE-220G - FBP-110G
FBP-120G - FBP-210G - FBP-220G



INOXTREND C5907-00

5060020 DETECTION AND IGNITION PLUG
ø 9x90 mm - overall length 140 mm
with covered cables length 690 mm
plate 56x22 mm
for Convection oven gas (INOXTREND)




INOXTREND C9309-13

INOXTREND C9309-22

INOXTREND C9309-32

5061579 DETECTION AND IGNITION PLUG
ø 9x120 mm - overall length 195 mm
with covered cables length 510 mm
plate 56x22 mm
for Convection oven gas (INOXTREND)



INOXTREND C7415-12

INOXTREND C7415-23

3020163 DETECTION PLUG ROUND ø 7x60 mm
complete with cable 780 mm
F-faston connection 6.3
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
FUE110G00 - FUE110G01 - FUE210G00



INOXTREND C2494-00

INOXTREND RRC2494-00

3020060 IGNITION PLUG ROUND ø 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



INOXTREND C2235-00

3020207 ROUND IGNITION PLUG ø 7x60 mm
complete with cable 800 mm
F-faston connection 2.8x0.8 mm
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - BUE606G00 - BUE610G00 - FBA106G00
FBA106G01 - FBA110G00 - FBA110G01 - FBA210G00
FBE106G00 - FBE106G01 - FBE110G00 - FBE110G01
FBE210G00 - FBP106G00 - FBP106G01 - FBP110G00
FBP110G01 - FBP210G00 - FDA106G00 - FDA106G01
FDA110G00 - FDA110G01 - FDA210G00 - FDE106G00
FDE106G01 - FDE110G00 - FDE110G01 - FDE210G00
FDP106G00 - FDP106G01 - FDP110G00 - FDP110G01
FDP210G00 - FUA106G00 - FUA106G01 - FUA110G00
FUA110G01 - FUA210G00 - FUE106G00 - FUE106G01
FUE110G00 - FUE110G01 - FUE210G00



INOXTREND C2497-00



Switches

3319949 BIPOLAR SWITCH ORANGE 16A 250V

16(4)A 250V - with indicator light
max. temperature 120°C
mounting hole $\varnothing$ 25 mm
for Convection oven electric (INOXTREND) BUA-606E
BUA-610E - CDA-107E - CDA-111E - CDA-207E
CDA-211E - CUA-107E - CUA-111E - CUA-211E
RCA-605E - RDA-105E - RDA-110E - RDA-305E
RUA-105E - RUA-110E - RUA-305E - RUA-605E



INOXTREND AZ129-00

INOXTREND C8252-00

3319273 PUSH-BUTTON RESET RED 3A 250V

silk-screen printing "ignition"
max. temperature 120°C
mounting hole $\varnothing$ 17 mm
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-120G - FBA-210G - FBA-220G
FBE-106G - FBE-110G - FBE-120G - FBE-210G
FBE-220G - FBP-106G - FBP-110G - FBP-120G
FBP-210G - FBP-220G - FDA-106G - FDA-110G
FDA-120G - FDA-210G - FDA-220G - FDE-106G
FDE-110G - FDE-120G - FDE-210G - FDE-220G
FDP-106G - FDP-110G - FDP-120G - FDP-210G
FUA-106G - FUA-110G - FUA-120G - FUA-210G
FUA-220G - FUE-106G - FUE-110G - FUE-120G
FUE-210G - FUE-220G



INOXTREND C5420-00

3319468 SWITCH 1-POLE BLACK 16A 250V

16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 11x30 mm



INOXTREND C2206-00

Telethermometers

5026594 TELE-THERMOMETER WHITE $\varnothing$ 52 mm 50-350°C

metal casing
covered capillary length 1000 mm
bulb $\varnothing$ 6x20 mm
for Convection oven (INOXTREND)



INOXTREND C5360-00

3441071 TELE-THERMOMETER WHITE $\varnothing$ 60 mm 50-350°C

metal sheath
covered capillary length 1600 mm
plastic covered bulb $\varnothing$ 6x20 mm



INOXTREND C2186-00



Suitable for:

INOXTREND



Suitable for:

Terminal blocks

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



INOXTREND FX0144-00

Thermostats

3444809 SINGLE-PHASE THERMOSTAT 110°C

with automatic reset
covered capillary length 900 mm
bulb ø 3x220 mm - with stuff.gland coupling M9x1
for Convection oven (INOXTREND)



INOXTREND c2218-00

INOXTREND C2218-00

3444346 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 6x130 mm - with stuffing gland fitting M9x1
for Convection oven (INOXTREND)



INOXTREND FX0187-00

3444417 SINGLE-PHASE THERMOSTAT 340°C

with manual reset
covered capillary length 900 mm - 16A 250V
bulb ø 3x145 mm - with stuff.gland coupling M9x1
for Convection oven (INOXTREND)



INOXTREND C2198-00

INOXTREND C2242-00

INOXTREND 2198-00

3444289 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin ø 6x4.6 mm
covered capillary length 3000 mm - 16A 250V
bulb ø 3x210 mm - with adapter nipple band M9x1
for Convection oven electric (INOXTREND) BUA606E00
BUA610E00 - FBA120E00 - FBA210E00 - FDA120E00
FUA120E00 - RCA605E - RDA105E - RDA110E
RDA305E - RDA5E - RUA105E - RUA110E - RUA305E
RUA605E - SCA4E00 - SCA5E00 - SDA4E00
SDA5E00 - SUA4E00 - SUA5E00
for Convection oven gas (INOXTREND) BUA606G00
BUA610G00 - FBA120G00 - FBA210G00 - FDA120G00
FUA120G00




INOXTREND C2190-00

Suitable for:

Suitable for:

3444418 THERMOSTAT SINGLE-PHASE 30-90°C

D-shaped pin 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb ø 6x97 mm
for Convection oven (INOXTREND)



INOXTREND C2185-00

7100205 THERMOSTAT SINGLE-PHASE 57-273°C


D-shaped pin ø 6x4.6 mm
covered capillary length 1250 mm
bulb ø 3.1x226mm - with stuffing gland fitting M9x
for Convection oven electric (INOXTREND) CDA-107E
CDA-111E - CDA-207E - CDA-211E - CUA-107E
CUA-111E - CUA-207E - CUA-211E



INOXTREND LC-352

3444695 3-PHASE THERMOSTAT 160°C

with manual reset
covered capillary length 900 mm - 20A 380V
bulb ø 6x89 mm - with stuffing gland fitting M10x1
for Convection oven electric (INOXTREND) FBA106E01
FBA110E00 - FBA110E01 - FBA120E00 - FBA210E00
FBA220E00 - FBE106E01 - FBE110E00 - FBE110E01
FBE120E00 - FBE210E00 - FBE220E00
for Convection oven gas (INOXTREND) FBA106G01
FBA110G00 - FBA110G01 - FBA120G00 - FBA210G00
FBA220G00 - FBE106G01 - FBE110G00 - FBE110G01
FBE120G00 - FBE210G00 - FBE220G00




INOXTREND LC-351

Timers

3446039 TIMER 120 MINUTES MS65


120 minute manually set cycle
with manual position
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - FBA-106E-00
FBA-106E-01 - FBA-110E-00 - FBA-110E-01
FBA-120E-00 - FBA-210E-00 - FDA-106E-00
FDA-106E-01 - FDA-120E-00 - FDA-210E-00
for Convection oven gas (INOXTREND) BUA-606G-00
BUA-610G-00 - FBA-106G-00 - FBA-106G-01
FBA-120G-00 - FBA-210G-00 - FDA-106G-00
FDA-106G-01 - FDA-120G-00 - FDA-210G-00
FUA-210G-00



INOXTREND C5365-00

3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm



INOXTREND C2191-00



Suitable for:

INOXTREND



Suitable for:

Transformers

5070438 TRANSFORMER 0-230-400V/0-12V 63VA

primary voltage 0-230-400V 50/60Hz
secondary voltage 0-12V 63VA
screw terminal block
for Convection oven (INOXTREND)



INOXTREND LC-488

5032388 TRANSFORMER 0-230V/0-12V 120VA

primary voltage 0-230V 50/60Hz
secondary voltage 0-12V 120VA
ambient temperature 0÷50°C
screw terminal block
for Convection oven electric (INOXTREND) FBA-120E
FBA-220E - FBE-120E - FBE-220E - FDA-120E
FDA-220E - FDE-120E - FDE-220E - FUA-120E
FUA-220E - FUE-120E - FUE-220E
for Convection oven gas (INOXTREND) FBA-120G
FBA-220G - FBE-120G - FBE-220G - FDA-120G
FDA-220G - FDE-120G - FDE-220G - FUA-120G
FUA-220G - FUE-120G - FUE-220G




INOXTREND LC-436

Vibratory pumps

1122737 VIBRATORY PUMP EP5 48W 230V 50Hz

fittings $\varnothing$ 1/8" - $\varnothing$ 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



INOXTREND C5770-00

Watertight seals and rings

3186411 MAIN SHAFT SEALING GASKET

external $\varnothing$ 22mm - internal $\varnothing$ 10mm-thickness 3.5mm



INOXTREND C3614-00

3340007 MAIN SHAFT SEALING GASKET

external $\varnothing$ 22mm - internal $\varnothing$ 17mm - thickness 4mm



INOXTREND C2027-00

5032049 MAIN SHAFT SEALING GASKET $\varnothing$ 11-8



INOXTREND C9153-00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |