



Spare parts for the professional sector:
Cooking equipment



Suitable for:

ELECTROLUX PROFESSIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*

Rel. 2018-12101616





Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Air regulators

4051774 ADJUSTER AIR
internal \varnothing 23 mm - external \varnothing 26 mm
height 42 mm



ELECTROLUX PROFESSIONAL 051774

3020239 AERATION REGULATOR
internal \varnothing 17 mm - external \varnothing 22 mm
height 42 mm



ELECTROLUX PROFESSIONAL 051389

3025055 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 43 mm
height 40 mm



ELECTROLUX PROFESSIONAL 052116

3025056 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 43 mm
height 43 mm



ELECTROLUX PROFESSIONAL 053448

3025057 AERATION REGULATOR
internal \varnothing 17 mm - external \varnothing 21 mm
height 31 mm
for old series



ELECTROLUX PROFESSIONAL 026217

3352013 AERATION REGULATOR
internal \varnothing 20 mm - external \varnothing 22 mm
height 42 mm



ELECTROLUX PROFESSIONAL 052207

3352018 AERATION REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 42 mm



ELECTROLUX PROFESSIONAL 025009 ELECTROLUX PROFESSIONAL 052062

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251



AXIAL motor fans

3240519 AXIAL FAN EBM 4656N
 230V 50Hz 19W 2650rpm
 119x119x38 mm
 ball bearing



ELECTROLUX PROFESSIONAL 0W5643 ELECTROLUX PROFESSIONAL 099678


3805037 CABLE FOR AXIAL MOTOR FAN
 cable length 2000 mm



3805036 CABLE FOR AXIAL MOTOR FAN
 cable length 1500 mm



3240600 FAN GRID 119x119 mm
 distance between mounting holes 145 mm




3240515 AXIAL FAN EBM 8556N
 230V 50Hz 12W 2800rpm
 80x80x38 mm
 ball bearing



ELECTROLUX PROFESSIONAL 083528

3240612 FAN GRID 80x80 mm
 distance between mounting holes 95 mm



3240501 AXIAL FAN SUNON 120x120x38 mm
 ball bearings
 230V 50/60Hz 22W 2850rpm
 DP200A 2123XBT.GN



3805037 CABLE FOR AXIAL MOTOR FAN
 cable length 2000 mm



ELECTROLUX PROFESSIONAL A12B23 HTBMT0
 ELECTROLUX PROFESSIONAL 0C1478 ELECTROLUX PROFESSIONAL 0C4106 ELECTROLUX PROFESSIONAL 0C4423
 ELECTROLUX PROFESSIONAL 0E2261 ELECTROLUX PROFESSIONAL 0W0001 9500
 ELECTROLUX PROFESSIONAL 002656 ELECTROLUX PROFESSIONAL 002690 ELECTROLUX PROFESSIONAL 058855
 ELECTROLUX PROFESSIONAL 062480 2000 ELECTROLUX PROFESSIONAL 0624802
 ELECTROLUX PROFESSIONAL 062480 3001 ELECTROLUX PROFESSIONAL 0624805
 ELECTROLUX PROFESSIONAL 062480 8100 ELECTROLUX PROFESSIONAL 0624810
 ELECTROLUX PROFESSIONAL 062481 1000 ELECTROLUX PROFESSIONAL 0682719
 ELECTROLUX PROFESSIONAL 068272 3100 ELECTROLUX PROFESSIONAL 07800E2
 ELECTROLUX PROFESSIONAL 078000 2656 ELECTROLUX PROFESSIONAL 0780002
 ELECTROLUX PROFESSIONAL 078005 8855 ELECTROLUX PROFESSIONAL 087945
 ELECTROLUX PROFESSIONAL 101400 19



Suitable for:

Suitable for:

3240502 AXIAL FAN SUNON 80x80x25 mm
 ball bearings
 230V 50/60Hz 14W 2450rpm
 SF23080AT-2082HBL.GN



ELECTROLUX PROFESSIONAL 006125

Ball valves and accessories

3356169 WATER BALL VALVE \varnothing 3/8"FF
 ball valve
 PN 40 full flow heavy series
 DIN - DVGW approved
 aluminium lever



ELECTROLUX PROFESSIONAL 056843

3525017 CAP FOR BALLCOCK VALVE \varnothing 25x22 mm
 hole \varnothing 10x7 mm



ELECTROLUX PROFESSIONAL 0A2563

3525019 EXTENSION FOR BALLCOCK VALVE \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0A2135

3526691 WATER VALVE \varnothing 1/2"MF
 ball valve
 heavy series with PN 25 total passage
 aluminium lever



ELECTROLUX PROFESSIONAL 004486

3526693 WATER VALVE \varnothing 1"MF
 ball valve
 heavy series with PN 25 total passage
 aluminium lever



ELECTROLUX PROFESSIONAL 056617

5030274 CROSS FITTING OF CAST IRON \varnothing 1" F





ELECTROLUX PROFESSIONAL



Suitable for:

5005304 DRAIN TAP EXTENSION 73 mm



Suitable for:

5005303 DRAIN TAP LEVER
length 140 mm



5003313 ELBOW FITTING OF CAST IRON Ø 1" F




5061849 ELBOW FITTING OF CAST IRON Ø 1" F



5023502 ELBOW FITTING OF CAST IRON 4 WAYS Ø 1" F



5033656 FITTING OF BRASS Ø 1" MF



5030273 FITTING OF CAST IRON Ø 1" MM



3526184 WATER VALVE 3/8" MF
ballcock valve
heavy series with complete pass-through PN 40
aluminium lever



ELECTROLUX PROFESSIONAL 0A5258

Bearings

3061018 BEARING Ø 22 mm
internal Ø 6 mm - height 13 mm
for LIFTING CART



9063043 BEARING 6003 DDU NSK
external Ø 35mm - internal Ø 17mm - thickness 10mm



ELECTROLUX PROFESSIONAL 0PE735 ELECTROLUX PROFESSIONAL 032309

ELECTROLUX PROFESSIONAL 0U0282




ELECTROLUX PROFESSIONAL



Suitable for:

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0K4559 ELECTROLUX PROFESSIONAL 089921


Suitable for:

D063031 BEARING 6004-2RS SKF
 \varnothing extern 42 mm - \varnothing intern 20 mm - thickness 12 mm
single box packaging




ELECTROLUX PROFESSIONAL 0U0367

9063007 BEARING 6005 DDU NSK
external \varnothing 47mm - internal \varnothing 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW S03100




ELECTROLUX PROFESSIONAL 0KQ350

1063005 BEARING 6201 DDU NSK
external \varnothing 32mm - internal \varnothing 12mm - thickness 10mm




ELECTROLUX PROFESSIONAL 0D5346 ELECTROLUX PROFESSIONAL 072019 ELECTROLUX PROFESSIONAL 23437
ELECTROLUX PROFESSIONAL 477988 543 ELECTROLUX PROFESSIONAL 62012R
ELECTROLUX PROFESSIONAL 7DSM23 437 ELECTROLUX PROFESSIONAL 710720
ELECTROLUX PROFESSIONAL 738220 119

D063049 BEARING 6201-2RS SKF
 \varnothing extern 32 mm - \varnothing intern 12mm - thickness 10mm
single box packaging



ELECTROLUX PROFESSIONAL 0D7113 ELECTROLUX PROFESSIONAL 0D7339

3063005 BEARING 6202 DDU NSK
external \varnothing 35mm - internal \varnothing 15mm - thickness 11mm



ELECTROLUX PROFESSIONAL 0D0035 ELECTROLUX PROFESSIONAL 072751

1063911 BEARING 6202 ZZ NSK
external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm




ELECTROLUX PROFESSIONAL 056820

D063050 BEARING 6202-2RS SKF
single box packaging




ELECTROLUX PROFESSIONAL 0D0035 ELECTROLUX PROFESSIONAL 072751

3063017 BEARING 6203 DDU NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



ELECTROLUX PROFESSIONAL 0D0821 ELECTROLUX PROFESSIONAL 0D5458 ELECTROLUX PROFESSIONAL 0KJ007 ELECTROLUX PROFESSIONAL 0KC263
ELECTROLUX PROFESSIONAL 089918

D063040 BEARING 6203-2Z SKF
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm
single box packaging





Suitable for:

Suitable for:

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm


D063052 BEARING 6204-2RS SKF
single box packaging



ELECTROLUX PROFESSIONAL DS0304 ELECTROLUX PROFESSIONAL 0KQ395 ELECTROLUX PROFESSIONAL 0335661
ELECTROLUX PROFESSIONAL 033566 1600 ELECTROLUX PROFESSIONAL 045726 ELECTROLUX PROFESSIONAL 045726
ELECTROLUX PROFESSIONAL 065048 ELECTROLUX PROFESSIONAL 078004 5726
ELECTROLUX PROFESSIONAL 078006 5048 ELECTROLUX PROFESSIONAL 3042
ELECTROLUX PROFESSIONAL 481851 778 ELECTROLUX PROFESSIONAL 5004572
ELECTROLUX PROFESSIONAL 554045 726 ELECTROLUX PROFESSIONAL 5700000
ELECTROLUX PROFESSIONAL 62022Z ELECTROLUX PROFESSIONAL 62022Z RC3
ELECTROLUX PROFESSIONAL 7DSM30 42 ELECTROLUX PROFESSIONAL 7104572
ELECTROLUX PROFESSIONAL 710650 48 ELECTROLUX PROFESSIONAL 7021045
ELECTROLUX PROFESSIONAL 702106 5048

ELECTROLUX PROFESSIONAL 0H2694 ELECTROLUX PROFESSIONAL 0KQ395 ELECTROLUX PROFESSIONAL 045726
ELECTROLUX PROFESSIONAL 065048

9063003 BEARING 6303 DDU NSK
external \varnothing 47mm - internal \varnothing 17mm - thickness 14mm



ELECTROLUX PROFESSIONAL 0KI590

9063004 BEARING 6304 DDU NSK
external \varnothing 52mm - internal \varnothing 21mm - height 15mm

3063158 BEARING 6304-2RSH SKF
external \varnothing 52 mm - internal \varnothing 21 mm - height 15 mm



ELECTROLUX PROFESSIONAL 0KQ393

3063030 ROLLER PAIR FOR DOOR
bearing \varnothing 22 mm - plate size 85x65 mm
for TABLE - CUPBOARD

40PE116 SLIDING DOOR ROLLER RH
 \varnothing bearing 22 mm - plate size 64x35 mm



ELECTROLUX PROFESSIONAL 031074 ELECTROLUX PROFESSIONAL 031087

ELECTROLUX PROFESSIONAL 0PE116

3063025 SLIDING DOOR ROLLER RH-LH
 \varnothing bearing 22 mm - plate size 64x30 mm
for TABLE - CUPBOARD

3063026 SLIDING DOOR ROLLER RH-LH
 \varnothing bearing 22 mm - plate size 64x30 mm
for TABLE - CUPBOARD



ELECTROLUX PROFESSIONAL 033886

ELECTROLUX PROFESSIONAL 033885



ELECTROLUX PROFESSIONAL



Suitable for:

3522023 THRUST BEARING 51102
external \varnothing 28 mm - internal \varnothing 15 mm - thickn.9 mm



ELECTROLUX PROFESSIONAL 056821

Suitable for:

40PE326 WHEEL FOR FLAP RH
 \varnothing bearing 22 mm - plate dimensions 64x35 mm



ELECTROLUX PROFESSIONAL 0PE326 ELECTROLUX PROFESSIONAL 0PE815

Belts

4002148 BELT MULTIGRIP PJ 356 H14 5 GROOVES



ELECTROLUX PROFESSIONAL 002148

Burners, flame spreaders and accessories

3025003 BURNER \varnothing 102 mm




ELECTROLUX PROFESSIONAL 052120 ELECTROLUX PROFESSIONAL 058183

3025302 BURNER \varnothing 120 mm



ELECTROLUX PROFESSIONAL 004279

3025406 BURNER \varnothing 120 mm



ELECTROLUX PROFESSIONAL

3025005 BURNER \varnothing 122 mm



ELECTROLUX PROFESSIONAL 052118 ELECTROLUX PROFESSIONAL 058184

3025024 BURNER \varnothing 180 mm



ELECTROLUX PROFESSIONAL 052376

4059374 BURNER \varnothing 180 mm



ELECTROLUX PROFESSIONAL 059374

3025027 BURNER \varnothing 200 mm
for floor SOLID TOP RANGE



ELECTROLUX PROFESSIONAL 0HB190 ELECTROLUX PROFESSIONAL 026641

3025001 BURNER \varnothing 83 mm



ELECTROLUX PROFESSIONAL 052119 ELECTROLUX PROFESSIONAL 058182



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3025133 BURNER BASE ø 100 mm 10Kw

5108483 BURNER BASE ø 100 mm 10Kw



ELECTROLUX PROFESSIONAL 0C0126 ELECTROLUX PROFESSIONAL 051081 9203
ELECTROLUX PROFESSIONAL 170127 81

ELECTROLUX PROFESSIONAL 0C0126

ELECTROLUX PROFESSIONAL 7PDN510

3025148 BURNER BASE ø 60 mm 6Kw

5108480 BURNER BASE ø 60 mm 6Kw



ELECTROLUX PROFESSIONAL 0C0127 ELECTROLUX PROFESSIONAL 051081 9303
ELECTROLUX PROFESSIONAL 170127 82

ELECTROLUX PROFESSIONAL 0C0127

ELECTROLUX PROFESSIONAL 7PDN510

3025364 BURNER BOWL ø 78 mm

3025552 BURNER C ø 84 mm



ELECTROLUX PROFESSIONAL 00377 ELECTROLUX PROFESSIONAL 004977 ELECTROLUX PROFESSIONAL 5540049
ELECTROLUX PROFESSIONAL 7TEC00 377

ELECTROLUX PROFESSIONAL 0K1341 ELECTROLUX PROFESSIONAL 0511S0 3000

ELECTROLUX PROFESSIONAL 077017 012723

ELECTROLUX PROFESSIONAL 7CHG17

3025295 BURNER CAP ø 120 mm

3025055 AERATION REGULATOR
internal ø 40 mm - external ø 43 mm
height 40 mm




ELECTROLUX PROFESSIONAL 004280

ELECTROLUX PROFESSIONAL 052116

3025302 BURNER ø 120 mm

3025278 BURNER DISC



ELECTROLUX PROFESSIONAL 004279

ELECTROLUX PROFESSIONAL 054536



Suitable for:

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375



Suitable for:

3025303 BURNER CAP \varnothing 120 mm



ELECTROLUX PROFESSIONAL 054193

3025278 BURNER DISC




ELECTROLUX PROFESSIONAL 054536

3025557 BURNER D \varnothing 94 mm



ELECTROLUX PROFESSIONAL 0K1342

3025560 BURNER GASKET
dimensions \varnothing 71x45x1 mm



ELECTROLUX PROFESSIONAL 0K1340

3025055 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 43 mm
height 40 mm



ELECTROLUX PROFESSIONAL 052116

3025278 BURNER DISC



ELECTROLUX PROFESSIONAL 054536

3025233 BURNER HEAD \varnothing 100 mm



ELECTROLUX PROFESSIONAL 054092



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3025238 BURNER HEAD \varnothing 103 mm
series with conical connection

40KI343 BURNER HEAD \varnothing 115 mm 7Kw



ELECTROLUX PROFESSIONAL 002462

ELECTROLUX PROFESSIONAL 0KI343 ELECTROLUX PROFESSIONAL 0511S0 3200

ELECTROLUX PROFESSIONAL 077017 012725

ELECTROLUX PROFESSIONAL 104507

ELECTROLUX PROFESSIONAL 170127 25

ELECTROLUX PROFESSIONAL 437001

ELECTROLUX PROFESSIONAL 7CHG17 012725

3025241 BURNER HEAD \varnothing 123 mm
series with conical connection

3025231 BURNER HEAD \varnothing 70 mm





ELECTROLUX PROFESSIONAL 002463 ELECTROLUX PROFESSIONAL 059212

ELECTROLUX PROFESSIONAL 054091

3025235 BURNER HEAD \varnothing 84 mm
series with conical connection

3025399 BURNER R LOFRA NARDI
 \varnothing 94 mm, 1° serie




ELECTROLUX PROFESSIONAL 002461

ELECTROLUX PROFESSIONAL

3025011 BURNER RING \varnothing 100 mm

5108487 BURNER RING \varnothing 100 mm



ELECTROLUX PROFESSIONAL Z05674 ELECTROLUX PROFESSIONAL 051080 8701

ELECTROLUX PROFESSIONAL 051180 1201

ELECTROLUX PROFESSIONAL 054096

ELECTROLUX PROFESSIONAL 056748 ELECTROLUX PROFESSIONAL 078005 6748

ELECTROLUX PROFESSIONAL 056748 ELECTROLUX PROFESSIONAL 710540 96

ELECTROLUX PROFESSIONAL 481852 260

ELECTROLUX PROFESSIONAL 5005674

ELECTROLUX PROFESSIONAL 710567 48

ELECTROLUX PROFESSIONAL 7021056

3025008 BURNER RING \varnothing 70 mm

5108485 BURNER RING \varnothing 70 mm



ELECTROLUX PROFESSIONAL Z05409 ELECTROLUX PROFESSIONAL Z05674 ELECTROLUX PROFESSIONAL 0510808

ELECTROLUX PROFESSIONAL 0K2865 ELECTROLUX PROFESSIONAL 054095 ELECTROLUX PROFESSIONAL 056747

ELECTROLUX PROFESSIONAL 051180 1101

ELECTROLUX PROFESSIONAL 054095

ELECTROLUX PROFESSIONAL 070029 3421

ELECTROLUX PROFESSIONAL 7D2934

ELECTROLUX PROFESSIONAL 056747 ELECTROLUX PROFESSIONAL 078005 6747

ELECTROLUX PROFESSIONAL 481852 259

ELECTROLUX PROFESSIONAL 5005674

ELECTROLUX PROFESSIONAL 710540 95

ELECTROLUX PROFESSIONAL 7105674

ELECTROLUX PROFESSIONAL 702105 6747



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3025025 DISC ø 82 mm




ELECTROLUX PROFESSIONAL 052374

3025012 FLAME SPREADER ø 100 mm



ELECTROLUX PROFESSIONAL 002443 ELECTROLUX PROFESSIONAL 054098 ELECTROLUX PROFESSIONAL 055562 ELECTROLUX PROFESSIONAL 053448
ELECTROLUX PROFESSIONAL 058560

3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.



ELECTROLUX PROFESSIONAL 054094

3025011 BURNER RING ø 100 mm



ELECTROLUX PROFESSIONAL Z05674 ELECTROLUX PROFESSIONAL 051080 8701
ELECTROLUX PROFESSIONAL 056748 ELECTROLUX PROFESSIONAL 078005 6748
ELECTROLUX PROFESSIONAL 481852 260
ELECTROLUX PROFESSIONAL 710567 48

3025056 AERATION REGULATOR
internal ø 40 mm - external ø 43 mm
height 43 mm



3025233 BURNER HEAD ø 100 mm



ELECTROLUX PROFESSIONAL 054092

3025245 SPARKING PLUG SUPPORT PLATE



ELECTROLUX PROFESSIONAL 056746 ELECTROLUX PROFESSIONAL 058331

5108481 FLAME SPREADER ø 100 mm 10Kw



ELECTROLUX PROFESSIONAL 0C0128



Suitable for:

3025134 FLAME SPREADER \varnothing 100 mm 10KW



ELECTROLUX PROFESSIONAL 0C0128 ELECTROLUX PROFESSIONAL 051081 9401
ELECTROLUX PROFESSIONAL 170127 77

3186317 O-RING 02131 RED SILICONE
ring thickness 1.78 mm - internal \varnothing 33.05 mm
for pod punch



ELECTROLUX PROFESSIONAL 0C0188

3025135 VENTURI SUPPORT 6-10Kw



ELECTROLUX PROFESSIONAL 0C0124

3025004 FLAME SPREADER \varnothing 102 mm



ELECTROLUX PROFESSIONAL 025864 ELECTROLUX PROFESSIONAL 052123 ELECTROLUX PROFESSIONAL 058186 ELECTROLUX PROFESSIONAL 052116

3025003 BURNER \varnothing 102 mm



ELECTROLUX PROFESSIONAL 052120 ELECTROLUX PROFESSIONAL 058183

Suitable for:

3025133 BURNER BASE \varnothing 100 mm 10KW



ELECTROLUX PROFESSIONAL 0C0126 ELECTROLUX PROFESSIONAL 051081 9203
ELECTROLUX PROFESSIONAL 170127 81

3025132 VENTURI F/FLAME SPREADER 100 mm 10kW



ELECTROLUX PROFESSIONAL 0C0133

3025055 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 43 mm
height 40 mm



3025238 BURNER HEAD \varnothing 103 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002462




ELECTROLUX PROFESSIONAL



Suitable for:

3025803 NOZZLE HOLDER BURNER
pipe fitting inlet M16x1.5 mm
with fastening coupling M20x1.5 mm
with hole for nozzle M10x1 mm



ELECTROLUX PROFESSIONAL 002187

Suitable for:

3025240 VENTURI F/FLAME SPREADER ø 103 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002459

2100874 FLAME SPREADER ø 110 mm
ø holes 3.5/2.8 mm



ELECTROLUX PROFESSIONAL 0H6321 ELECTROLUX PROFESSIONAL 000600 0700


ELECTROLUX PROFESSIONAL 070023 0427

ELECTROLUX PROFESSIONAL 103088

ELECTROLUX PROFESSIONAL 7D2304 27


ELECTROLUX PROFESSIONAL 7002230

40KI346 FLAME SPREADER ø 115 mm 7Kw



ELECTROLUX PROFESSIONAL 0KI346

3025560 BURNER GASKET
dimensions ø 71x45x1 mm



ELECTROLUX PROFESSIONAL 0KI340

40KI343 BURNER HEAD ø 115 mm 7Kw



ELECTROLUX PROFESSIONAL 0KI343 ELECTROLUX PROFESSIONAL 0511S0 3200

ELECTROLUX PROFESSIONAL 077017 012725


ELECTROLUX PROFESSIONAL 104507

ELECTROLUX PROFESSIONAL 170127 25

ELECTROLUX PROFESSIONAL 4370017

ELECTROLUX PROFESSIONAL 7CHG17 012725


3025363 FLAME SPREADER ø 120 mm



ELECTROLUX PROFESSIONAL 00375 ELECTROLUX PROFESSIONAL 004975 ELECTROLUX PROFESSIONAL 5540049 ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 7D375 ELECTROLUX PROFESSIONAL 7TEC00 375

3025406 BURNER ø 120 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3025364 BURNER BOWL \varnothing 78 mm



ELECTROLUX PROFESSIONAL 00377 ELECTROLUX PROFESSIONAL 004977 ELECTROLUX PROFESSIONAL 5540049 ELECTROLUX PROFESSIONAL
ELECTROLUX PROFESSIONAL 7TEC00377

3025362 FLAME SPREADER ASSY. \varnothing 120 mm



ELECTROLUX PROFESSIONAL 004974

3025575 FLAME SPREADER \varnothing 120 mm



ELECTROLUX PROFESSIONAL

3025006 FLAME SPREADER \varnothing 122 mm



ELECTROLUX PROFESSIONAL 002441 ELECTROLUX PROFESSIONAL 052121 ELECTROLUX PROFESSIONAL 058187 ELECTROLUX PROFESSIONAL 052116
ELECTROLUX PROFESSIONAL 059253

3025005 BURNER \varnothing 122 mm



ELECTROLUX PROFESSIONAL 052118 ELECTROLUX PROFESSIONAL 058184

Suitable for:

3025575 FLAME SPREADER \varnothing 120 mm



3025055 AERATION REGULATOR
internal \varnothing 40 mm - external \varnothing 43 mm
height 40 mm



3025241 BURNER HEAD \varnothing 123 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002463 ELECTROLUX PROFESSIONAL 059212



ELECTROLUX PROFESSIONAL



Suitable for:


3025803 NOZZLE HOLDER BURNER
pipe fitting inlet M16x1.5 mm
with fastening coupling M20x1.5 mm
with hole for nozzle M10x1 mm



ELECTROLUX PROFESSIONAL 002187

Suitable for:

3025244 SPACER FOR FLAME SPREADER 123 mm




ELECTROLUX PROFESSIONAL 002197

3025243 VENTURI F/FLAME SPREADER 123 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002460

3025026 FLAME SPREADER \varnothing 180 mm



ELECTROLUX PROFESSIONAL 052377

3025024 BURNER \varnothing 180 mm



ELECTROLUX PROFESSIONAL 052376

3025025 DISC \varnothing 82 mm



ELECTROLUX PROFESSIONAL 052374

4051774 ADJUSTER AIR
internal \varnothing 23 mm - external \varnothing 26 mm
height 42 mm



ELECTROLUX PROFESSIONAL 051774

4059374 BURNER \varnothing 180 mm



ELECTROLUX PROFESSIONAL 059374

3025234 FLAME SPREADER TILE 180 mm



ELECTROLUX PROFESSIONAL 052500



ELECTROLUX PROFESSIONAL



Suitable for:


Suitable for:

4059375 NOZZLE HOLDER FOR BURNER
 thread fitting for pipe M16x1.5 mm
 threaded nozzle M10x1 mm
 external thread M15x1 mm
 pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

3025028 FLAME SPREADER \varnothing 200 mm
 for floor SOLID TOP RANGE old series



ELECTROLUX PROFESSIONAL 026643

3025027 BURNER \varnothing 200 mm
 for floor SOLID TOP RANGE



ELECTROLUX PROFESSIONAL 0HB190 ELECTROLUX PROFESSIONAL 026641

40K5677 FLAME SPREADER \varnothing 53 mm 3.5Kw



ELECTROLUX PROFESSIONAL 0G0062 ELECTROLUX PROFESSIONAL 0K5677

3025163 FLAME SPREADER \varnothing 60 mm



ELECTROLUX PROFESSIONAL 0C0129 ELECTROLUX PROFESSIONAL 051081 9501
ELECTROLUX PROFESSIONAL 170127 78

3025148 BURNER BASE \varnothing 60 mm 6Kw




ELECTROLUX PROFESSIONAL 0C0127 ELECTROLUX PROFESSIONAL 051081 9303
ELECTROLUX PROFESSIONAL 170127 82 ELECTROLUX PROFESSIONAL 7PDN51

3186317 O-RING 02131 RED SILICONE
 ring thickness 1.78 mm - internal \varnothing 33.05 mm
 for pod punch



ELECTROLUX PROFESSIONAL 0C0188

3025136 VENTURI F/FLAME SPREADER 60 mm 6kW



ELECTROLUX PROFESSIONAL 0C0125




ELECTROLUX PROFESSIONAL



Suitable for:

3025135 VENTURI SUPPORT 6-10Kw

Suitable for:



ELECTROLUX PROFESSIONAL 0C0124

5108478 FLAME SPREADER ø 60 mm



ELECTROLUX PROFESSIONAL 0C0129

3025232 FLAME SPREADER ø 70 mm



3025056 AERATION REGULATOR
internal ø 40 mm - external ø 43 mm
height 43 mm



ELECTROLUX PROFESSIONAL 002442 ELECTROLUX PROFESSIONAL 054097 ELECTROLUX PROFESSIONAL 055563 ELECTROLUX PROFESSIONAL 053448
ELECTROLUX PROFESSIONAL 058559

3186026 BURNER GASKET FOR COOKING TOP



3025231 BURNER HEAD ø 70 mm



ELECTROLUX PROFESSIONAL 054093

ELECTROLUX PROFESSIONAL 054091

3025008 BURNER RING ø 70 mm



3025245 SPARKING PLUG SUPPORT PLATE



ELECTROLUX PROFESSIONAL Z05409 ELECTROLUX PROFESSIONAL Z05674 ELECTROLUX PROFESSIONAL 0510808 ELECTROLUX PROFESSIONAL 056746 ELECTROLUX PROFESSIONAL 058331
ELECTROLUX PROFESSIONAL 051180 1101 ELECTROLUX PROFESSIONAL 054095
ELECTROLUX PROFESSIONAL 056747 ELECTROLUX PROFESSIONAL 078005 6747
ELECTROLUX PROFESSIONAL 481852 259 ELECTROLUX PROFESSIONAL 5005674
ELECTROLUX PROFESSIONAL 710540 95 ELECTROLUX PROFESSIONAL 7105674
ELECTROLUX PROFESSIONAL 702105 6747



Suitable for:

40K5678 FLAME SPREADER ø 78 mm 5.6Kw



ELECTROLUX PROFESSIONAL 0G0063 ELECTROLUX PROFESSIONAL 0K5678


Suitable for:

3025176 FLAME SPREADER ø 80 mm



ELECTROLUX PROFESSIONAL 055108 ELECTROLUX PROFESSIONAL 710551 08
ELECTROLUX PROFESSIONAL 709004 4

3025002 FLAME SPREADER ø 83 mm



ELECTROLUX PROFESSIONAL 002439 ELECTROLUX PROFESSIONAL 052122 ELECTROLUX PROFESSIONAL 058185 ELECTROLUX PROFESSIONAL 052116
ELECTROLUX PROFESSIONAL 059203 ELECTROLUX PROFESSIONAL 059241

3025055 AERATION REGULATOR
internal ø 40 mm - external ø 43 mm
height 40 mm



3025001 BURNER ø 83 mm



ELECTROLUX PROFESSIONAL 052119 ELECTROLUX PROFESSIONAL 058182

3025235 BURNER HEAD ø 84 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002461

3025803 NOZZLE HOLDER BURNER
pipe fitting inlet M16x1.5 mm
with fastening coupling M20x1.5 mm
with hole for nozzle M10x1 mm



ELECTROLUX PROFESSIONAL 002187

3025237 VENTURI F/FLAME SPREADER 84 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002458

40K1344 FLAME SPREADER ø 84 mm 3.5Kw



ELECTROLUX PROFESSIONAL 0K1344

3025552 BURNER C ø 84 mm



ELECTROLUX PROFESSIONAL 0K1341 ELECTROLUX PROFESSIONAL 0511S0 3000
ELECTROLUX PROFESSIONAL 077017 012723 ELECTROLUX PROFESSIONAL 7CHG17




ELECTROLUX PROFESSIONAL



Suitable for:


3025560 BURNER GASKET
dimensions $\varnothing 71 \times 45 \times 1$ mm



ELECTROLUX PROFESSIONAL 0K1340

Suitable for:

3025361 FLAME SPREADER $\varnothing 90$ mm




ELECTROLUX PROFESSIONAL 00373 ELECTROLUX PROFESSIONAL 004973 ELECTROLUX PROFESSIONAL 0780004
ELECTROLUX PROFESSIONAL 554004 973

3025364 BURNER BOWL $\varnothing 78$ mm



ELECTROLUX PROFESSIONAL 00377 ELECTROLUX PROFESSIONAL 004977 ELECTROLUX PROFESSIONAL 554004
ELECTROLUX PROFESSIONAL 7TEC003 ELECTROLUX PROFESSIONAL 7TEC00 377

3025399 BURNER R LOFRA NARDI
 $\varnothing 94$ mm, 1° serie



ELECTROLUX PROFESSIONAL

3025574 FLAME SPREADER $\varnothing 90$ mm



ELECTROLUX PROFESSIONAL

3025360 VENTURI ASSY. $\varnothing 90$ mm



ELECTROLUX PROFESSIONAL 004972

3025574 FLAME SPREADER $\varnothing 90$ mm



ELECTROLUX PROFESSIONAL

3025556 FLAME SPREADER "D" $\varnothing 94$ mm
for COOKING HOB EGH



ELECTROLUX PROFESSIONAL 0K1345

3025850 AERATION REGULATOR FOR BURNER D
external $\varnothing 18$ mm - height 77 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3025557 BURNER D \varnothing 94 mm



ELECTROLUX PROFESSIONAL 0K1342

**3025853 FITTING FOR GAS HOSE \varnothing 10 mm
fitting M14**



**2111289 JET HOLDER
fitting \varnothing 1/8F
thread M12x1**




**3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25**



ELECTROLUX PROFESSIONAL 060325

3025558 VENTURI F/FLAME SPREADER "D-E" \varnothing 94-114mm




3025362 FLAME SPREADER ASSY. \varnothing 120 mm



ELECTROLUX PROFESSIONAL 004974

Suitable for:

**3025560 BURNER GASKET
dimensions \varnothing 71x45x1 mm**



ELECTROLUX PROFESSIONAL 0K1340

**3025852 FITTING FOR GAS HOSE \varnothing 8 mm
fitting M12**



**3025849 JET HOLDER
fitting \varnothing 1/8F
thread M14x1**



**3020131 OLIVE FOR PIPE \varnothing 8 mm
 \varnothing ext. 10 mm - h 7 mm**



3025234 FLAME SPREADER TILE 180 mm



ELECTROLUX PROFESSIONAL 052500




ELECTROLUX PROFESSIONAL



Suitable for:


3025803 NOZZLE HOLDER BURNER
pipe fitting inlet M16x1.5 mm
with fastening coupling M20x1.5 mm
with hole for nozzle M10x1 mm



ELECTROLUX PROFESSIONAL 002187

Suitable for:

3025244 SPACER FOR FLAME SPREADER 123 mm



ELECTROLUX PROFESSIONAL 002197

3025245 SPARKING PLUG SUPPORT PLATE



ELECTROLUX PROFESSIONAL 056746 ELECTROLUX PROFESSIONAL 058331

3025360 VENTURI ASSY. ø 90 mm



ELECTROLUX PROFESSIONAL 004972

3025240 VENTURI F/FLAME SPREADER ø 103 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002459

3025132 VENTURI F/FLAME SPREADER 100 mm 10kW




ELECTROLUX PROFESSIONAL 0C0133

3025243 VENTURI F/FLAME SPREADER 123 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002460

3025136 VENTURI F/FLAME SPREADER 60 mm 6kW



ELECTROLUX PROFESSIONAL 0C0125

3025237 VENTURI F/FLAME SPREADER 84 mm
series with conical connection



ELECTROLUX PROFESSIONAL 002458

3025135 VENTURI SUPPORT 6-10Kw




ELECTROLUX PROFESSIONAL 0C0124



Buzzers

3397302 ALARM BELL 220V



ELECTROLUX PROFESSIONAL 0K2031

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for ignition plug



ELECTROLUX PROFESSIONAL 002839 ELECTROLUX PROFESSIONAL 054273 ELECTROLUX PROFESSIONAL 0638809
ELECTROLUX PROFESSIONAL 078005 4273 ELECTROLUX PROFESSIONAL 5005427
ELECTROLUX PROFESSIONAL 554054 273 ELECTROLUX PROFESSIONAL 7105427
ELECTROLUX PROFESSIONAL 702105 4273 ELECTROLUX PROFESSIONAL 7128441

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX PROFESSIONAL Z00254 ELECTROLUX PROFESSIONAL 000515 4600
ELECTROLUX PROFESSIONAL 002544 ELECTROLUX PROFESSIONAL 006514 ELECTROLUX PROFESSIONAL 058494
ELECTROLUX PROFESSIONAL 059146 ELECTROLUX PROFESSIONAL 059842 ELECTROLUX PROFESSIONAL 0638832
ELECTROLUX PROFESSIONAL 063888 3500 ELECTROLUX PROFESSIONAL 0780002
ELECTROLUX PROFESSIONAL 078005 8494 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 190133 45 ELECTROLUX PROFESSIONAL 5000254
ELECTROLUX PROFESSIONAL 554002 544 ELECTROLUX PROFESSIONAL 6660010
ELECTROLUX PROFESSIONAL 710025 44 ELECTROLUX PROFESSIONAL 7100651
ELECTROLUX PROFESSIONAL 710584 94 ELECTROLUX PROFESSIONAL 7105914
ELECTROLUX PROFESSIONAL 710598 42 ELECTROLUX PROFESSIONAL 7021002
ELECTROLUX PROFESSIONAL 727823

3801013 IGNITION CABLE 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for plug



3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



40G2976 IGNITION LEAD 1000 mm
with faston 2.8x0.8 mm for ignition
with faston \varnothing 2.4 mm for plug



ELECTROLUX PROFESSIONAL 002851 ELECTROLUX PROFESSIONAL 005559 ELECTROLUX PROFESSIONAL 300905 ELECTROLUX PROFESSIONAL 0G2976
ELECTROLUX PROFESSIONAL 710055 59



Suitable for:

3801014 IGNITION LEAD 1200 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug



ELECTROLUX PROFESSIONAL 005559

Suitable for:

40C7190 IGNITION LEAD 1550 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for ignition plug



ELECTROLUX PROFESSIONAL 0C7190 ELECTROLUX PROFESSIONAL 0G4357

3001027 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for plug



ELECTROLUX PROFESSIONAL 0C0298

3001028 IGNITION LEAD 500 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



ELECTROLUX PROFESSIONAL CV2260 ELECTROLUX PROFESSIONAL 059578 ELECTROLUX PROFESSIONAL 063883
ELECTROLUX PROFESSIONAL 078005 9578 ELECTROLUX PROFESSIONAL 500595

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



ELECTROLUX PROFESSIONAL 0K0997 ELECTROLUX PROFESSIONAL 0K0998 ELECTROLUX PROFESSIONAL 0K9965 ELECTROLUX PROFESSIONAL 004943

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



Castors, rollers and accessories

3346091 CASTOR FIXED PLATE
with STAINLESS STEEL supports
polypropylene nucleus
ring of thermoplastic rubber
dimension \varnothing 160x38 - capacity 100 Kg
fixing plate 140x110 mm



ELECTROLUX PROFESSIONAL 032148

3346171 CASTOR SWIVEL
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin hole \varnothing 12 mm



ELECTROLUX PROFESSIONAL 0E5373 ELECTROLUX PROFESSIONAL 0S1427



Suitable for:

Suitable for:

3346090 CASTOR SWIVEL PLATE WITH BRAKE
with STAINLESS STEEL supports
polypropylene nucleus - thermoplastic rubber ring
dimension \varnothing 160x38 mm - capacity 100 Kg
fixing plate 140x110 mm
distance between holes 105-80 mm



ELECTROLUX PROFESSIONAL 032146

3346125 CASTOR SWIVEL PLATE WITH BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
fixing plate 95x70 mm
distance between holes 70-50 mm



ELECTROLUX PROFESSIONAL 0S0123

3346172 CASTOR SWIVEL WITH BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin hole \varnothing 12 mm



ELECTROLUX PROFESSIONAL 0S1428

3346122 CASTOR SWIVEL WITH PIN
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
threaded pin M12 - height 30 mm



ELECTROLUX PROFESSIONAL 031751

3346152 CASTOR SWIVEL WITH PIN
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pipe pin 40x40 mm



ELECTROLUX PROFESSIONAL 0S0129

3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



3346162 EXPANDER FOR SQUARE PIPE 20x20 mm



3346163 EXPANDER FOR SQUARE PIPE 29x29 mm



3346196 EXPANDER FOR SQUARE PIPE 36-40 mm



3346156 SQUARE PIPE FLARER 25x25 mm






ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3346157 SQUARE PIPE FLARER 36x36 mm



ELECTROLUX PROFESSIONAL 033655

3346164 CASTOR SWIVEL WITH PIN
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
square pipe pin 20x20 mm



ELECTROLUX PROFESSIONAL 0S0128


3346162 EXPANDER FOR SQUARE PIPE 20x20 mm



3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



3346163 EXPANDER FOR SQUARE PIPE 29x29 mm



3346196 EXPANDER FOR SQUARE PIPE 36-40 mm



3346156 SQUARE PIPE FLARER 25x25 mm



3346157 SQUARE PIPE FLARER 36x36 mm



ELECTROLUX PROFESSIONAL 033655

3346166 CASTOR SWIVEL WITH PIN
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin for pipe \varnothing 22 mm



ELECTROLUX PROFESSIONAL 0S0127

3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762





ELECTROLUX PROFESSIONAL



Suitable for:

3346159 EXPANDER FOR ROUND PIPE \varnothing 18 mm



Suitable for:

3346160 EXPANDER FOR ROUND PIPE \varnothing 20 mm




3346161 EXPANDER FOR ROUND PIPE \varnothing 30 mm



3346211 ROUND PIPE FLARER \varnothing 22 mm



3346158 ROUND PIPE FLARER \varnothing 25 mm



3346120 CASTOR SWIVEL WITH PIN AND BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
threaded pin M12 - height 30 mm



ELECTROLUX PROFESSIONAL 031752

3346123 CASTOR SWIVEL WITH PIN AND BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin for pipe \varnothing 21.7÷24.5 mm



ELECTROLUX PROFESSIONAL F225D2 12522

ELECTROLUX PROFESSIONAL 554100 124

3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762




ELECTROLUX PROFESSIONAL 0S0124

ELECTROLUX PROFESSIONAL 710S012

3346159 EXPANDER FOR ROUND PIPE \varnothing 18 mm



3346160 EXPANDER FOR ROUND PIPE \varnothing 20 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3346161 EXPANDER FOR ROUND PIPE \varnothing 30 mm



Suitable for:

3346211 ROUND PIPE FLARER \varnothing 22 mm



3346158 ROUND PIPE FLARER \varnothing 25 mm



3346155 CASTOR SWIVEL WITH PIN AND BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin for pipe 40x40 mm



3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ELECTROLUX PROFESSIONAL 0S0126

3346162 EXPANDER FOR SQUARE PIPE 20x20 mm



3346163 EXPANDER FOR SQUARE PIPE 29x29 mm



3346196 EXPANDER FOR SQUARE PIPE 36-40 mm



3346156 SQUARE PIPE FLARER 25x25 mm



3346157 SQUARE PIPE FLARER 36x36 mm



ELECTROLUX PROFESSIONAL 033655



Suitable for:

Suitable for:

3346165 CASTOR SWIVEL WITH PIN AND BRAKE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
pin for square pipe 20x20 mm



ELECTROLUX PROFESSIONAL 0S0125 ELECTROLUX PROFESSIONAL 032031

3528001 CYLINDER HEAD SCREW M10x80
burnished iron alloy - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



3346162 EXPANDER FOR SQUARE PIPE 20x20 mm



3346163 EXPANDER FOR SQUARE PIPE 29x29 mm



3346196 EXPANDER FOR SQUARE PIPE 36-40 mm



3346156 SQUARE PIPE FLARER 25x25 mm



3346157 SQUARE PIPE FLARER 36x36 mm



ELECTROLUX PROFESSIONAL 033655

3346119 CASTOR SWIVEL WITH PLATE
with ZINC PLATED supports - polypropylene nucleus
synthetic rubber ring
dimension \varnothing 125x30 mm - load capacity 100 kg
fixing plate 95x70 mm
distance between holes 70-50 mm



ELECTROLUX PROFESSIONAL 0S0122 ELECTROLUX PROFESSIONAL 031324

3346157 SQUARE PIPE FLARER 36x36 mm



ELECTROLUX PROFESSIONAL 033655



Suitable for:

Suitable for:

Circlips

3063027 SEEGER RING E-25
 in steel for springs C60
 internal \varnothing 23.2 mm - thickness 1.2 mm
 UNI 7435 - DIN 471



ELECTROLUX PROFESSIONAL 0KQ499

Clamps

3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS
 for hoses \varnothing 9.8÷10.4 mm



ELECTROLUX PROFESSIONAL 0E5993 ELECTROLUX PROFESSIONAL 0L0815

3449451 HOSE CLAMP 10-16
 for pipes \varnothing 10÷16 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ELECTROLUX PROFESSIONAL 0L0266

3449462 HOSE CLAMP 12-20
 for pipes \varnothing 12÷20 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ELECTROLUX PROFESSIONAL ADL600 81 ELECTROLUX PROFESSIONAL 0G2046 ELECTROLUX PROFESSIONAL 0E5120 ELECTROLUX PROFESSIONAL 0E900
 ELECTROLUX PROFESSIONAL 0U1043 ELECTROLUX PROFESSIONAL 007019 ELECTROLUX PROFESSIONAL 048126
 ELECTROLUX PROFESSIONAL 049888 ELECTROLUX PROFESSIONAL 051860 9801

3449466 HOSE CLAMP 16-27
 for pipes \varnothing 16÷27 mm
 made of stainless steel AISI 304
 height 12 mm and screw E7
 suitable for food industry



3449464 HOSE CLAMP 20-32
 for pipes \varnothing 20÷32 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ELECTROLUX PROFESSIONAL 0E1166

3449453 HOSE CLAMP 25-40
 for pipes \varnothing 25÷40 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



ELECTROLUX PROFESSIONAL 0L0367 ELECTROLUX PROFESSIONAL 047578



Suitable for:

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0K8302 ELECTROLUX PROFESSIONAL 046878

Suitable for:

3449455 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0L0193 ELECTROLUX PROFESSIONAL 072583 ELECTROLUX PROFESSIONAL 736283

3449456 HOSE CLAMP 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0E1358 ELECTROLUX PROFESSIONAL 0K8983 ELECTROLUX PROFESSIONAL 046855 ELECTROLUX PROFESSIONAL 0E0992 ELECTROLUX PROFESSIONAL 046853

3449457 HOSE CLAMP 60-80
for pipes \varnothing 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



3449476 HOSE CLAMP 70-90
for pipes \varnothing 70÷90 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0E1354 ELECTROLUX PROFESSIONAL 0K1583 ELECTROLUX PROFESSIONAL 0W1RLG ELECTROLUX PROFESSIONAL Z04822 ELECTROLUX PROFESSIONAL 046946 ELECTROLUX PROFESSIONAL 048224 ELECTROLUX PROFESSIONAL 736284 651

3449461 HOSE CLAMP 8-12
for pipes \varnothing 8÷12 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



Column faucets

3359682 COLUMN FAUCET 84319
oil reserve valve assembly
nozzle \varnothing 20x240 mm
mounting hole \varnothing 27 mm
connection \varnothing 1/2" M
overall height 555 mm
rod length 435 mm



ELECTROLUX PROFESSIONAL 206158 ELECTROLUX PROFESSIONAL 216036

3359793 OIL BATH SPINDLE
for knobs type Z medium - type P \varnothing 32 mm
ACTIVE cross type - ACTIVE lever type





Suitable for:

3359820 SPOUT TYPE S ø 20x250 mm



Suitable for:

3359780 Z TYPE MIDDLE SIZE KNOB




Contact thermostats

3444607 CONTACT THERMOSTAT 110°C
16A 250V 50/60Hz - with manual reset



ELECTROLUX PROFESSIONAL 048287 ELECTROLUX PROFESSIONAL 048887

1444511 CONTACT THERMOSTAT 130°C
manual reset - 16A 250V



ELECTROLUX PROFESSIONAL 0PE031

40W4595 CONTACT THERMOSTAT 195°C




ELECTROLUX PROFESSIONAL 0W4595 ELECTROLUX PROFESSIONAL 487027 433

3443048 CONTACT THERMOSTAT 210°C
with manual reset




ELECTROLUX PROFESSIONAL 003329

40KL023 CONTACT THERMOSTAT 210°C
with automatic reset



ELECTROLUX PROFESSIONAL 0KL023

5039001 CONTACT THERMOSTAT 50°C
with automatic reset



ELECTROLUX PROFESSIONAL 0PE024

3443028 SAFETY THERMOSTAT 120°C
with manual reset, 10A 250V
per BOILER



ELECTROLUX PROFESSIONAL 0C6155

Contactors

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3454070 CONTACTOR ABB AF09-30-10-11
9A 400V 4Kw - coil 24/60V 50/60Hz 20/60Vdc
3 NO contacts
1 NO auxiliary contact



ELECTROLUX PROFESSIONAL 0D2044

3454048 CONTACTOR ABB AF09-30-10-13
9A 400V 4Kw - coil 100/250V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 033108

3351214 CONTACTOR AEG LS4K 9A 400V 4Kw
coil 400V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0KQ380

3446516 AUXILIARY CONTACT AEG HS7K01
10A
1 normally closed contact



3454032 AUXILIARY CONTACT AEG HS7K10
1 NO contact



40C7622 CONTACTOR BENEDIKT/JAGER K3-10NA00-40
10A 400V 4Kw - coil 230V 50/60Hz
4 normally open contacts



ELECTROLUX PROFESSIONAL 0C7622

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
10A - 1 NO contact
screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995



ELECTROLUX PROFESSIONAL



Suitable for:

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
 10A 400V 4Kw - coil 230V 50/60HZ
 3 normally open contacts
 1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL K310A0 ELECTROLUX PROFESSIONAL K310A0 1230
 ELECTROLUX PROFESSIONAL VAL000 0006282 ELECTROLUX PROFESSIONAL Z047048
 ELECTROLUX PROFESSIONAL 0E3757 ELECTROLUX PROFESSIONAL 0K9120 ELECTROLUX PROFESSIONAL 0L0285
 ELECTROLUX PROFESSIONAL 047048 ELECTROLUX PROFESSIONAL 048825 ELECTROLUX PROFESSIONAL 0648609
 ELECTROLUX PROFESSIONAL 064861 0201 ELECTROLUX PROFESSIONAL 0648612
 ELECTROLUX PROFESSIONAL 072319 ELECTROLUX PROFESSIONAL 077767 510209
 ELECTROLUX PROFESSIONAL 078004 7048 ELECTROLUX PROFESSIONAL 0780048
 ELECTROLUX PROFESSIONAL 438963 602 ELECTROLUX PROFESSIONAL 5004882
 ELECTROLUX PROFESSIONAL 554047 048 ELECTROLUX PROFESSIONAL 5540488
 ELECTROLUX PROFESSIONAL 6282 ELECTROLUX PROFESSIONAL 628211 ELECTROLUX PROFESSIONAL 7CGN648
 ELECTROLUX PROFESSIONAL 7D7675 10209 ELECTROLUX PROFESSIONAL 710E375

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw - coil 230V 50/60HZ
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL K209A1 0230 ELECTROLUX PROFESSIONAL K310A10
 ELECTROLUX PROFESSIONAL 0HN519 ELECTROLUX PROFESSIONAL 064880 3300
 ELECTROLUX PROFESSIONAL 064880 7300 ELECTROLUX PROFESSIONAL 0780082
 ELECTROLUX PROFESSIONAL 082986 ELECTROLUX PROFESSIONAL 088477 ELECTROLUX PROFESSIONAL 4389636
 ELECTROLUX PROFESSIONAL 500829 86006 ELECTROLUX PROFESSIONAL 5540829
 ELECTROLUX PROFESSIONAL 600503 05 ELECTROLUX PROFESSIONAL 7108298
 ELECTROLUX PROFESSIONAL 7VIL64 8807300

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
 14A 400V 5.5Kw - coil 24V 50/60HZ
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0E0020 ELECTROLUX PROFESSIONAL 0E1291 ELECTROLUX PROFESSIONAL 0K3968
 ELECTROLUX PROFESSIONAL 0L0360 ELECTROLUX PROFESSIONAL 046994

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995



Suitable for:

3454053 CONTACTOR BENEDIKT/JAGER K3-18ND10
 18A 400V 7.5Kw - coil 220/240V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL K318A1 0230
 ELECTROLUX PROFESSIONAL 006879

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 003598 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

4007080 CONTACTOR BENEDIKT/JAGER K3-32A00
 32A 15Kw 400V - coil 220/240V-230/264V 50/60Hz
 3 contacts NO



ELECTROLUX PROFESSIONAL 007080

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

4007104 CONTACTOR BENEDIKT/JAGER K3-40A00
 40A 400V 18.5Kw - coil 220/240V-230/264V 50/60Hz
 3 contacts NO




ELECTROLUX PROFESSIONAL K340A0 0230
 ELECTROLUX PROFESSIONAL 064880 7800
 ELECTROLUX PROFESSIONAL 111516 45

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 007104 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995
 ELECTROLUX PROFESSIONAL 0770111
 ELECTROLUX PROFESSIONAL 7CHG111

3454100 CONTACTOR GENERAL ELECTRIC MCOA400AT
 6A 400V 2,2Kw - coil 230V 50/60Hz
 4 contacts NO



ELECTROLUX PROFESSIONAL ME0000 590
 ELECTROLUX PROFESSIONAL 710041 59

ELECTROLUX PROFESSIONAL 0C3145
 ELECTROLUX PROFESSIONAL 9131015



ELECTROLUX PROFESSIONAL



Suitable for:

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL ME0000 595
ELECTROLUX PROFESSIONAL 004206 ELECTROLUX PROFESSIONAL 554003 027
ELECTROLUX PROFESSIONAL 6208 ELECTROLUX PROFESSIONAL 710042 06
ELECTROLUX PROFESSIONAL 7TEC30 27 ELECTROLUX PROFESSIONAL 9131015

Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3454022 CONTACTOR LOVATO BF1201A
coil 12A 230V 50/60Hz 5.7Kw
3 normally closed contacts
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0KD792

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446506 CONTACTOR LOVATO BF2510A
25A 400V 12.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL K223X0 22
ELECTROLUX PROFESSIONAL 0K4938 ELECTROLUX PROFESSIONAL 002167 ELECTROLUX PROFESSIONAL 0648S00
ELECTROLUX PROFESSIONAL 077018 005214
ELECTROLUX PROFESSIONAL 111514 09
ELECTROLUX PROFESSIONAL 437001 8005214
ELECTROLUX PROFESSIONAL 7D1800 5214
ELECTROLUX PROFESSIONAL 710H97 13
ELECTROLUX PROFESSIONAL 805017 78
ELECTROLUX PROFESSIONAL 0H9713
ELECTROLUX PROFESSIONAL 1115135
ELECTROLUX PROFESSIONAL 1800521
ELECTROLUX PROFESSIONAL 7CHG111
ELECTROLUX PROFESSIONAL 7D18025
ELECTROLUX PROFESSIONAL 7100216

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC




3446552 CONTACTOR LOVATO BG0610A
coil 6A 230V 50/60Hz 2.2Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 086215

3446214 CONTACTOR LOVATO BG09T4A
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz




ELECTROLUX PROFESSIONAL

Suitable for:

Suitable for:

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 086169

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact




3446227 AUXILIARY CONTACT LOVATO G218
 10A
 1 contact NO
 1 contact NC



ELECTROLUX PROFESSIONAL 048519 ELECTROLUX PROFESSIONAL 054544 ELECTROLUX PROFESSIONAL 075796

3446217 MICRO-CONTACTOR TRIPUS 307P002
 16A 400V 1.5Kw - coil 220/230V 50Hz
 4 contacts NO



ELECTROLUX PROFESSIONAL 0H6541

3351019 THERMAL RELAY ABB TF42
 7.6÷10A
 1 normally open contact
 1 normally closed contact



ELECTROLUX PROFESSIONAL 0U0199

Controllers and changeover switches

3322257 TIMER 11902F3 2 CAMS
 230V 50/60Hz - cycle 144 minutes
 D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0CA557 ELECTROLUX PROFESSIONAL 055366



Suitable for:

Suitable for:

Cooking baskets and accessories

3055145 FALSE BOTTOM 500x290x110 mm
for round baskets
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 056922

3055318 HANDGRIP PROTECTION



ELECTROLUX PROFESSIONAL 002272

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



ELECTROLUX PROFESSIONAL Z05772 ELECTROLUX PROFESSIONAL 024820 3901
ELECTROLUX PROFESSIONAL 057728 ELECTROLUX PROFESSIONAL 078005 7728
ELECTROLUX PROFESSIONAL 481851 757
ELECTROLUX PROFESSIONAL 710577 28

3055124 PASTA COOKER BASKET ø 146x180 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 056918

3055123 PASTA COOKER BASKET ø 170x180 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 056917

3055337 PASTA COOKER BASKET 140x140x205 mm LEFT
made of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 005806

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



ELECTROLUX PROFESSIONAL Z05772 ELECTROLUX PROFESSIONAL 024820 3901
ELECTROLUX PROFESSIONAL 057728 ELECTROLUX PROFESSIONAL 078005 7728
ELECTROLUX PROFESSIONAL 481851 757
ELECTROLUX PROFESSIONAL 710577 28
ELECTROLUX PROFESSIONAL 500577
ELECTROLUX PROFESSIONAL 702105

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1





ELECTROLUX PROFESSIONAL



Suitable for:

3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT
made of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 005807

Suitable for:

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



ELECTROLUX PROFESSIONAL Z05772 ELECTROLUX PROFESSIONAL 024820 3901
ELECTROLUX PROFESSIONAL 057728 ELECTROLUX PROFESSIONAL 078005 7728
ELECTROLUX PROFESSIONAL 481851 757
ELECTROLUX PROFESSIONAL 710577 28

ELECTROLUX PROFESSIONAL 500577
ELECTROLUX PROFESSIONAL 702105

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055339 PASTA COOKER BASKET 145x290x205 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 006290 (1PZ)

3055125 KNOB BLACK BAKELITE ø 28x89 mm M8x1



ELECTROLUX PROFESSIONAL 005808 ELECTROLUX PROFESSIONAL Z05772 ELECTROLUX PROFESSIONAL 024820 3901
ELECTROLUX PROFESSIONAL 057728 ELECTROLUX PROFESSIONAL 078005 7728
ELECTROLUX PROFESSIONAL 481851 757
ELECTROLUX PROFESSIONAL 710577 28

ELECTROLUX PROFESSIONAL 500577
ELECTROLUX PROFESSIONAL 702105

3155002 KNOB BLACK PLASTIC ø 28x84 mm M8x1



3055144 PASTA COOKER BASKET 150x275x180 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 056919

3055332 PASTA COOKER BASKET 175x115x130 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 006886



ELECTROLUX PROFESSIONAL



Suitable for:

3055331 PASTA COOKER BASKET 230x180x270 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 004875

Suitable for:

3055336 PASTA COOKER BASKET 285x160x215 mm
stainless steel



ELECTROLUX PROFESSIONAL 0G2326

3055122 PASTA COOKER BASKET 290x160x210 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 0C1340 ELECTROLUX PROFESSIONAL 056915

3055121 PASTA COOKER BASKET 290x240x210 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 0C1339 ELECTROLUX PROFESSIONAL 056916

3055349 PASTA COOKER BASKET 360x115x270 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 004873

3055265 PASTA COOKER BASKET 360x230x240 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 004874

3055120 PASTA COOKER BASKET 480x285x215 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 0C1341 ELECTROLUX PROFESSIONAL 056920

3055319 SPINDLE FOR KNOB



ELECTROLUX PROFESSIONAL 053705

Detergents

3092248 DETERGENT RAPID GREASE 1L - 6PCS
degreasing detergent for grills and hot plates
it can be used on hot surfaces
please see the attached documentation for use



ELECTROLUX PROFESSIONAL 0S1195 ELECTROLUX PROFESSIONAL 0S2292

3092004 SPRAYER





Suitable for:

Suitable for:


3092214 DETERGENT STAINLESS STEEL SPRAY 500 ml
 to restore stainless steel surfaces
 protects and polishes surfaces
 please see the attached documentation for use



ELECTROLUX PROFESSIONAL 0S0314 ELECTROLUX PROFESSIONAL 0S0995

Door catches

3398021 OVEN DOOR CATCH
 distance between holes 47 mm
 catch distance 27 mm



ELECTROLUX PROFESSIONAL 057414

Drain assembly

3316010 BRASS DRAIN ASSEMBLY \varnothing 1"1/2
 external \varnothing 67 mm - internal \varnothing 40 mm
 connection \varnothing 47 mm - overall h 32 mm



ELECTROLUX PROFESSIONAL 0S1310

3316126 DRAIN ASSEMBLY
 external \varnothing 45 mm - internal \varnothing 30 mm
 connection \varnothing 36 mm



ELECTROLUX PROFESSIONAL 032244

4032461 DRAIN PIPE ST. STEEL \varnothing 25x120 mm
 outlet \varnothing 3/4" M



ELECTROLUX PROFESSIONAL 032461

3316125 DRAIN ASSEMBLY M36



ELECTROLUX PROFESSIONAL 032245

3316124 DRAIN PIPE ST. STEEL \varnothing 25x500 mm
 outlet \varnothing 3/4" M



ELECTROLUX PROFESSIONAL 032238



ELECTROLUX PROFESSIONAL



Suitable for:

4032460 FLAT GASKET EPDM \varnothing 44x36x3 mm



ELECTROLUX PROFESSIONAL 032460

3448225 OVERFLOW PIPE \varnothing 30x110 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 032246

3316011 DRAIN ASSEMBLY \varnothing 2" COMPLETE
height 31.5 mm - overflow pipe \varnothing 49.1 mm
external \varnothing 74 mm
complete with gasket and fastening nut



ELECTROLUX PROFESSIONAL 0S1317 ELECTROLUX PROFESSIONAL 069317

3316132 DRAIN ASSEMBLY NUT \varnothing 36 mm



ELECTROLUX PROFESSIONAL 050287

3316124 DRAIN PIPE ST. STEEL \varnothing 25x500 mm
outlet \varnothing 3/4"M



ELECTROLUX PROFESSIONAL 032238

Suitable for:

3186343 O-RING 02106 EPDM
ring thickness 1.78 mm - internal \varnothing 26.70 mm



ELECTROLUX PROFESSIONAL 033462

40PE016 OVERFLOW PIPE \varnothing 30x112 mm
of stainless steel - complete with OR




ELECTROLUX PROFESSIONAL 0PE016

3316125 DRAIN ASSEMBLY M36



ELECTROLUX PROFESSIONAL 032245

4032461 DRAIN PIPE ST. STEEL \varnothing 25x120 mm
outlet \varnothing 3/4"M



ELECTROLUX PROFESSIONAL 032461

3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 2"
external \varnothing 70 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



ELECTROLUX PROFESSIONAL 0S1319

Suitable for:

Suitable for:

3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY \varnothing 1"1/2
 external \varnothing 70 mm - internal \varnothing 50 mm
 connection \varnothing 47 mm



ELECTROLUX PROFESSIONAL 0S1318


Drain hoses

3356090 DRAIN TAP FITTING \varnothing 1"MM
 side output \varnothing 30 mm - coupling height 106 mm



ELECTROLUX PROFESSIONAL 0C5090 ELECTROLUX PROFESSIONAL 004728

3356017 FITTING DRAIN TAP \varnothing 1"MM
 side exit \varnothing 30 mm - bracket 89x70x50 mm
 distance between holes 70 mm - coupling height 80 mm



ELECTROLUX PROFESSIONAL 056884

4059522 FITTING DRAIN TAP \varnothing 1"MM
 side outlet \varnothing 30 mm - bracket 88x35 mm
 distance between holes 70 mm - coupling height 130



ELECTROLUX PROFESSIONAL 059522

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling
 for TECNOINOX BAIN-MARIE-FRYER



ELECTROLUX PROFESSIONAL 058114

Drain plugs

3448229 OVERFLOW PIPE \varnothing 20x140 mm
 made of chrome plated brass
 fitting \varnothing 30 mm



ELECTROLUX PROFESSIONAL 050301

3448236 OVERFLOW PIPE \varnothing 20x85 mm
 out of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 0A5181

3448225 OVERFLOW PIPE \varnothing 30x110 mm
 made of stainless steel



ELECTROLUX PROFESSIONAL 032246

40PE016 OVERFLOW PIPE \varnothing 30x112 mm
 of stainless steel - complete with OR



ELECTROLUX PROFESSIONAL 0PE016



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Drain taps and accessories

3356146 BALL VALVE \varnothing 1/2"FF



ELECTROLUX PROFESSIONAL J23120 ELECTROLUX PROFESSIONAL 0H6385 ELECTROLUX PROFESSIONAL 0700231

3526671 BALL VALVE \varnothing 1/2"FF



ELECTROLUX PROFESSIONAL FVASFE TOT2G04

ELECTROLUX PROFESSIONAL 002210 3100

ELECTROLUX PROFESSIONAL 050302 ELECTROLUX PROFESSIONAL 078000 2033

ELECTROLUX PROFESSIONAL 078005 0302

ELECTROLUX PROFESSIONAL 710020 33

ELECTROLUX PROFESSIONAL 702105 0302

ELECTROLUX PROFESSIONAL 002033

ELECTROLUX PROFESSIONAL 033510

ELECTROLUX PROFESSIONAL 554050


ELECTROLUX PROFESSIONAL 710503

3526178 BALLCOCK VALVE 1" MF




ELECTROLUX PROFESSIONAL 0A5439

3359136 BRACKET FOR ROD



ELECTROLUX PROFESSIONAL 003378

3356048 DRAIN BALL TAP 3/4"MF



ELECTROLUX PROFESSIONAL 0C9535 ELECTROLUX PROFESSIONAL 005927 ELECTROLUX PROFESSIONAL 005948

**3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass**



ELECTROLUX PROFESSIONAL 0A2393

3356092 DRAIN OFF TAP DIA 3/4 F.
TECO BLOCK safety handle
tap body in brass CW617N UNI 12165
chrome plated superficial finish
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max




ELECTROLUX PROFESSIONAL 0C2669

40C2670 DRAIN TAP \varnothing 1/2"F
TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max



ELECTROLUX PROFESSIONAL 0C2670

3356064 DRAIN TAP \varnothing 1/2"MF
internal exit \varnothing 15 mm



ELECTROLUX PROFESSIONAL 058610



Suitable for:

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
for BOILING PAN



ELECTROLUX PROFESSIONAL 0S0109 ELECTROLUX PROFESSIONAL 013020 05
ELECTROLUX PROFESSIONAL 710S01 09

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3356029 HANDLE FOR DRAIN TAP
for drain tap ø 3/4" and 1"



3356089 DRAIN TAP ø 1" F
internal outlet ø 25 mm



ELECTROLUX PROFESSIONAL 006688

Suitable for:

3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm



ELECTROLUX PROFESSIONAL 0E2240

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356066 DRAIN TAP LEVER 310 mm



ELECTROLUX PROFESSIONAL 006689



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3359135 DRAIN TAP \varnothing 1"FF



ELECTROLUX PROFESSIONAL 056885 ELECTROLUX PROFESSIONAL 078005 6885
ELECTROLUX PROFESSIONAL 083582 1800
ELECTROLUX PROFESSIONAL 554056 885
ELECTROLUX PROFESSIONAL 722904

3359136 BRACKET FOR ROD



ELECTROLUX PROFESSIONAL 003378

5023594 CAST IRON FITTING \varnothing 1"MF



ELECTROLUX PROFESSIONAL 006962

3356090 DRAIN TAP FITTING \varnothing 1"MM
side output \varnothing 30 mm - coupling height 106 mm



ELECTROLUX PROFESSIONAL 0C5090 ELECTROLUX PROFESSIONAL 004728

3359132 DRAIN TAP KNOB BLACK 94 mm
square hole 8x8 mm




ELECTROLUX PROFESSIONAL 056887

3359134 DRAIN TAP LEVER 160 mm
square pin 8x8 mm



ELECTROLUX PROFESSIONAL 003829

3356017 FITTING DRAIN TAP \varnothing 1"MM
side exit \varnothing 30 mm - bracket 89x70x50 mm
distance between holes 70 mm-coupling height 80 mm



ELECTROLUX PROFESSIONAL 056884

4059522 FITTING DRAIN TAP \varnothing 1"MM
side outlet \varnothing 30 mm - bracket 88x35 mm
distance between holes 70 mm - coupling height 130



ELECTROLUX PROFESSIONAL 059522

3356178 HANDLE BLACK FOR DRAIN TAP 90 mm
pin square 8x8 mm



ELECTROLUX PROFESSIONAL 0K4293 ELECTROLUX PROFESSIONAL 056887



Suitable for:

3356171 DRAIN TAP ø 1"1/2F
 complete with food grease tube
 GASKET SEAL
 flanged connection with screw fastening ø 47 mm
 made of STAINLESS steel
 COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004
 SUITABLE FOR USE IN CONTACT WITH FOOD



ELECTROLUX PROFESSIONAL 0H6412

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



5078364 TAP REPAIR KIT ø 1"1/2F
 for drain tap





Suitable for:

3356173 DRAIN TAP ø 1"1/2F
 complete with food grease tube
 GASKET SEAL
 fixed connection ø 1"1/2F
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



ELECTROLUX PROFESSIONAL 0H6424

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature -45°/+120°
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



5078364 TAP REPAIR KIT ø 1"1/2F
 for drain tap





Suitable for:

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



ELECTROLUX PROFESSIONAL 0S0107 ELECTROLUX PROFESSIONAL 0S0110 ELECTROLUX PROFESSIONAL 0S1037
ELECTROLUX PROFESSIONAL 002520

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

Suitable for:

3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm
for drain tap ø 1"1/2



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP ø 1"1/4 and 1"1/2



3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP ø 1"1/2F e 1"1/4F





ELECTROLUX PROFESSIONAL



Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



Suitable for:

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356005 DRAIN TAP \varnothing 1"1/4F TECNO
TAPERED SEAL - fixed connection \varnothing 1"1/4F
with gasket
for BOILING PAN



3186240 ASBESTOS FREE FLAT GASKET \varnothing 46x38x2 mm
for drain tap \varnothing 1"1/2



ELECTROLUX PROFESSIONAL 0S0136

3356010 ESCUTCHEON FOR DRAIN TAP \varnothing 1"1/4



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF certified
for DRAIN TAP \varnothing 1"1/4 and 1"1/2



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145



ELECTROLUX PROFESSIONAL



Suitable for:

3242189 HANDGRIP FOR DRAIN TAP
for DRAIN TAP \varnothing 1"1/2F e 1"1/4F



Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356073 DRAIN TAP \varnothing 2" F TECNO
GASKET SEAL - with swivel nut \varnothing 2" F
with safety lock
for BOILING PAN



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



ELECTROLUX PROFESSIONAL 0C4850

3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





ELECTROLUX PROFESSIONAL



Suitable for:

5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



ELECTROLUX PROFESSIONAL 0S1145

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3356149 DRAIN TAP \varnothing 2" F TECNO
BRASS CAP - with swivel nut \varnothing 2" F



5038365 ASBESTOS FREE FLAT GASKET \varnothing 60x50x2 mm
for drain tap \varnothing 2"



ELECTROLUX PROFESSIONAL 0S0135 ELECTROLUX PROFESSIONAL 0S0285 ELECTROLUX PROFESSIONAL 000000
ELECTROLUX PROFESSIONAL 000000 015 ELECTROLUX PROFESSIONAL 008027
ELECTROLUX PROFESSIONAL 053229 ELECTROLUX PROFESSIONAL 710532 29



ELECTROLUX PROFESSIONAL



Suitable for:

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



ELECTROLUX PROFESSIONAL 004986 ELECTROLUX PROFESSIONAL 020279

3356016 DRAIN NIPPLE \varnothing 2"x80 mm
in brass



ELECTROLUX PROFESSIONAL 0A2393

3356012 ESCUTCHEON FOR DRAIN TAP \varnothing 2"



5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



Suitable for:

3356101 CAP FOR DRAIN TAP
for DRAIN TAP \varnothing 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145



ELECTROLUX PROFESSIONAL



Suitable for:

3186241 O-RING 06212 VITON
ring thickness 5.34 mm - internal \varnothing 53.34 mm
for DRAIN TAP \varnothing 2" OLD MODEL AND
TECNO NEW MODEL



Suitable for:

3356128 PIN \varnothing 5x30 mm
complete with blind nut



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved




3356051 DRAIN TAP \varnothing 3/4"



ELECTROLUX PROFESSIONAL 003433 ELECTROLUX PROFESSIONAL 055085 ELECTROLUX PROFESSIONAL 5540034
ELECTROLUX PROFESSIONAL 710034 33 ELECTROLUX PROFESSIONAL 7105508

3356052 DRAIN TAP \varnothing 3/4"
lateral lever fitting
outlet internal \varnothing 22 mm



ELECTROLUX PROFESSIONAL 005667

3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8



ELECTROLUX PROFESSIONAL 058111 ELECTROLUX PROFESSIONAL 078005 8111
ELECTROLUX PROFESSIONAL 590023 ELECTROLUX PROFESSIONAL 710581 11

5012801 DRAIN TAP LEVER 62 mm
thread M6



3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



ELECTROLUX PROFESSIONAL 0PR659



ELECTROLUX PROFESSIONAL



Suitable for:

5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm




Suitable for:

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



ELECTROLUX PROFESSIONAL 058114

3356054 DRAIN TAP ø 3/4" F
upper lever fitting
outlet internal ø 22 mm



3356053 DRAIN TAP HANDLE ø 17x40 mm
thread M8



ELECTROLUX PROFESSIONAL 058113

ELECTROLUX PROFESSIONAL 058111 ELECTROLUX PROFESSIONAL 078005 8111
ELECTROLUX PROFESSIONAL 590023 ELECTROLUX PROFESSIONAL 710581 11

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75




3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet coupling
for TECNOINOX BAIN-MARIE-FRYER



ELECTROLUX PROFESSIONAL 0PR659

ELECTROLUX PROFESSIONAL 058114

3356088 DRAIN TAP ø 3/4" FF



3356090 DRAIN TAP FITTING ø 1" MM
side output ø 30 mm - coupling height 106 mm



ELECTROLUX PROFESSIONAL 005917 ELECTROLUX PROFESSIONAL 005919

ELECTROLUX PROFESSIONAL 0C5090 ELECTROLUX PROFESSIONAL 004728

3359132 DRAIN TAP KNOB BLACK 94 mm
square hole 8x8 mm



3526185 DRAIN TAP LEVER 200 mm
square pin 8x8 mm



ELECTROLUX PROFESSIONAL 056887

ELECTROLUX PROFESSIONAL 0C0563



ELECTROLUX PROFESSIONAL



Suitable for:

40C0722 FITTING CAST IRON \varnothing 1"F-3/4"M



ELECTROLUX PROFESSIONAL 0C0722

Suitable for:

**3356178 HANDLE BLACK FOR DRAIN TAP 90 mm
pin square 8x8 mm**



ELECTROLUX PROFESSIONAL 0K4293 ELECTROLUX PROFESSIONAL 056887

3359137 DRAIN TAP \varnothing 3/4"FF



ELECTROLUX PROFESSIONAL 056114

3359136 BRACKET FOR ROD



ELECTROLUX PROFESSIONAL 003378

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX PROFESSIONAL 003377

**3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8**



ELECTROLUX PROFESSIONAL 058111 ELECTROLUX PROFESSIONAL 078005 8111
ELECTROLUX PROFESSIONAL 590023 ELECTROLUX PROFESSIONAL 710581 11

**3359132 DRAIN TAP KNOB BLACK 94 mm
square hole 8x8 mm**



ELECTROLUX PROFESSIONAL 056887

**3359134 DRAIN TAP LEVER 160 mm
square pin 8x8 mm**



ELECTROLUX PROFESSIONAL 003829

3356067 DRAIN TAP LEVER 200 mm



ELECTROLUX PROFESSIONAL 003377

**3526185 DRAIN TAP LEVER 200 mm
square pin 8x8 mm**



ELECTROLUX PROFESSIONAL 0C0563

3356066 DRAIN TAP LEVER 310 mm



ELECTROLUX PROFESSIONAL 006689



Suitable for:

3356022 DRAIN TAP M60x2 m m
 TAPERED SEAL
 thread external \varnothing 60 mm
 thread pitch 2 mm
 internal hole \varnothing 40 mm
 for BOILING PAN



ELECTROLUX PROFESSIONAL 0S0112 ELECTROLUX PROFESSIONAL 017215

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3356024 DRAIN TAP M78x3 m m
 TAPERED SEAL
 thread external \varnothing 78 mm
 thread pitch 3 mm
 internal hole \varnothing 59.5 mm
 for BOILING PAN



ELECTROLUX PROFESSIONAL 0S0138 ELECTROLUX PROFESSIONAL 053159

3356032 DRAIN TAP HANDLE
 for DRAIN TAP 78x3 mm



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved




3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 m m
 for drain tap \varnothing 2" old model



ELECTROLUX PROFESSIONAL 004986 ELECTROLUX PROFESSIONAL 020279

3356034 DRAIN TAP RING NUT \varnothing 2"
 for drain tap \varnothing 2" and swivel nut 78x3 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3356041 DRAIN TAP WASHER \varnothing 1"1/2
for drain tap \varnothing 2" swivel nut and 78x3



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



5015573 GASKET FLAT ASBE. FREE \varnothing 61x48x2 mm
for drain tap \varnothing 2"



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
length 150 metri
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water,
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



ELECTROLUX PROFESSIONAL 0S1145



Suitable for:

3356023 DRAIN TAP 68x3 mm
 TAPERED SEAL
 thread external \varnothing 68 mm
 thread pitch 3 mm
 internal hole \varnothing 50 mm
 for BOILING PAN



ELECTROLUX PROFESSIONAL 052907

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF H1 certified
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3180061 TAPE F. COUPLING SEALING LOCTITE 55-150m
 length 150 metri
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water,
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



Suitable for:

3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660



3242189 HANDGRIP FOR DRAIN TAP
 for DRAIN TAP \varnothing 1"1/2F e 1"1/4F





ELECTROLUX PROFESSIONAL



Suitable for:

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ELECTROLUX PROFESSIONAL AJ3602 20 ELECTROLUX PROFESSIONAL E476700
ELECTROLUX PROFESSIONAL 0G1637 ELECTROLUX PROFESSIONAL 0H2149 ELECTROLUX PROFESSIONAL 0K7222

Suitable for:

3241275 BLACK KNOB
square hole: 7x7mm



3356078 BUSHING \varnothing 11x20 mm



3356077 CLASP \varnothing 3.5x30 mm
UNI 6873 - DIN 1481 - ISO 8752



5009883 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet coupling



3526673 GAS/WATER VALVE \varnothing 1"FF
ball valve
heavy series with PN 40 total passage
aluminium lever



ELECTROLUX PROFESSIONAL 0A2071 ELECTROLUX PROFESSIONAL 004384 ELECTROLUX PROFESSIONAL 004729

3356078 BUSHING \varnothing 11x20 mm



5023594 CAST IRON FITTING \varnothing 1"MF



ELECTROLUX PROFESSIONAL 006962

5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm





Suitable for:

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x40x19 mm
 fitting height 100 mm



Suitable for:

5028002 DRAIN TAP FITTING \varnothing 1"MM
 side exit \varnothing 30 mm - bracket 80x30 mm
 distance between holes 60 mm - coupling height 100



3242049 DRAIN TAP HANDLE 140 mm
 square hole 6x6 mm




3242280 DRAIN TAP KNOB BLACK 79 mm
 square hole 6x6 mm



5036175 DRAIN TAP MANIFOLD
 2 top connections \varnothing 1"MM - 2 top connections \varnothing 3/8
 1 bottom connection \varnothing 1"MM
 width 295 mm - overall length 114 mm
 distance between holes 275 mm



5033656 FITTING OF BRASS \varnothing 1"MF



7100207 HEADLESS SCREW HEXAGONAL M5x8
 stainless steel - conical top
 UNI 5927 - DIN 914 - ISO 4027



5011612 LEVER DRAIN TAP 250 mm
 square pin 6x6 mm



3356178 HANDLE BLACK FOR DRAIN TAP 90 mm
 pin square 8x8 mm



3356167 LEVER FOR DRAIN TAP 65 mm
 thread M8x0.75





ELECTROLUX PROFESSIONAL



Suitable for:

3356166 PIN WITH LOCK FOR DRAIN TAP



ELECTROLUX PROFESSIONAL 0K410 ELECTROLUX PROFESSIONAL 0KF290 ELECTROLUX PROFESSIONAL 0K1469 ELECTROLUX PROFESSIONAL 0G2389
ELECTROLUX PROFESSIONAL 0K1496 ELECTROLUX PROFESSIONAL 0K1500 ELECTROLUX PROFESSIONAL 0K3837
ELECTROLUX PROFESSIONAL 0K3839 ELECTROLUX PROFESSIONAL 0K5399

Suitable for:

40G2389 WATER BALL VALVE KIT ø 1"MF with bracket



3526672 WATER VALVE ø 3/4"FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever



ELECTROLUX PROFESSIONAL 0H6527

Drip trays

3015003 BURNER DRIP TRAY ø 123 mm
external dimensions 345x360 mm
internal hole ø 145 mm



ELECTROLUX PROFESSIONAL 052104

3015001 BURNER DRIP TRAY ø 83 mm
external dimensions 345x360 mm
internal hole ø 105 mm



ELECTROLUX PROFESSIONAL 052102

Electric hot plates

3311092 ELECTRIC HOT PLATE ø 145 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge 8 mm
for electric cooking top



ELECTROLUX PROFESSIONAL 053406 ELECTROLUX PROFESSIONAL 053607 ELECTROLUX PROFESSIONAL 058104 ELECTROLUX PROFESSIONAL 004014

4004014 ELECTRIC HOT PLATE ø 145 mm 1500W 440V
electrical screw connections
with stainless steel edge
for electric cooking hob





Suitable for:


Suitable for:

3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V
MODEL "ECODESIGN"
 terminal block electric connections
 with STAINLESS steel edge 8 mm
 for electric cooking top



ELECTROLUX PROFESSIONAL 0G6313 ELECTROLUX PROFESSIONAL 070021 0382
 ELECTROLUX PROFESSIONAL 070021 0400
 ELECTROLUX PROFESSIONAL 121845 3196
 ELECTROLUX PROFESSIONAL 461229 302
 ELECTROLUX PROFESSIONAL 7SWE46 1229302


3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V
 terminal block electric connections
 with STAINLESS steel edge 8 mm
 for electric cooking top



ELECTROLUX PROFESSIONAL 004914


ELECTROLUX PROFESSIONAL 1218453
 ELECTROLUX PROFESSIONAL 153005
 ELECTROLUX PROFESSIONAL 7D21040

3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top




ELECTROLUX PROFESSIONAL 0K0343

2111541 ELECTRIC HOT PLATE ø 220 mm 2000W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ELECTROLUX PROFESSIONAL 050724

3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V
"ECODESIGN" MODEL
 electrical screw connections
 with STAINLESS steel edge
 for electric cooking top



ELECTROLUX PROFESSIONAL 0K0334

3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V
MODEL "ECODESIGN"
 terminal block electric connections
 with stainless steel edge
 for electrical cooking top



ELECTROLUX PROFESSIONAL 0K0356

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ELECTROLUX PROFESSIONAL Z05340 ELECTROLUX PROFESSIONAL 053407 ELECTROLUX PROFESSIONAL 053606
 ELECTROLUX PROFESSIONAL 061780 2900
 ELECTROLUX PROFESSIONAL 078005 3407
 ELECTROLUX PROFESSIONAL 122247 4030
 ELECTROLUX PROFESSIONAL 481852 275
 ELECTROLUX PROFESSIONAL 554053 606
 ELECTROLUX PROFESSIONAL 710536 06

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ELECTROLUX PROFESSIONAL 003931

ELECTROLUX PROFESSIONAL 0617803
 ELECTROLUX PROFESSIONAL 0780053
 ELECTROLUX PROFESSIONAL 1222474
 ELECTROLUX PROFESSIONAL 5005340
 ELECTROLUX PROFESSIONAL 7105340
 ELECTROLUX PROFESSIONAL 7021053




ELECTROLUX PROFESSIONAL



Suitable for:

3311071 ELECTRIC HOT PLATE 2500W 400V
dimensions 300x300 mm
tilting plate
electric screw couplings
for electric cooking top



ELECTROLUX PROFESSIONAL 0H6079

Suitable for:

3311173 ELECTRIC HOT PLATE 2500W 400V
dimensions 300x300 mm
overturning plate
screw electric connections
for electrical cooking top



ELECTROLUX PROFESSIONAL 0H6083

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELECTROLUX PROFESSIONAL 0A2198 ELECTROLUX PROFESSIONAL 0A2199 ELECTROLUX PROFESSIONAL 006220 ELECTROLUX PROFESSIONAL 0C6244 ELECTROLUX PROFESSIONAL 034442

40C6244 ELECTRIC HOT PLATE 2600W 440V
dimensions 220x220 mm
screw terminal block
with STAINLESS steel rim



3311062 ELECTRIC HOT PLATE 3000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELECTROLUX PROFESSIONAL 0A2020 ELECTROLUX PROFESSIONAL 0K6680 ELECTROLUX PROFESSIONAL 052196
ELECTROLUX PROFESSIONAL 052198

3311063 ELECTRIC HOT PLATE 3000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top




ELECTROLUX PROFESSIONAL 0K4756 ELECTROLUX PROFESSIONAL 052197 ELECTROLUX PROFESSIONAL 061750
ELECTROLUX PROFESSIONAL 061780 1200 ELECTROLUX PROFESSIONAL 077018
ELECTROLUX PROFESSIONAL 078005 2197 ELECTROLUX PROFESSIONAL 113345
ELECTROLUX PROFESSIONAL 113345 4248 ELECTROLUX PROFESSIONAL 113347
ELECTROLUX PROFESSIONAL 180013 52 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 481851 951 ELECTROLUX PROFESSIONAL 500521
ELECTROLUX PROFESSIONAL 7CHG71 234424001 ELECTROLUX PROFESSIONAL 7D1800
ELECTROLUX PROFESSIONAL 710521 97 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 702814 006 ELECTROLUX PROFESSIONAL 712344

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELECTROLUX PROFESSIONAL 052199 ELECTROLUX PROFESSIONAL 052201

3311048 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
for electric cooking top



ELECTROLUX PROFESSIONAL



ELECTROLUX PROFESSIONAL



Suitable for:

3311065 ELECTRIC HOT PLATE 4000W 400V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELECTROLUX PROFESSIONAL 041702 4200
ELECTROLUX PROFESSIONAL 078005 2200
ELECTROLUX PROFESSIONAL 113345 4249
ELECTROLUX PROFESSIONAL 710522 00

Suitable for:

2110843 ELECTRIC HOT PLATE 4000W 440V
dimensions 300x300 mm
screw terminal box
with stainless STEEL edge
for electric cooking top



ELECTROLUX PROFESSIONAL 052200 ELECTROLUX PROFESSIONAL 0C2524
ELECTROLUX PROFESSIONAL 1133454
ELECTROLUX PROFESSIONAL 4818516
ELECTROLUX PROFESSIONAL 7021052

4003929 ELECTRIC PLATE 2600W 440V ø 220 mm
terminal block electric connections
with stainless STEEL edge
for pot stove electric



ELECTROLUX PROFESSIONAL 003929 ELECTROLUX PROFESSIONAL 061781 8200
ELECTROLUX PROFESSIONAL 061781 8201
ELECTROLUX PROFESSIONAL 122247 4210

ELECTROLUX PROFESSIONAL 0780003
ELECTROLUX PROFESSIONAL 7100392

Electrical cables

3050025 SPIRAL CABLE 750 mm
3 wires 1.5 mm²
overall length 3000 mm



ELECTROLUX PROFESSIONAL 0A3010



Suitable for:

Suitable for:

Electrical capacitors

3068016 CAPACITOR DUCATI ENERGIA 10µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connector 6.35x0.8 mm
 ø 36xh58 mm



3068019 CAPACITOR DUCATI ENERGIA 12,5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 36xh70 mm




ELECTROLUX PROFESSIONAL DS0537 ELECTROLUX PROFESSIONAL 0U0403 ELECTROLUX PROFESSIONAL 056148
 ELECTROLUX PROFESSIONAL 069480 0300 ELECTROLUX PROFESSIONAL 0770180
 ELECTROLUX PROFESSIONAL 078005 6148 ELECTROLUX PROFESSIONAL 1800090
 ELECTROLUX PROFESSIONAL 416332 729 ELECTROLUX PROFESSIONAL 4370018
 ELECTROLUX PROFESSIONAL 5370 ELECTROLUX PROFESSIONAL 554056 148
 ELECTROLUX PROFESSIONAL 600502 83 ELECTROLUX PROFESSIONAL 7CHG754
 ELECTROLUX PROFESSIONAL 7DSM53 70 ELECTROLUX PROFESSIONAL 7D18000
 ELECTROLUX PROFESSIONAL 710561 48 ELECTROLUX PROFESSIONAL 7021056
 ELECTROLUX PROFESSIONAL 754000

ELECTROLUX PROFESSIONAL BC0124 529 ELECTROLUX PROFESSIONAL S69460
 ELECTROLUX PROFESSIONAL Z04754 ELECTROLUX PROFESSIONAL 000520 2400
 ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883
 ELECTROLUX PROFESSIONAL 069460 4400 ELECTROLUX PROFESSIONAL 069460
 ELECTROLUX PROFESSIONAL 078004 7541 ELECTROLUX PROFESSIONAL 078004
 ELECTROLUX PROFESSIONAL 500475 41003 ELECTROLUX PROFESSIONAL 694604
 ELECTROLUX PROFESSIONAL 710475 41 ELECTROLUX PROFESSIONAL 710478
 ELECTROLUX PROFESSIONAL 702104 7541 ELECTROLUX PROFESSIONAL 702104
 ELECTROLUX PROFESSIONAL 805009 30

3068024 CAPACITOR DUCATI ENERGIA 16µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connector 6.35x0.8 mm
 ø 36xh70 mm



3068002 CAPACITOR DUCATI ENERGIA 2,5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm




ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812 ELECTROLUX PROFESSIONAL 0E0174

3068027 CAPACITOR DUCATI ENERGIA 20µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connector 6.35x0.8 mm
 ø 40xh70 mm



3068008 CAPACITOR DUCATI ENERGIA 5µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 28xh55 mm



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

3240552 CAPACITOR DUCATI ENERGIA 5µF WITH CABLE
 450V 50/60Hz
 operating temperature -25 +85°C
 1-pole cables L=150 mm
 ø 32xh55 mm



3068010 CAPACITOR DUCATI ENERGIA 6,3µF
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 ø 32xh55 mm



ELECTROLUX PROFESSIONAL 083406

ELECTROLUX PROFESSIONAL 049260

Suitable for:

3068014 CAPACITOR DUCATI ENERGIA 8 μ F
 450V 50/60Hz
 operating temperature -25 +85°C
 lead connection 6.35x0.8 mm
 \varnothing 32xh55 mm



ELECTROLUX PROFESSIONAL 049126

Suitable for:

3068080 CAPACITOR ELECTRICAL 10 μ F
 450V 50/60Hz - \varnothing 30xh71 mm



ELECTROLUX PROFESSIONAL 0U0403

3068081 CAPACITOR ELECTRICAL 12.5 μ F
 450V 50/60Hz - \varnothing 35xh71 mm



3068083 CAPACITOR ELECTRICAL 16 μ F
 450V 50/60Hz - \varnothing 35xh71 mm



ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883 ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812

3068093 CAPACITOR ELECTRICAL 2.5 μ F
 450V 50/60Hz - \varnothing 30xh51 mm



ELECTROLUX PROFESSIONAL 0E0174

3068084 CAPACITOR ELECTRICAL 20 μ F
 450V 50/60Hz - \varnothing 40xh71 mm



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

3068096 CAPACITOR ELECTRICAL 5 μ F
 450V 50/60Hz - \varnothing 30xh51 mm



ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

3068097 CAPACITOR ELECTRICAL 6.3 μ F
 450V 50/60Hz - \varnothing 30xh51 mm



ELECTROLUX PROFESSIONAL 049260

3068078 CAPACITOR ELECTRICAL 6 μ F
 450V 50/60Hz - \varnothing 30xh51 mm



ELECTROLUX PROFESSIONAL 0KQ378

3068079 CAPACITOR ELECTRICAL 8 μ F
 450V 50/60Hz - \varnothing 30xh71 mm



ELECTROLUX PROFESSIONAL 049126



Suitable for:

3068143 CAPACITOR WITH CABLE 5 μ F
450V 50/60Hz - \varnothing 30xh51 mm - cables L=200 mm



ELECTROLUX PROFESSIONAL 083406

Suitable for:

3068152 CAPACITOR 12 μ F
450V 50/60Hz - \varnothing 35xh71 mm



ELECTROLUX PROFESSIONAL 0KQ446

Electrical gas valves and accessories

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 004667

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3020

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
ELECTROLUX PROFESSIONAL 554002 452

ELECTROLUX PROFESSIONAL 6005031
ELECTROLUX PROFESSIONAL 7021002

3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3022

3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
for switching on/off buttons



ELECTROLUX PROFESSIONAL 051281 ELECTROLUX PROFESSIONAL 055805

3241141 EXTENSION FOR 820 NOVA VALVE
D-shaped pin 10x8 mm




ELECTROLUX PROFESSIONAL 059305



Suitable for:

3526066 HONEYWELL VALVE V4400C \varnothing 3/4"FF 220V
 inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
 thermocouple connection ASA pitch
 maximum gas inlet pressure 60 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 057340

3526078 ELBOW FLANGE \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526136 SPRING FOR PUSH-BUTTON



ELECTROLUX PROFESSIONAL 053819

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

Suitable for:

3526077 ELBOW FLANGE \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
 cable length 800 mm - with coupling M11X1



ELECTROLUX PROFESSIONAL 002607



Suitable for:

Suitable for:

3526085 VALVE 810 ELETTROSIT \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
pilot connection and LATERAL thermocouple



3526100 COIL 220V
for VALVE ELETTROSIT



ELECTROLUX PROFESSIONAL

3526108 ELBOW FLANGE \varnothing 1/2"FF
with screws and OR
for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for ELETTROSIT VALVE



3526107 FLANGE STRAIGHT \varnothing 3/4"FF
with screws and OR
for ELETTROSIT VALVE



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Suitable for:

Suitable for:

3526086 VALVE 810 ELETTROSIT \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 pilot connection and LOWER thermocouple



3526100 COIL 220V
 for VALVE ELETTROSIT



ELECTROLUX PROFESSIONAL 0A2035

3526108 ELBOW FLANGE \varnothing 1/2"
 with screws and OR
 for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for ELETTROSIT VALVE



3526107 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for ELETTROSIT VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601



ELECTROLUX PROFESSIONAL



Suitable for:

3526087 VALVE 810 ELETTROSIT \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



ELECTROLUX PROFESSIONAL 054437

3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
 for switching on/off buttons



ELECTROLUX PROFESSIONAL 051281 ELECTROLUX PROFESSIONAL 055805

3526107 FLANGE STRAIGHT \varnothing 3/4" F
 with screws and OR
 for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

Suitable for:

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for ELETTROSIT VALVE



3526106 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for ELETTROSIT VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm





Suitable for:

Suitable for:

3526090 VALVE 810 ELETROSIT \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple

3526100 COIL 220V
 for VALVE ELETROSIT



ELECTROLUX PROFESSIONAL 057543

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for ELETROSIT VALVE

3526093 EXTENSION FOR ELETROSIT BUTTON 34 mm
 for switching on/off buttons



3526106 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for ELETROSIT VALVE

ELECTROLUX PROFESSIONAL 051281 ELECTROLUX PROFESSIONAL 055805

3526107 FLANGE STRAIGHT \varnothing 3/4" F
 with screws and OR
 for ELETROSIT VALVE



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm

3526136 SPRING FOR PUSH-BUTTON



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT

ELECTROLUX PROFESSIONAL 053819





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3526079 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL Z05544 ELECTROLUX PROFESSIONAL 055446 ELECTROLUX PROFESSIONAL 0780055 ELECTROLUX PROFESSIONAL 004667
 ELECTROLUX PROFESSIONAL 082001 ELECTROLUX PROFESSIONAL 083581 9900
 ELECTROLUX PROFESSIONAL 554055 446 ELECTROLUX PROFESSIONAL 7105544
 ELECTROLUX PROFESSIONAL 702105 5446

3526098 COIL 220V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



ELECTROLUX PROFESSIONAL 0K3020

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3022

5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3241141 EXTENSION FOR 820 NOVA VALVE
 D-shaped pin 10x8 mm



ELECTROLUX PROFESSIONAL 059305




ELECTROLUX PROFESSIONAL



Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3241142 KNOB GASKET \varnothing 44 mm




ELECTROLUX PROFESSIONAL 059326

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm




5017951 PROTECTION RUBBER VALVE 820-824 NOVA
 \varnothing external 50 mm - \varnothing internal 20 mm
depth 1 mm



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834


3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5016719 KNOB EXTENSION LENGTH 86 mm
for VALVE 820 NOVA



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX PROFESSIONAL 056589

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

Suitable for:

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 002790

3526179 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
power supply 220V 50Hz



ELECTROLUX PROFESSIONAL 002903

3526270 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 004667

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



ELECTROLUX PROFESSIONAL 003704 ELECTROLUX PROFESSIONAL 056452

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3020

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P





ELECTROLUX PROFESSIONAL




Suitable for:

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3022

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P




Suitable for:

5047586 EXTENSION FOR VALVE 820 NOVA
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834


3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX PROFESSIONAL 056589

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





ELECTROLUX PROFESSIONAL



Suitable for:

5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm




Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

40C2408 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
gas max. inlet pressure 60 mbar
outlet pressure range setting
5÷50 mbar
room temperature 0÷70°C
power supply 24V 50Hz



ELECTROLUX PROFESSIONAL 0C2408

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3020

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 0K3022

ELECTROLUX PROFESSIONAL 052833




ELECTROLUX PROFESSIONAL



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



Suitable for:


3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



ELECTROLUX PROFESSIONAL 056589

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526096 VALVE MICROSCHWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601



Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



ELECTROLUX PROFESSIONAL 002606

2100054 COIL 220V 60Hz
 for VALVE 820 NOVA-822 NOVA-828 NOVA



Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 004667

3526077 ELBOW FLANGE \varnothing 1/2" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398


3526078 ELBOW FLANGE \varnothing 3/4" F
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P




5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052833

3526075 FLANGE STRAIGHT \varnothing 1/2"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 052834

3526076 FLANGE STRAIGHT \varnothing 3/4"
 with screws and OR
 for valves SIT 820-Honeywell V4400-V4600-VR4605P





ELECTROLUX PROFESSIONAL



Suitable for:

3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



Suitable for:

3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX PROFESSIONAL 056589

3001008 PIEZO IGNITER
a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3440200 THERMOPILE WITH TWIN LEAD \varnothing 9x65 mm
cable length 800 mm - with coupling M11X1



ELECTROLUX PROFESSIONAL 002607

5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT




ELECTROLUX PROFESSIONAL 054539 ELECTROLUX PROFESSIONAL 056601

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 002790

3526361 VALVE 822 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 059473

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELECTROLUX PROFESSIONAL 0K3020



Suitable for:

2100054 COIL 220V 60Hz
for VALVE 820 NOVA-822 NOVA-828 NOVA



ELECTROLUX PROFESSIONAL

Suitable for:

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 0A5398

3526102 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA




3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 0K3022

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052833

3526075 FLANGE STRAIGHT \varnothing 1/2"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



ELECTROLUX PROFESSIONAL 052834

3526076 FLANGE STRAIGHT \varnothing 3/4"
with screws and OR
for valves SIT 820-Honeywell V4400-V4600-VR4605P



2110316 MAGNETIC COIL
220/240V 50Hz
for VALVE 822 NOVA-824 NOVA-826 NOVA
for VALVE 827 NOVA-828 NOVAMIX





ELECTROLUX PROFESSIONAL



Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Suitable for:

3526104 VALVE 830 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 0C6359

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M




ELECTROLUX PROFESSIONAL 052668

3526292 ELECTRIC COUPLING WITH CABLE
cable length 1000 mm - 3 wires
for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

2100724 COIL 24V
for valve 830 TANDEM-836 TANDEM



3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
ELECTROLUX PROFESSIONAL 554002 452

ELECTROLUX PROFESSIONAL 600503
ELECTROLUX PROFESSIONAL 702100

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817



ELECTROLUX PROFESSIONAL



Suitable for:

3526141 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M10x1
 maximum gas inlet pressure 60 mbar
 outlet gas pressure setting range 3-50 mbar
 room temperature 0-60°C
 power supply 230V 50Hz



ELECTROLUX PROFESSIONAL 002340 ELECTROLUX PROFESSIONAL 005897

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2" M




ELECTROLUX PROFESSIONAL 052668

3526292 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

Suitable for:

2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM



3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
 ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
 ELECTROLUX PROFESSIONAL 554002 452
 ELECTROLUX PROFESSIONAL 710024 52

ELECTROLUX PROFESSIONAL 600503
 ELECTROLUX PROFESSIONAL 702100

3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
 for model PEL 23




ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817



Suitable for:

3526268 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 power supply 24V 60Hz



ELECTROLUX PROFESSIONAL 005526

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2" M




ELECTROLUX PROFESSIONAL 052668

3526292 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

Suitable for:

2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM




3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
 ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
 ELECTROLUX PROFESSIONAL 554002 452
 ELECTROLUX PROFESSIONAL 710024 52

ELECTROLUX PROFESSIONAL 600503
 ELECTROLUX PROFESSIONAL 702100

3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
 for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817



ELECTROLUX PROFESSIONAL



Suitable for:

40K5838 VALVE 830 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
 thermocouple connection M10x1
 gas inlet maximum pressure 60 mbar
 outlet gas pressure setting rang 3÷50 mbar
 ambient temperature 0÷60°C
 power supply 220/240V 50Hz



ELECTROLUX PROFESSIONAL 0K5838

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




ELECTROLUX PROFESSIONAL 052668

3526292 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

Suitable for:

2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM




3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM



ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
 ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
 ELECTROLUX PROFESSIONAL 554002 452
 ELECTROLUX PROFESSIONAL 710024 52

ELECTROLUX PROFESSIONAL 600503
 ELECTROLUX PROFESSIONAL 702100

3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
 for model PEL 23




ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817



Suitable for:

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified



ELECTROLUX PROFESSIONAL 002714

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2" M




ELECTROLUX PROFESSIONAL 052668

3030001 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 2 wires
 for sit valve 824 NOVA-826 NOVA-836 TANDEM



3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
 for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

Suitable for:

2100724 COIL 24V
 for valve 830 TANDEM-836 TANDEM



3526142 DOUBLE COIL FOR VALVE
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM




ELECTROLUX PROFESSIONAL 002452 ELECTROLUX PROFESSIONAL 078000 2452
 ELECTROLUX PROFESSIONAL 096709 ELECTROLUX PROFESSIONAL 500024 52006
 ELECTROLUX PROFESSIONAL 554002 452
 ELECTROLUX PROFESSIONAL 710024 52

ELECTROLUX PROFESSIONAL 600503
 ELECTROLUX PROFESSIONAL 702100

3526292 ELECTRIC COUPLING WITH CABLE
 cable length 1000 mm - 3 wires
 for sit valve 830-836 TANDEM



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834



Suitable for:

2101040 VALVE 840 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 gas inlet max pressure 60 mbar
 pressure calibration field outlet
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz




ELECTROLUX PROFESSIONAL 0C7600 ELECTROLUX PROFESSIONAL 005757

5076905 DOUBLE COIL FOR VALVE
 220V 60Hz
 for VALVE 840 SIGMA-845 SIGMA-848 SIGMA




5068646 ELECTRIC COUPLING WITH CABLE
 cable length 1100 mm - 3 threads
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA



5095069 LOCKING NUT OLIVE \varnothing 3/4"
 pipe \varnothing 16 mm
 for VALVE 840 SIGMA-848 SIGMA




5095071 SEALING GASKET \varnothing 17x24x1.5 mm



Suitable for:

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



2102658 ELECTRIC COUPLING WITH CABLE
 cable length 550 mm - 4 wires
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA



5095072 HOSE \varnothing 1/2" M-3/4" F



5095070 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 19 mm - h 9.5 mm



5095073 SLEEVE OF BRASS \varnothing 1/2" MF





Suitable for:

Suitable for:

2102533 VALVE 840 SIGMA \varnothing 3/4"MM
 inlet \varnothing 3/4" M - outlet \varnothing 3/4" M
 gas inlet maximum pressure 60 mbar
 calibration range of outlet pressure
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply



2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA



ELECTROLUX PROFESSIONAL 0G2763

5076905 DOUBLE COIL FOR VALVE
 220V 60Hz
 for VALVE 840 SIGMA-845 SIGMA-848 SIGMA




2102658 ELECTRIC COUPLING WITH CABLE
 cable length 550 mm - 4 wires
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA



5068646 ELECTRIC COUPLING WITH CABLE
 cable length 1100 mm - 3 threads
 for valve sit 840 SIGMA-843 SIGMA-845 SIGMA
 for valve sit 848 SIGMA



5095072 HOSE \varnothing 1/2" M-3/4" F



5095069 LOCKING NUT OLIVE \varnothing 3/4"
 pipe \varnothing 16 mm
 for VALVE 840 SIGMA-848 SIGMA



5095070 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 19 mm - h 9.5 mm



5095071 SEALING GASKET \varnothing 17x24x1.5 mm



5095073 SLEEVE OF BRASS \varnothing 1/2" MF





Suitable for:

Suitable for:


Electronic boards

7102850 CIRCUIT BOARD CONTROLS 328x96 mm




ELECTROLUX PROFESSIONAL 0C6364 ELECTROLUX PROFESSIONAL 006803

40K5147 CIRCUIT BOARD DISPLAY 295x98 mm
two D-shaped pins \varnothing 6x4.6 mm
with cable



ELECTROLUX PROFESSIONAL 0K5147

40D6702 CONTROL ELECTRONIC BOARD 150x75 mm



ELECTROLUX PROFESSIONAL 0D6702

3390382 CONTROL ELECTRONIC BOARD 183x50 mm
cable length 600 mm



ELECTROLUX PROFESSIONAL 0C1897

40D7209 CONTROL PC BOARD KIT 170x60 mm
with cable




ELECTROLUX PROFESSIONAL 0D7209

40D6711 CONTROL PC BOARD 150x75 mm



ELECTROLUX PROFESSIONAL 0D6711

40C9758 CONTROL PC BOARD 295x98 mm
three D-shaped pins \varnothing 6x4.6 mm
with cables



ELECTROLUX PROFESSIONAL 0C9758 ELECTROLUX PROFESSIONAL 0K5148

3390086 ELECTRONIC BOARD FOR KEYBOARD 185x50 mm
with cable




ELECTROLUX PROFESSIONAL 087481

40G6209 ELECTRONIC BOARD 125x75mm
plate dimensions 183x95 mm



ELECTROLUX PROFESSIONAL 0G4603 ELECTROLUX PROFESSIONAL 0G6209 ELECTROLUX PROFESSIONAL 0K5145 ELECTROLUX PROFESSIONAL 0G3520

5062966 ELECTRONIC BOARD 400V 148x90 mm
for INDUCTION HOB





Suitable for:


40K4885 ELECTRONIC CONTROL BOARD 140x75 mm



ELECTROLUX PROFESSIONAL 0K4885


Suitable for:

7102296 MOTHERBOARD 160x120 mm



ELECTROLUX PROFESSIONAL 0C6362

40G2337 MOTHERBOARD 220x170 mm



ELECTROLUX PROFESSIONAL 0G2337 ELECTROLUX PROFESSIONAL 0G2629

40G4209 MOTHERBOARD 335x110 mm



ELECTROLUX PROFESSIONAL 0G4209 ELECTROLUX PROFESSIONAL 0K4409

40C9995 THERMOCOUPLES ELECTRONIC BOARD 106x60 mm



ELECTROLUX PROFESSIONAL 0C7416 ELECTROLUX PROFESSIONAL 0C9995

40PE275 USER INTERFACE CONTROL BOARD KIT

includes:

- 1 temperature electronic controller 90x73 mm
- 1 probe NTC length 1500 mm - bulb \varnothing 5x15 mm



ELECTROLUX PROFESSIONAL 0PE275


Electronic boxes

3091020 CONTROL BOX SM191.1
model BRAHMA - 230V 50/60Hz 7VA




ELECTROLUX PROFESSIONAL 0A5167

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



ELECTROLUX PROFESSIONAL 0E1499 ELECTROLUX PROFESSIONAL 002351

2101103 CONTROL BOX 577 DBC
model SIT - 220/240V 50/60Hz 20VA



ELECTROLUX PROFESSIONAL 0G3480

40C8189 CONTROL BOX 579 DBC
model SIT - 220/240V 50/60Hz 12VA



ELECTROLUX PROFESSIONAL 0C8189



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Electronic controllers

3445375 CONTROLLER ELIWELL ID PLUS 902
 230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ELECTROLUX PROFESSIONAL 0S0295

3445156 PROBE NTC PVC 3000 mm
 temperature range -30+80°C
 bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445379 PROBE PT1000 IP68 1500 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight



3445157 PROBE NTC PVC 1500 mm
 probe 2 wires - temperature range -30+80°C
 bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm
 temperature field -30+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445335 PROBE NTC TPE IP68 3000 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445380 PROBE PT1000 IP68 3000 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight





ELECTROLUX PROFESSIONAL



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445913 SILICONE PROBE NTC 1500 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3445399 **CONTROLLER ELIWELL ID PLUS 902**
 12Vac/dc
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32x59 mm
 mounting hole 71x29 mm



3445157 **PROBE NTC PVC 1500 mm**
 probe 2 wires - temperature range -30°+80°C
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0296 ELECTROLUX PROFESSIONAL 082388 ELECTROLUX PROFESSIONAL 082396
 ELECTROLUX PROFESSIONAL 082484

3445156 **PROBE NTC PVC 3000 mm**
 temperature range -30+80°C
 bulb ø 6x40 mm



3445028 **PROBE NTC PVC 4000 mm**
 temperature field -30+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445167 **PROBE NTC TPE IP68 1500 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445335 **PROBE NTC TPE IP68 3000 mm**
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445184 **PROBE NTC TPE STEEL IP68 1500 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445154 **PROBE NTC TPE STEEL IP68 3000 mm**
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445379 **PROBE PT1000 IP68 1500 mm**
 temperature range -50+110°C
 bulb ø 6x20 mm watertight



3445380 **PROBE PT1000 IP68 3000 mm**
 temperature range -50+110°C
 bulb ø 6x20 mm watertight





ELECTROLUX PROFESSIONAL



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445913 SILICONE PROBE NTC 1500 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833



ELECTROLUX PROFESSIONAL



Suitable for:

3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



Suitable for:

3445157 PROBE NTC PVC 1500 mm
 probe 2 wires - temperature range -30°+80°C
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0786 ELECTROLUX PROFESSIONAL 0S1453 ELECTROLUX PROFESSIONAL 089903

3445156 PROBE NTC PVC 3000 mm
 temperature range -30+80°C
 bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm
 temperature field -30+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445167 PROBE NTC TPE IP68 1500 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445335 PROBE NTC TPE IP68 3000 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445379 PROBE PT1000 IP68 1500 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight



3445380 PROBE PT1000 IP68 3000 mm
 temperature range -50+110°C
 bulb ø 6x20 mm watertight





ELECTROLUX PROFESSIONAL



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445913 SILICONE PROBE NTC 1500 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833



ELECTROLUX PROFESSIONAL



Suitable for:

7104861 DIGITAL THERMOMETER ELIWELL EM300 NTC

power supply 230V
thermometer setting range -50+110°C
room temperature -5+55°C
NTC type probe (not included)
connections with screw terminal box
front dimensions 76x35x70 mm
mounting hole 71x29mm



Suitable for:

3445157 PROBE NTC PVC 1500 mm

probe 2 wires - temperature range -30+80°C
bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0790

3445156 PROBE NTC PVC 3000 mm

temperature range -30+80°C
bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm

temperature field -30+80°C
bulb ø 6x20 mm



3445167 PROBE NTC TPE IP68 1500 mm

temperature range -50+110°C
bulb ø 5x20 mm watertight



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445335 PROBE NTC TPE IP68 3000 mm

temperature range -50+110°C
bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm

temperature range -40+110°C
bulb ø 6x40 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm

temperature range -40+110°C
bulb ø 6x40 mm watertight



3445398 SILICONE PROBE NTC 1500 mm

2-wire probe temperature range -50+120°C
bulb ø 6x50 mm



3445913 SILICONE PROBE NTC 1500 mm

temperature range -50+110°C
bulb ø 6x40 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3445155 SILICONE PROBE NTC 3000 mm
temperature range -50+110°C
bulb ø 6x40 mm



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



3445073 THERMOSTAT EVK411 TCJ
power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through
password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29mm



3445109 PROBE TCJ VETROTEX 3000 mm
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit ±0.75% below 0°C
response time 30 sec
bulb ø 6x100 mm



ELECTROLUX PROFESSIONAL ME0000 307
ELECTROLUX PROFESSIONAL 004109 ELECTROLUX PROFESSIONAL 053540 ELECTROLUX PROFESSIONAL 7100410
ELECTROLUX PROFESSIONAL 710535 40

ELECTROLUX PROFESSIONAL ME00003 ELECTROLUX PROFESSIONAL 004116
ELECTROLUX PROFESSIONAL 9131003



ELECTROLUX PROFESSIONAL



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
 ELECTROLUX PROFESSIONAL 083833

3445527 THERMOSTAT ICPLUS902 NTC/PTC
 power supply 12V
 thermostat setting range -50+150°C
 single-point control
 1 output on relay in exchange 8(4)A 250V
 serial door for data exchange
 ambient temperature -5+55°C
 type of probe NTC/PTC (not included)
 screw terminal block connections
 frontal dimension 78x37x64 mm
 mounting distance 71x29 mm



3445157 PROBE NTC PVC 1500 mm
 probe 2 wires - temperature range -30°+80°C
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S1642

3445156 PROBE NTC PVC 3000 mm
 temperature range -30+80°C
 bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm
 temperature field -30+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445167 PROBE NTC TPE IP68 1500 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445335 PROBE NTC TPE IP68 3000 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight





ELECTROLUX PROFESSIONAL



Suitable for:

3445184 PROBE NTC TPE STEEL IP68 1500 mm
temperature range $-40+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm watertight



Suitable for:

3445154 PROBE NTC TPE STEEL IP68 3000 mm
temperature range $-40+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm watertight



3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445913 SILICONE PROBE NTC 1500 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445155 SILICONE PROBE NTC 3000 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0\div 60^{\circ}\text{C}$
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833



ELECTROLUX PROFESSIONAL



Suitable for:

3445528 THERMOSTAT ICPLUS902 NTC/PTC
 power supply 230V
 thermostat setting range -50+150°C
 single-point control
 1 output on relay in exchange 8(4)A 250V
 serial door for data exchange
 ambient temperature -5+55°C
 type of probe NTC/PTC (not included)
 screw terminal block connections
 frontal dimension 78x37x64 mm
 mounting distance 71x29 mm



ELECTROLUX PROFESSIONAL 0S0295 ELECTROLUX PROFESSIONAL 0S0789

3445156 PROBE NTC PVC 3000 mm
 temperature range -30+80°C
 bulb ø 6x40 mm



3445167 PROBE NTC TPE IP68 1500 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445184 PROBE NTC TPE STEEL IP68 1500 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

Suitable for:

3445157 PROBE NTC PVC 1500 mm
 probe 2 wires - temperature range -30+80°C
 bulb ø 6x40 mm



3445028 PROBE NTC PVC 4000 mm
 temperature field -30+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

3445335 PROBE NTC TPE IP68 3000 mm
 temperature range -50+110°C
 bulb ø 5x20 mm watertight



3445154 PROBE NTC TPE STEEL IP68 3000 mm
 temperature range -40+110°C
 bulb ø 6x40 mm watertight



3445107 PTC PVC PROBE 3000 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3445913 SILICONE PROBE NTC 1500 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



Suitable for:

3445155 SILICONE PROBE NTC 3000 mm
temperature range $-50+110^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445959 SILICONE PTC PROBE 5000 mm
temperature range $-55+150^{\circ}\text{C}$
bulb \varnothing 6x40 mm



3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature $0+60^{\circ}\text{C}$
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833

3445019 THERMOSTAT ICPLUS902 PT100/TCJ/TCK
power supply 24V
thermostat setting range $-150+1350^{\circ}\text{C}$
control with 1 actuation point
1 changeover relay output 8(4)A 250V
serial port for data exchange
ambient temperature $-5+55^{\circ}\text{C}$
PT100-TCJ-TCK probe (not included)
connections by screw terminal block
front dimensions 78x37x64 mm
mounting hole 71x29mm



3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range $0+350^{\circ}\text{C}$
bulb \varnothing 6x100 mm



ELECTROLUX PROFESSIONAL 0C3421 ELECTROLUX PROFESSIONAL 006154 ELECTROLUX PROFESSIONAL 054796



Suitable for:

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3445112 PROBE TCK VETROTEX 3000 mm
 2-wire probe temperature range 0+350°C
 error limits $\pm 2\%$ above 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm



ELECTROLUX PROFESSIONAL 004116

3445145 TEMPERATURE PROBE PT100 1400 mm
 2-wire probe
 bulb \varnothing 4x40 mm



3397140 THERMOCOUPLE PROBE TCK 3000 mm
 2 wires - temperature -40+1150°C
 bulb \varnothing 6x140 mm



ELECTROLUX PROFESSIONAL 006155

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved




3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
 ELECTROLUX PROFESSIONAL 083833

Energy regulators

3350026 ENERGY REGULATOR
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction



3350092 ENERGY REGULATOR
 contact capacity 230V 13A
 temperature max 125°C
 D-shaped pin \varnothing 6x4,6 mm
 double direction of rotation



ELECTROLUX PROFESSIONAL J21306 ELECTROLUX PROFESSIONAL Z05501 ELECTROLUX PROFESSIONAL 0A05442
 ELECTROLUX PROFESSIONAL 0A2482 ELECTROLUX PROFESSIONAL 0C1605 ELECTROLUX PROFESSIONAL 0H6103
 ELECTROLUX PROFESSIONAL 0K0502 ELECTROLUX PROFESSIONAL 0K5029 ELECTROLUX PROFESSIONAL 0K8611
 ELECTROLUX PROFESSIONAL 003030 ELECTROLUX PROFESSIONAL 005270 ELECTROLUX PROFESSIONAL 026861
 ELECTROLUX PROFESSIONAL 055016 ELECTROLUX PROFESSIONAL 069980 2200
 ELECTROLUX PROFESSIONAL 070021 3068
 ELECTROLUX PROFESSIONAL 077491 460501
 ELECTROLUX PROFESSIONAL 180154 40
 ELECTROLUX PROFESSIONAL 300012 27
 ELECTROLUX PROFESSIONAL 491460 501
 ELECTROLUX PROFESSIONAL 503702 1000

ELECTROLUX PROFESSIONAL 0A2482 ELECTROLUX PROFESSIONAL 0C1605 ELECTROLUX PROFESSIONAL 0K8611
 ELECTROLUX PROFESSIONAL 005270 ELECTROLUX PROFESSIONAL 026861 ELECTROLUX PROFESSIONAL 055016

ELECTROLUX PROFESSIONAL 0770180
 ELECTROLUX PROFESSIONAL 0780005
 ELECTROLUX PROFESSIONAL 2890700
 ELECTROLUX PROFESSIONAL 4370018
 ELECTROLUX PROFESSIONAL 5017011

3350093 ENERGY REGULATOR
 contact capacity 230V 13A
 temperature max 125°C
 D-shaped pin \varnothing 6x4,6 mm
 NEW MODEL



ELECTROLUX PROFESSIONAL 0C6530

Feet

3313003 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 130 mm
 with rectangular flange 100x90 mm
 adjustable height 130÷190 mm



ELECTROLUX PROFESSIONAL 057536

3313036 ADJUSTABLE S/STEEL FOOT \varnothing 30 mm
 for tubular 40x40 mm
 adjustable height 33÷95 mm




ELECTROLUX PROFESSIONAL 032550

3313045 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 125 MM
 with square flange 74x74x2.5 mm
 adjustable height 125÷235 mm



ELECTROLUX PROFESSIONAL 048579

3313058 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 140 MM
 with fixed screw M10x25 mm
 adjustable height 140÷240 mm



ELECTROLUX PROFESSIONAL 0C0204



ELECTROLUX PROFESSIONAL



Suitable for:

4026806 FOOT RUBBER \varnothing 17x20 mm
with fixed screw M6x16 mm
overall height 37 mm



ELECTROLUX PROFESSIONAL 026806

Suitable for:

3313001 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm



ELECTROLUX PROFESSIONAL 053792 ELECTROLUX PROFESSIONAL 078005 3792

ELECTROLUX PROFESSIONAL 085588 8200


ELECTROLUX PROFESSIONAL 500537 92003

ELECTROLUX PROFESSIONAL 481851

ELECTROLUX PROFESSIONAL 710537

Filters

3160500 PAN FILTER S/STEEL



ELECTROLUX PROFESSIONAL 027114

3160265 STAINLESS STEEL DRAIN FILTER \varnothing 50 mm



ELECTROLUX PROFESSIONAL 004836

3160234 SUPPORT FOR FILTER



ELECTROLUX PROFESSIONAL 054905

3160234 SUPPORT FOR FILTER



ELECTROLUX PROFESSIONAL 054905

3160462 WATER FILTER \varnothing 1/2"FF



ELECTROLUX PROFESSIONAL 054450 ELECTROLUX PROFESSIONAL 067392

3160007 WATER FILTER \varnothing 3/4"FF



ELECTROLUX PROFESSIONAL 0C4113 ELECTROLUX PROFESSIONAL 0KL216 ELECTROLUX PROFESSIONAL 0W2538

ELECTROLUX PROFESSIONAL 068121

Fittings

5023594 CAST IRON FITTING \varnothing 1"MF



ELECTROLUX PROFESSIONAL 006962

40C0722 FITTING CAST IRON \varnothing 1"F-3/4"M



ELECTROLUX PROFESSIONAL 0C0722

3349588 LEVEL PIPE FITTING \varnothing 3/8"M
for hose \varnothing 10 mm



ELECTROLUX PROFESSIONAL 002188

4002986 LEVEL GLASS \varnothing 10x77 mm



ELECTROLUX PROFESSIONAL 002986

3186340 O-RING 03037 EPDM
ring thickness 2.62 mm - internal \varnothing 9.19 mm



ELECTROLUX PROFESSIONAL 002923 ELECTROLUX PROFESSIONAL 069550

3349346 NICHEL-PL.HOSE-END FITTING \varnothing 1/4"M \varnothing 12



ELECTROLUX PROFESSIONAL 0C1626

3349319 NICHEL-PLATED FITTING \varnothing 1/4"M-1/4"M



ELECTROLUX PROFESSIONAL 006350

3349357 NICHEL-PLATED FITTING \varnothing 3/4"M-3/4"M



ELECTROLUX PROFESSIONAL 0W3306

3349347 NICKEL-PL.HOSE-END FITTING \varnothing 3/8"M \varnothing 12



ELECTROLUX PROFESSIONAL 0PRG27




Suitable for:

Suitable for:


Fryer baskets and accessories

4054505 FALSE BOTTOM MESH COMPLETE 395x345 mm
height 85 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 054505

4006130 FALSE BOTTOM MESH 390x295 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 006130

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



ELECTROLUX PROFESSIONAL 058158

3055180 FRYER BASKET 260x135x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 053206

3055298 FRYER BASKET 260x270x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 052683

3055315 FRYER BASKET 260x270x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 004499

3055333 FRYER BASKET 265x210x110 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 005704

3055207 FRYER BASKET 270x185x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 058157

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



ELECTROLUX PROFESSIONAL 058158



ELECTROLUX PROFESSIONAL



Suitable for:

3055076 FRYER BASKET 290x280x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 0A2603

Suitable for:

3055314 FRYER BASKET 325x225x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 005933

4054960 FRYER BASKET 325x225x120 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 054960

3055335 FRYER BASKET 325x225x90 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 004492

3055181 FRYER BASKET 330x100x120 mm
in chrome-plated iron



ELECTROLUX PROFESSIONAL 054948

3055317 FRYER BASKET 330x140x140 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 006133

3055316 FRYER BASKET 330x285x140 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 006539

3055205 FRYER BASKET 333x338x120 mm
made of chrome-plated iron
for new series



ELECTROLUX PROFESSIONAL 059307

3055196 FRYER BASKET 340x160x150 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 052290

3055206 FRYER BASKET 335x160x120 mm
in chrome-plated iron
for new series



ELECTROLUX PROFESSIONAL 059327



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Fuses

3049003 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



ELECTROLUX PROFESSIONAL 086338

3049005 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 160mA



ELECTROLUX PROFESSIONAL 002820

3049012 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



ELECTROLUX PROFESSIONAL 0C2301

3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



ELECTROLUX PROFESSIONAL 090098

3049018 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 3.15A



ELECTROLUX PROFESSIONAL 0C4996 ELECTROLUX PROFESSIONAL 065280 6100

3049020 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 6.3A



ELECTROLUX PROFESSIONAL 007054

3049022 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 10A



ELECTROLUX PROFESSIONAL 0L1295

3049068 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
500V 1A



ELECTROLUX PROFESSIONAL 048995 ELECTROLUX PROFESSIONAL 048995 _10PZ

3049040 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 250mA



ELECTROLUX PROFESSIONAL 002920

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA




ELECTROLUX PROFESSIONAL 0W3499 ELECTROLUX PROFESSIONAL 005032



Suitable for:

3049042 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



ELECTROLUX PROFESSIONAL 002750

Suitable for:

3049044 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 630mA



ELECTROLUX PROFESSIONAL 0W5452 ELECTROLUX PROFESSIONAL 058871

3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ELECTROLUX PROFESSIONAL 0W5451

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



ELECTROLUX PROFESSIONAL 0A8438

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ELECTROLUX PROFESSIONAL 057783

3049127 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 16A



ELECTROLUX PROFESSIONAL 005136

40K4996 THERMIC FUSE 228°C
total length 64 mm



ELECTROLUX PROFESSIONAL 0K4996

Gas burners

3020144 BRASS NUT M15x1



ELECTROLUX PROFESSIONAL 020997



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Gas burners

3023189 BURNER \varnothing 40x380 mm
overall length 430 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 003326

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

3023193 BURNER \varnothing 40x480 mm
overall length 535 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 004258

3023215 BURNER \varnothing 40x480 mm
overall length 530 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 054117

3023149 BURNER \varnothing 40x620 mm
overall length 735 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 059221

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

3023188 BURNER \varnothing 50x330 mm
overall length 400 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 004847

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250



Suitable for:

3023190 BURNER \varnothing 50x330 mm
overall length 440 mm
made of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 0C0743

3023196 BURNER \varnothing 50x345 mm
overall length 400 mm
made of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 004726

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

3023204 BURNER \varnothing 50x390 mm
overall length 445 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 005929

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

Suitable for:

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039



ELECTROLUX PROFESSIONAL



Suitable for:

3023203 BURNER \varnothing 50x410 mm
overall length 475 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 006127 ELECTROLUX PROFESSIONAL 083082 3100
ELECTROLUX PROFESSIONAL 11061201

Suitable for:

3023202 AIR ADJUSTER \varnothing 40 mm
internal hole \varnothing 10 mm
height 13 mm - 8 holes



ELECTROLUX PROFESSIONAL 054039

3023213 BURNER \varnothing 50x500 mm
overall length 560 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 002513

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

3023198 BURNER LH 585x220 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 003780

3023200 BURNER RH 585x220 mm
made of chrome-plated iron




ELECTROLUX PROFESSIONAL 003779

3023046 BURNER 400x175 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 052855

4050874 MIXING CHAMBER 80x107x40 mm
made of chrome-plated iron
bracket 107x40x2 mm
distance between holes fixing 87 mm



ELECTROLUX PROFESSIONAL 050874

3023106 BURNER 435x200 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 056655

3020239 AERATION REGULATOR
internal \varnothing 17 mm - external \varnothing 22 mm
height 42 mm



ELECTROLUX PROFESSIONAL 051389




ELECTROLUX PROFESSIONAL



Suitable for:

4050874 MIXING CHAMBER 80x107x40 mm
made of chrome-plated iron
bracket 107x40x2 mm
distance between holes fixing 87 mm



ELECTROLUX PROFESSIONAL 050874

Suitable for:

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

5022030 BURNER 470x200 mm
made of STAINLESS STEEL



ELECTROLUX PROFESSIONAL 005656

3023210 BURNER 530x195 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 004591

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

3023212 BURNER 545x240 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 059523

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

3023223 BURNER 550x670 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 0A5166

3023334 BURNER 550x830 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 059624



Suitable for:

Suitable for:

4003634 BURNER 570x450 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 003634

40C0700 BURNER 580x545 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 0C0700

3023160 BURNER 600x220 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 002358

4051296 BURNER 630x595 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 051296

3023219 BURNER 645x190 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 0A5124

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375



Suitable for:

3023191 BURNER 685x190 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 006650

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250

3023042 BURNER 690x395 mm
made of STAINLESS steel



ELECTROLUX PROFESSIONAL 052717

40C0701 BURNER 695x585 mm
made of chrome-plated iron



ELECTROLUX PROFESSIONAL 0C0701

3023209 BURNER 720x290 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 0C0490

Suitable for:

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

3352018 AERATION REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 42 mm



ELECTROLUX PROFESSIONAL 025009 ELECTROLUX PROFESSIONAL 052062

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375



Suitable for:

3023183 BURNER 735x505 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 059506


Suitable for:

3023182 FIREPROOF 505x200 mm



ELECTROLUX PROFESSIONAL 054119

4050874 MIXING CHAMBER 80x107x40 mm
made of chrome-plated iron
bracket 107x40x2 mm
distance between holes fixing 87 mm




ELECTROLUX PROFESSIONAL 050874

3020145 NOZZLE HOLDER FOR BURNER
nozzle thread M15x1 mm
with fastening coupling M15x1 mm - \varnothing tubo 10 mm



ELECTROLUX PROFESSIONAL 020988 ELECTROLUX PROFESSIONAL 051948

3020144 BRASS NUT M15x1



ELECTROLUX PROFESSIONAL 020997

4059375 NOZZLE HOLDER FOR BURNER
thread fitting for pipe M16x1.5 mm
threaded nozzle M10x1 mm
external thread M15x1 mm
pipe \varnothing 10 mm



ELECTROLUX PROFESSIONAL 059375

3023197 NOZZLE HOLDER FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M15x1



ELECTROLUX PROFESSIONAL 059250


3023195 VERTICAL BURNER 265x50 mm
made of stainless steel



ELECTROLUX PROFESSIONAL 059297


Gas hoses and gas pipes

3449582 GAS HOSE \varnothing 1/2"FF 1000 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL GE3265 ELECTROLUX PROFESSIONAL 0S1005

3449584 GAS HOSE \varnothing 1/2"FF 1500 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800




ELECTROLUX PROFESSIONAL 0S1008

3449585 GAS HOSE \varnothing 1/2"FF 2000 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL GE3265 ELECTROLUX PROFESSIONAL 0S1003

3449580 GAS HOSE \varnothing 1/2"FF 500 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1026

3449572 GAS HOSE \varnothing 1/2"MF 1000 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1006

3449574 GAS HOSE \varnothing 1/2"MF 1500 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL GE3264 ELECTROLUX PROFESSIONAL 0S1007

3449575 GAS HOSE \varnothing 1/2"MF 2000 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL GE3264 ELECTROLUX PROFESSIONAL 0S1015

3449570 GAS HOSE \varnothing 1/2"MF 500 mm
 made of steel AISI 316L
 max temperature 60°C - max pressure 0.5 bar
 resistance to 6 bar internal pressure
 resistance in case of fire 30 minutes at 650°C
 flow rate efficiency 2.2 m³/h
 in compliance w/the EUROPEAN CERTIFICATION EN14800



ELECTROLUX PROFESSIONAL 0S1025



ELECTROLUX PROFESSIONAL



Suitable for:

3449070 PILOT PIPE \varnothing 4 mm
for cooking hob HC/G410-HC/G810



ELECTROLUX PROFESSIONAL 005561

40C0151 PILOT PIPE \varnothing 4 mm
for COOKING HOB series N700-N900
for SOLID TOP RANGE series N700-N900



ELECTROLUX PROFESSIONAL 0C0151

4006249 PILOT PIPE \varnothing 4 mm



ELECTROLUX PROFESSIONAL 006249

4006263 PIPE FOR GAS TAP \varnothing 10 mm



ELECTROLUX PROFESSIONAL 006263

3449628 PIPE OF COPPER \varnothing 4x1 mm - 5 m



ELECTROLUX PROFESSIONAL 0C1547

Suitable for:

3449078 PILOT PIPE \varnothing 4 mm
for cooking hob N700-N900



ELECTROLUX PROFESSIONAL 0C0152

40C0702 PILOT PIPE \varnothing 4 mm



ELECTROLUX PROFESSIONAL 0C0702

40C0206 PIPE FOR GAS TAP \varnothing 10 mm



ELECTROLUX PROFESSIONAL 0C0206

7101735 PIPE FOR GAS TAP \varnothing 10 mm



ELECTROLUX PROFESSIONAL 0C0207

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127




ELECTROLUX PROFESSIONAL



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 204675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

Suitable for:

3449228 PIPE OF COPPER 1x4 mm - 25 m



ELECTROLUX PROFESSIONAL 0C1547

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 204675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

Gas taps and accessories

5032885 BY-PASS SCREW \varnothing 0.40 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002901

4002900 BY-PASS SCREW \varnothing 0.45 mm FOR MOD. 20/21
thread M5x0.5




ELECTROLUX PROFESSIONAL 002900

5016310 BY-PASS SCREW \varnothing 0.45 mm FOR MOD. 22
thread M6x0.5



ELECTROLUX PROFESSIONAL 004261

4002925 BY-PASS SCREW \varnothing 0.50 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002925



ELECTROLUX PROFESSIONAL



Suitable for:

5015533 BY-PASS SCREW \varnothing 0.55 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002911

5017441 BY-PASS SCREW \varnothing 0.70 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002908

5008380 BY-PASS SCREW \varnothing 0.80 mm FOR MOD. 20/21
thread M5x0.5




ELECTROLUX PROFESSIONAL 0G4101 ELECTROLUX PROFESSIONAL 002899

4052605 BY-PASS SCREW \varnothing 0.90 mm FOR MOD. 22
thread M6x0.5



ELECTROLUX PROFESSIONAL 052605

5014631 BY-PASS SCREW \varnothing 1 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 004595

4056742 BY-PASS SCREW \varnothing 1.10 mm FOR MOD. 22
thread M6x0.5



ELECTROLUX PROFESSIONAL 056742

Suitable for:

5046716 BY-PASS SCREW \varnothing 0.60 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002904

4002769 BY-PASS SCREW \varnothing 0.75 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002769

4002926 BY-PASS SCREW \varnothing 0.90 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002926

4002909 BY-PASS SCREW \varnothing 0.95 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002909

4002902 BY-PASS SCREW \varnothing 1.05 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002902

4002927 BY-PASS SCREW \varnothing 1.15 mm FOR MOD. 20/21
thread M5x0.5




ELECTROLUX PROFESSIONAL 002927



Suitable for:

5053754 BY-PASS SCREW \varnothing 1.30 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002928

Suitable for:

4003182 BY-PASS SCREW \varnothing 1.40 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 003182

4002976 BY-PASS SCREW \varnothing 1.40 mm FOR MOD. 22
thread M6x0.5




ELECTROLUX PROFESSIONAL 002976 ELECTROLUX PROFESSIONAL 052607

4002994 BY-PASS SCREW \varnothing 1.45 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 002994

4006193 BY-PASS SCREW \varnothing 1.60 mm FOR MOD. 20/21
thread M5x0.5



ELECTROLUX PROFESSIONAL 006193

4003372 BY-PASS SCREW \varnothing 1.70 mm FOR MOD. 22
thread M6x0.5



ELECTROLUX PROFESSIONAL 0C6428 ELECTROLUX PROFESSIONAL 003372

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23




ELECTROLUX PROFESSIONAL 059853

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



ELECTROLUX PROFESSIONAL 059854



ELECTROLUX PROFESSIONAL



Suitable for:

3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



ELECTROLUX PROFESSIONAL 002185

Suitable for:

3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




ELECTROLUX PROFESSIONAL 0S0053

3348248 FLANGE HORIZONTAL M22x1 mm




ELECTROLUX PROFESSIONAL

3348063 GAS TAP SABAF
without pilot flame
flange pipe connection \varnothing 16 mm
outlet fitting \varnothing 1/4" M
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL 004956

3348015 GAS TAP 20/N
with pilot flame
fittings M16x1.5 mm
with flow regulator
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL 054166

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



ELECTROLUX PROFESSIONAL 059854

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22





ELECTROLUX PROFESSIONAL



Suitable for:

3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25




ELECTROLUX PROFESSIONAL 052125

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076
ELECTROLUX PROFESSIONAL 554102
ELECTROLUX PROFESSIONAL 70210A

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21
ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




Suitable for:

3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



ELECTROLUX PROFESSIONAL Z05410 ELECTROLUX PROFESSIONAL 0A0530 7800
ELECTROLUX PROFESSIONAL 0A2163 ELECTROLUX PROFESSIONAL 054109 ELECTROLUX PROFESSIONAL 054628
ELECTROLUX PROFESSIONAL 054629 ELECTROLUX PROFESSIONAL 07800A 2163
ELECTROLUX PROFESSIONAL 078005 4109
ELECTROLUX PROFESSIONAL 078005 4629
ELECTROLUX PROFESSIONAL 083581 5600
ELECTROLUX PROFESSIONAL 481852 365
ELECTROLUX PROFESSIONAL 500546 28008
ELECTROLUX PROFESSIONAL 554054 628
ELECTROLUX PROFESSIONAL 710A21 63
ELECTROLUX PROFESSIONAL 710546 28
ELECTROLUX PROFESSIONAL 70210A 2163

ELECTROLUX PROFESSIONAL 059854

ELECTROLUX PROFESSIONAL 0780054
ELECTROLUX PROFESSIONAL 0835814
ELECTROLUX PROFESSIONAL 0835815
ELECTROLUX PROFESSIONAL 5005410
ELECTROLUX PROFESSIONAL 5005462
ELECTROLUX PROFESSIONAL 5540546
ELECTROLUX PROFESSIONAL 7105410
ELECTROLUX PROFESSIONAL 7105462
ELECTROLUX PROFESSIONAL 7021054

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95



ELECTROLUX PROFESSIONAL



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 702105



Suitable for:

Suitable for:

3348075 GAS TAP 20/S
 without pilot flame
 fittings M16x1.5 mm
 with flow regulator
 thermocouple connection M8x1
 D-shaped long pin \varnothing 8x6.5 mm




ELECTROLUX PROFESSIONAL 004237

3348058 MAGNET PROTECTION NUT M8x1
 thread M18x1 mm
 for model PEL 20-21-22



3348020 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 20S



ELECTROLUX PROFESSIONAL 059854

3348059 MAGNET PROTECTION NUT M9x1
 thread M18x1mm
 for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
 head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
 head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
 ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
 ELECTROLUX PROFESSIONAL 710565 95

3240282 MICROSWITCH BITRON TYPE 209
 0.5A 250V



ELECTROLUX PROFESSIONAL 004241

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
 for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
 for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992



ELECTROLUX PROFESSIONAL



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 70210A2

3250097 SPRING FOR TAP MICROSWITCH \varnothing 10x14 mm
for SOLID TOP RANGE series PR700



ELECTROLUX PROFESSIONAL 004243

3348077 WASHER FOR TAP KNOB



ELECTROLUX PROFESSIONAL 004242

3348016 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL TEC500 14
ELECTROLUX PROFESSIONAL 078000 4961
ELECTROLUX PROFESSIONAL 554004 961
ELECTROLUX PROFESSIONAL 7TEC50 014

7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S



ELECTROLUX PROFESSIONAL 004961
ELECTROLUX PROFESSIONAL 50014
ELECTROLUX PROFESSIONAL 7D50014



Suitable for:

3348085 BUSH FOR TAP



ELECTROLUX PROFESSIONAL




Suitable for:


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21



3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S




ELECTROLUX PROFESSIONAL 002185

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





ELECTROLUX PROFESSIONAL




Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22




Suitable for:

3182022 **MAGNETIC GROUP PEL SMALL HEAD**
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 **MAGNETIC UNIT PEL SMALL HEAD**
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

ELECTROLUX PROFESSIONAL 060325

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25




3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

ELECTROLUX PROFESSIONAL 020992

3348043 **PIPE FITTING \varnothing 10 mm**
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



3348029 **PIPE FITTING \varnothing 4 mm**
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076
ELECTROLUX PROFESSIONAL 5541021
ELECTROLUX PROFESSIONAL 70210A2

ELECTROLUX PROFESSIONAL 052125



ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21


ELECTROLUX PROFESSIONAL 0022505

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




3348074 GAS TAP 21/S
with pilot flame
flange pipe connection \varnothing 21 mm
outlet fitting \varnothing M16x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower




ELECTROLUX PROFESSIONAL 0C0205


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21




7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S



3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21




3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



ELECTROLUX PROFESSIONAL 002185

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S





ELECTROLUX PROFESSIONAL



Suitable for:

3348275 CAPWITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



Suitable for:


3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076
ELECTROLUX PROFESSIONAL 554102
ELECTROLUX PROFESSIONAL 70210A



ELECTROLUX PROFESSIONAL



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348076 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M8x1 mm
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL 0A2169 ELECTROLUX PROFESSIONAL 059361 ELECTROLUX PROFESSIONAL 059367
ELECTROLUX PROFESSIONAL 059460

7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S




3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21




3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



ELECTROLUX PROFESSIONAL 002185




ELECTROLUX PROFESSIONAL




Suitable for:

3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S




Suitable for:

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22




3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 060325

ELECTROLUX PROFESSIONAL 052127



Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 002250


ELECTROLUX PROFESSIONAL 702105

3348079 GAS TAP 21/S
with pilot flame
fittings \varnothing M16x1.5 mm
thermocouple connection M8x1
D-shaped long pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL 004282


3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21



7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S



3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21






ELECTROLUX PROFESSIONAL



Suitable for:

3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



Suitable for:

3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S




ELECTROLUX PROFESSIONAL 002185


3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 702105

Suitable for:

Suitable for:

40G4441 GAS TAP 21/S
 with pilot flame
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 with flow regulator
 thermocouple connection M8x1
 pin length 45/19 mm
 D-shaped pin \varnothing 6x4.6 mm




7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
 thread \varnothing 3/8" F - M16x1 mm
 for taps PEL 20S-21S




ELECTROLUX PROFESSIONAL 0G4441


3348219 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 45/20 mm upper/lower
 for model PEL 21



3348220 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/23 mm upper/lower
 for model PEL 21




3348221 CAP WITH PIN \varnothing 6x4.6 mm
 pin length 30/17,5 mm upper/lower
 for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 21S



3348238 CAP WITH PIN \varnothing 8x6.5 mm
 pin 35/15 mm upper/lower
 for model PEL 21S



ELECTROLUX PROFESSIONAL 002185

3348243 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22/15 mm right/lef
 for model PEL 21S



3348275 CAPWITH PIN \varnothing 8x6.5 mm
 pin length 32/25 mm upper/lower
 for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
 thread M16x1,5 mm - M10x1,25 mm
 for model PEL 21S





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182022 **MAGNETIC GROUP PEL SMALL HEAD**
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL




Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182011 **MAGNETIC UNIT PEL SMALL HEAD**
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348043 **PIPE FITTING \varnothing 10 mm**
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076
ELECTROLUX PROFESSIONAL 554102
ELECTROLUX PROFESSIONAL 70210A



ELECTROLUX PROFESSIONAL



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59


ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



40KI367 GAS TAP 21/S
with pilot flame
flange connection pipe \varnothing 21 mm
outlet fitting M16x1.5 mm
with flow regulator
thermocouple connection M8x1
pin length 45/19 mm
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0KI367

7102841 BODY FITTING TAP
 \varnothing pipe 10 mm
thread \varnothing 3/8" F - M16x1 mm
for taps PEL 20S-21S




3348219 CAP WITH PIN \varnothing 6x4.6 mm
pin length 45/20 mm upper/lower
for model PEL 21




3348220 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/23 mm upper/lower
for model PEL 21



3348221 CAP WITH PIN \varnothing 6x4.6 mm
pin length 30/17,5 mm upper/lower
for model PEL 21



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S




ELECTROLUX PROFESSIONAL 002185




Suitable for:

3348238 CAP WITH PIN \varnothing 8x6.5 mm
pin 35/15 mm upper/lower
for model PEL 21S



3348275 CAP WITH PIN \varnothing 8x6.5 mm
pin length 32/25 mm upper/lower
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182022 MAGNETIC GROUP PEL SMALL HEAD
head \varnothing 15.5 mm - end piece \varnothing 11.5 mm - length 44mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




ELECTROLUX PROFESSIONAL 060325

ELECTROLUX PROFESSIONAL



Suitable for:

3348243 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22/15 mm right/lef
for model PEL 21S



3348236 FLANGIA WITH PRESSURE FITTING \varnothing 16/10 mm
thread M16x1,5 mm - M10x1,25 mm
for model PEL 21S



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127



ELECTROLUX PROFESSIONAL



Suitable for:


3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21


ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




3348004 GAS TAP 22N/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
with flow regulator
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 052145

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/0





Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL



Suitable for:

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S





ELECTROLUX PROFESSIONAL



Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



ELECTROLUX PROFESSIONAL 020992

3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200

ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124

ELECTROLUX PROFESSIONAL 500521 24000

ELECTROLUX PROFESSIONAL 710521 24

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 554052



ELECTROLUX PROFESSIONAL



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 0022505

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0M0883 ELECTROLUX PROFESSIONAL 0S0595

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






ELECTROLUX PROFESSIONAL




Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




ELECTROLUX PROFESSIONAL 0S0053

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm**
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL




Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22





ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348005 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0A2001


3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL



Suitable for:

3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22






ELECTROLUX PROFESSIONAL



Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



ELECTROLUX PROFESSIONAL 056594

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



ELECTROLUX PROFESSIONAL 020992



ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348253 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings M20x1.5 mm
with flowrate adjuster
thermocouple connection M9x1
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5619 ELECTROLUX PROFESSIONAL 002574

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






ELECTROLUX PROFESSIONAL




Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




Suitable for:

3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm**
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL




Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22





ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



40K5756 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings M20x1.5 mm
with flow regulator
thermocouple connection M8x1 mm
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5756


3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL



Suitable for:

3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22






ELECTROLUX PROFESSIONAL



Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



ELECTROLUX PROFESSIONAL 056594

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



ELECTROLUX PROFESSIONAL 020992



ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



2110454 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
with by-pass \varnothing 0.35 mm
thermocouple fitting M8x1
D-shaped pin \varnothing 6x4.6 mm
pin length 45/20 mm left



ELECTROLUX PROFESSIONAL T19012 964

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/0



ELECTROLUX PROFESSIONAL 0K5757




ELECTROLUX PROFESSIONAL




Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




ELECTROLUX PROFESSIONAL 0S0053

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm**
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL




Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22





ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0C0489 ELECTROLUX PROFESSIONAL 0C6758 ELECTROLUX PROFESSIONAL 052146
ELECTROLUX PROFESSIONAL 052432 ELECTROLUX PROFESSIONAL 053192


3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL



Suitable for:

3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





ELECTROLUX PROFESSIONAL



Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



Suitable for:


3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25




ELECTROLUX PROFESSIONAL 052127

3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22



ELECTROLUX PROFESSIONAL 020992

3348031 **PIPE FITTING \varnothing 10 mm**
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200

ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124

ELECTROLUX PROFESSIONAL 500521 24000

ELECTROLUX PROFESSIONAL 710521 24

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 554052



ELECTROLUX PROFESSIONAL



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



3348200 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings \varnothing M20x1.5 mm
with flow regulator
thermocouple connection M8x1
pin \varnothing 10 mm



ELECTROLUX PROFESSIONAL

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0022505

3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






ELECTROLUX PROFESSIONAL




Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22




Suitable for:


3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S




3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22




ELECTROLUX PROFESSIONAL 0S0053

3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348214 **FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm**
thread M20x1.5 mm
for model PEL 22S



3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3182021 **MAGNETIC UNIT PEL LARGE HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



3020082 **OLIVE FOR PIPE \varnothing 12 mm**
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 **OLIVE FOR PIPE \varnothing 6 mm**
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL




Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEAD**
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



ELECTROLUX PROFESSIONAL 056594

3348038 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 **OLIVE FOR PIPE \varnothing 4 mm**
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348230 **PIN FOT GAS TAP \varnothing 6x4.6 mm**
pin length 45/20 mm rh/lh
for model PEL 22





ELECTROLUX PROFESSIONAL



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22



40C0489 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
with flow regulator
thermocouple fitting M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0C0489 ELECTROLUX PROFESSIONAL 0C7371 ELECTROLUX PROFESSIONAL 0C8647


3348229 CAP WITH PIN \varnothing 10 mm
pin length 31 mm
for model PEL 22S/O






Suitable for:

3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 25/14 mm
for model PEL 22



ELECTROLUX PROFESSIONAL 056597

3348336 CAP WITH PIN \varnothing 10x8 mm
pin length 25/17 mm
for model PEL 22




ELECTROLUX PROFESSIONAL 056597

3348231 CAP WITH PIN \varnothing 6x4.6 mm
pin length 35/21 mm upper/lower
for model PEL 22



3348213 FLANGE \varnothing 12/10 mm
without adjustment
thread M20x1.5 mm
for model PEL 22S



3348025 FLANGE HORIZONTAL CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL



Suitable for:

3348245 CAP WITH PIN \varnothing 10x8 mm
pin length 34/26 mm upper/lower
for model PEL 22S



3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348232 CAP WITH PIN \varnothing 8x6.5 mm
pin length 39/7 mm upper/lower
for model PEL 22




3348023 FLANGE HORIZONTAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



ELECTROLUX PROFESSIONAL 0S0053

3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22






ELECTROLUX PROFESSIONAL



Suitable for:

3348214 FLANGIA WITH PRESSURE FITTING \varnothing 12/10 mm
thread M20x1.5 mm
for model PEL 22S



Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24



3182021 MAGNETIC UNIT PEL LARGE HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm



ELECTROLUX PROFESSIONAL 056594

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



3348230 PIN FOT GAS TAP \varnothing 6x4.6 mm
pin length 45/20 mm rh/lh
for model PEL 22



ELECTROLUX PROFESSIONAL 020992



Suitable for:

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

ELECTROLUX PROFESSIONAL



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0214164 ELECTROLUX PROFESSIONAL 050670
ELECTROLUX PROFESSIONAL 5540521

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105


5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3348297 VERTICAL FLANGE \varnothing 12/10 mm
without flow regulator
thread M20x1.5 mm
for model PEL 22




3348011 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet fitting M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 02R59 ELECTROLUX PROFESSIONAL 054811 ELECTROLUX PROFESSIONAL 059505
ELECTROLUX PROFESSIONAL 078005 4811 ELECTROLUX PROFESSIONAL 0835816
ELECTROLUX PROFESSIONAL 083582 9700 ELECTROLUX PROFESSIONAL 5005481
ELECTROLUX PROFESSIONAL 554054 811 ELECTROLUX PROFESSIONAL 5540595
ELECTROLUX PROFESSIONAL 710548 11 ELECTROLUX PROFESSIONAL 7105950
ELECTROLUX PROFESSIONAL 702105 4811 ELECTROLUX PROFESSIONAL 7021059
ELECTROLUX PROFESSIONAL 796904

3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23





ELECTROLUX PROFESSIONAL




Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23



ELECTROLUX PROFESSIONAL 059853

3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23




Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052007 ELECTROLUX PROFESSIONAL 054815

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL 056596



Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



ELECTROLUX PROFESSIONAL



Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 054816

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 054814

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 0022505

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400


ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 7021057

3348012 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0A2146

3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23





ELECTROLUX PROFESSIONAL




Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23



ELECTROLUX PROFESSIONAL 059853

3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23




Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052007 ELECTROLUX PROFESSIONAL 054815

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

ELECTROLUX PROFESSIONAL 020992



Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



ELECTROLUX PROFESSIONAL



Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 054816

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 054814

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 0022505

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400


ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 7021057

4005466 GAS TAP 23S/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5 mm
outlet coupling M24x1.5 mm
without flow regulator
thermocouple fitting M9x1
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 005466

3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23





ELECTROLUX PROFESSIONAL




Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23



ELECTROLUX PROFESSIONAL 059853

3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23




Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052007 ELECTROLUX PROFESSIONAL 054815

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 23S



ELECTROLUX PROFESSIONAL 020992

ELECTROLUX PROFESSIONAL 056596



Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



ELECTROLUX PROFESSIONAL



Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 054816

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 054814

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 0022505

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400


ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 7021057

3348201 GAS TAP 23S/V
with pilot flame
with vertical flange
inlet connection \varnothing 1/2" F
outlet connection \varnothing 1/2" M
with flow regulator
thermocouple connection M10x1
pin \varnothing 10 mm



3348060 CAP WITH PIN \varnothing 10x8 mm
pin length 25 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 0K9985 ELECTROLUX PROFESSIONAL 053038 ELECTROLUX PROFESSIONAL 056739



ELECTROLUX PROFESSIONAL




Suitable for:

3348062 CAP WITH PIN \varnothing 10x8 mm
pin length 35/17 mm upper/lower
for model PEL 23



ELECTROLUX PROFESSIONAL 059853

3348237 FLANGE HORIZONTAL \varnothing 12/16 mm
without adjustment
thread M24x1.5 mm
for model PEL 23




Suitable for:

3348027 FLANGE HORIZONTAL \varnothing 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348028 FLANGE VERTICAL \varnothing 12/16 mm
thread M24x1.5
for model PEL 23



3182010 MAGNETIC UNIT PEL
head \varnothing 24 mm - end piece \varnothing 18 mm - length 59 mm
thermocouple coupling M10x1
for PEL tap model 23



3348040 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 17.5 mm - h 15 mm
for model PEL 23



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052007 ELECTROLUX PROFESSIONAL 054815

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

ELECTROLUX PROFESSIONAL 020992



Suitable for:

3348033 PIPE FITTING \varnothing 12 mm
thread M24x1.5 - h 16 mm
for model PEL 23



ELECTROLUX PROFESSIONAL



Suitable for:

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5 - h 16 mm
for model PEL 23



3348035 PIPE FITTING \varnothing 20 mm
thread M28x1.5 - h 17 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 054816

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 054814

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 0022505

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 7021057

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 052128

ELECTROLUX PROFESSIONAL 060325

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3348042 OLIVE FOR PIPE \varnothing 20 mm
 \varnothing ext. 23 mm - h 11.5 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817

ELECTROLUX PROFESSIONAL 052007 ELECTROLUX PROFESSIONAL 054815



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
 for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
 for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200
 ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
 ELECTROLUX PROFESSIONAL 500521 24000
 ELECTROLUX PROFESSIONAL 710521 24

3348043 PIPE FITTING \varnothing 10 mm
 thread M16x1.5 mm - h 14 mm
 for model PEL 20-21-24-25




ELECTROLUX PROFESSIONAL 0214164

ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
 ELECTROLUX PROFESSIONAL 07800A 2125
 ELECTROLUX PROFESSIONAL 500121 25006
 ELECTROLUX PROFESSIONAL 710A21 25


ELECTROLUX PROFESSIONAL 09076
 ELECTROLUX PROFESSIONAL 554102
 ELECTROLUX PROFESSIONAL 70210A

3348250 PIPE FITTING \varnothing 10 mm
 thread M17x1 mm



ELECTROLUX PROFESSIONAL

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5 mm - h 15 mm
 for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3348034 PIPE FITTING \varnothing 16 mm
 thread M24x1.5 - h 16 mm
 for model PEL 23



ELECTROLUX PROFESSIONAL 054816

3348035 PIPE FITTING \varnothing 20 mm
 thread M28x1.5 - h 17 mm
 for model PEL 23



ELECTROLUX PROFESSIONAL 054814

3348029 PIPE FITTING \varnothing 4 mm
 thread M10x1 mm - h 11 mm
 for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

4004260 SCREW BY-PASS \varnothing 0.55 mm FOR MODEL 22
 thread M6x0.5



ELECTROLUX PROFESSIONAL 004260



Suitable for:

4002993 SCREW BY-PASS \varnothing 1.80 mm FOR MODEL 22
thread M6x0.5



ELECTROLUX PROFESSIONAL 002993

Suitable for:

3348077 WASHER FOR TAP KNOB



ELECTROLUX PROFESSIONAL 004242

Gas valves and accessories

3523065 CAP FOR GAS VALVE MERTIK \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 0C0625

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 056009

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



ELECTROLUX PROFESSIONAL 052668

3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0C8571 ELECTROLUX PROFESSIONAL 004491

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 003391

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure setting range
3÷18 mbar outlet
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



ELECTROLUX PROFESSIONAL 003334 ELECTROLUX PROFESSIONAL 004947

3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR





ELECTROLUX PROFESSIONAL



Suitable for:

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR




ELECTROLUX PROFESSIONAL 056009

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 003391

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm




Suitable for:

3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm




ELECTROLUX PROFESSIONAL 0C8571 ELECTROLUX PROFESSIONAL 004491

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526127 FLANGE FOR EXTENSION



ELECTROLUX PROFESSIONAL 058773

5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm




Suitable for:

3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526127 FLANGE FOR EXTENSION




ELECTROLUX PROFESSIONAL 058773

3523053 GAS VALVE MERTIK 100÷340°C
model GV31T-C1A7AGK0-003
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
complete with ignition cable length 1250 mm
capillary length 720 mm
bulb \varnothing 4x65 mm
D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C0209 ELECTROLUX PROFESSIONAL 0C5247

3523055 GAS VALVE MERTIK 100÷340°C
model GV30T-C3A7A2K6E0/1
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
complete with ignition cable length 880 mm
capillary length 720 mm
bulb \varnothing 4x65 mm
D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5246 ELECTROLUX PROFESSIONAL 006692

3523065 CAP FOR GAS VALVE MERTIK \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 0C0625




ELECTROLUX PROFESSIONAL



Suitable for:

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 056009

Suitable for:

3186666 KNOB GASKET \varnothing 38x27x5 mm



ELECTROLUX PROFESSIONAL 006465

3523056 GAS VALVE MERTIK 100 \div 340 $^{\circ}$ C
model GV30T-C3A7A2K6E0
inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
complete with ignition cable length 900 mm
capillary length 720 mm
bulb \varnothing 4x65 mm
D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5245 ELECTROLUX PROFESSIONAL 006460

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR




ELECTROLUX PROFESSIONAL 056009

3186666 KNOB GASKET \varnothing 38x27x5 mm



ELECTROLUX PROFESSIONAL 006465

40G5266 GAS VALVE MERTIK 100 \div 340 $^{\circ}$ C
model GV31T-C3A7A2K0-004
inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
complete with ignition cable length 900 mm
capillary length 720 mm
bulb \varnothing 4x65 mm
D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL 0G5266



Suitable for:

3523054 GAS VALVE MERTIK 110÷190°C
 model GV31T-C5AXE2K0E0
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 complete with ignition cable length 840 mm
 capillary length 720 mm
 bulb \varnothing 4x165 mm
 D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL GV31TC5AXE2KOY
 ELECTROLUX PROFESSIONAL 0C5248 ELECTROLUX PROFESSIONAL 0G2636 ELECTROLUX PROFESSIONAL 006574
 ELECTROLUX PROFESSIONAL 0640S0 1G00
 ELECTROLUX PROFESSIONAL 083585 1200


Suitable for:

3241709 ADAPTER FOR KNOB \varnothing 27 mm
 D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C0624 ELECTROLUX PROFESSIONAL 0C5400
 ELECTROLUX PROFESSIONAL 0640S01
 ELECTROLUX PROFESSIONAL 0835859

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR



ELECTROLUX PROFESSIONAL 056009

3523057 GAS VALVE MERTIK 30÷110°C
 model GV31T-C2ALA2K0-001
 inlet \varnothing 3/8"F - outlet \varnothing 3/8"F
 thermocouple fitting M9x1
 max gas inlet pressure 50 mbar
 complete with cable for ignition length 900 mm
 capillary length 730 mm
 stuffing gland fitting M8x1
 with tank sealing fitting \varnothing 1/4"
 bulb \varnothing 6x115 mm
 D-shaped pin 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C0444 ELECTROLUX PROFESSIONAL 0C5249

3241709 ADAPTER FOR KNOB \varnothing 27 mm
 D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5400

3526125 KNOB EXTENSION LENGTH 44 mm
 D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL Z00213 ELECTROLUX PROFESSIONAL 002130 ELECTROLUX PROFESSIONAL 0516803
 ELECTROLUX PROFESSIONAL 078000 2130
 ELECTROLUX PROFESSIONAL 554002 130
 ELECTROLUX PROFESSIONAL 702100 2130

3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268
 ELECTROLUX PROFESSIONAL 5000213
 ELECTROLUX PROFESSIONAL 7100213



Suitable for:

Suitable for:


3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

ELECTROLUX PROFESSIONAL 056577

3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 with an elbow flange \varnothing 3/8"F



ELECTROLUX PROFESSIONAL

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577




ELECTROLUX PROFESSIONAL



Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523039 SENSING ELEMENT MINISIT 30÷100°C
capillary length 1050 mm
bulb \varnothing 5x125 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056646



Suitable for:

3523919 **MINISIT VALVE FOR FOOD-WARMER 30±100°C**
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 without cover. knob and flanges



ELECTROLUX PROFESSIONAL 052431 ELECTROLUX PROFESSIONAL 053210

3523038 **ELBOW FLANGE MINISIT \varnothing 1/2" F**
 with screws and OR



3523035 **KNOB MINISIT BLACK \varnothing 37 mm**




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 **MAGNETIC UNIT SIT**
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 **OIL SEAL FITTING \varnothing 6.5 mm**
 internal thread M10x0.75 - external thread M14x1.5



Suitable for:

2100757 **CONNECTION FOR OLIVE \varnothing 16 mm**
 thread \varnothing 1/2" M




ELECTROLUX PROFESSIONAL 052668

3523037 **ELBOW FLANGE MINISIT \varnothing 3/8" F**
 with screws and OR



3523047 **LID MINISIT**



ELECTROLUX PROFESSIONAL 054881 5000

3523061 **NUT \varnothing 1/4"x6 mm**



ELECTROLUX PROFESSIONAL 056577

3348044 **OLIVE FOR PIPE \varnothing 10 mm**
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523039 SENSING ELEMENT MINISIT 30 \div 100°C
capillary length 1050 mm
bulb \varnothing 5x125 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056646

3523033 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb \varnothing 6x105 mm
with an elbow flange \varnothing 3/8" F



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 052668



ELECTROLUX PROFESSIONAL



ELECTROLUX PROFESSIONAL



Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



Suitable for:


3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 054881 5000


3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 060325

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979



ELECTROLUX PROFESSIONAL




Suitable for:

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm




5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056590

3523049 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
with an elbow flange \varnothing 3/8"F



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



ELECTROLUX PROFESSIONAL 056688

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR





ELECTROLUX PROFESSIONAL



Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



Suitable for:

3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange






ELECTROLUX PROFESSIONAL



Suitable for:

3523051 SENSING ELEMENT MINISIT 110±190°C
capillary length 1050 mm
bulb ø 6x105 mm



ELECTROLUX PROFESSIONAL 056590

Suitable for:

5058320 TUBE NUT FITTING ø 10 mm
thread M14x1.5 mm - h 18 mm



3523949 MINISIT VALVE FOR FRYER 110±190°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0±60°C
capillary length 1050 mm
bulb ø 6x105 mm
supplied without lid knob and flanges



ELECTROLUX PROFESSIONAL 003655

2100757 CONNECTION FOR OLIVE ø 16 mm
thread ø 1/2"M



3523038 ELBOW FLANGE MINISIT ø 1/2"
with screws and OR



3523035 KNOB MINISIT BLACK ø 37 mm



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head ø 25 mm - end piece ø 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




ELECTROLUX PROFESSIONAL 056587

ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT ø 3/8"
with screws and OR



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT ø 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577




ELECTROLUX PROFESSIONAL



Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523051 SENSING ELEMENT MINISIT 110 \div 190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056590




ELECTROLUX PROFESSIONAL



Suitable for:


3523040 SENSING ELEMENT MINISIT 100÷340°C
capillary length 1050 mm
bulb ø 5x70 mm



ELECTROLUX PROFESSIONAL 056592


Suitable for:

3523048 SENSING ELEMENT MINISIT 100÷340°C
stainless steel capillary length 1050 mm
bulb ø 4x72 mm



ELECTROLUX PROFESSIONAL 056593

3523051 SENSING ELEMENT MINISIT 110÷190°C
capillary length 1050 mm
bulb ø 6x105 mm



ELECTROLUX PROFESSIONAL 056590

3523039 SENSING ELEMENT MINISIT 30÷100°C
capillary length 1050 mm
bulb ø 5x125 mm




ELECTROLUX PROFESSIONAL 056646

3523042 SENSING ELEMENT MINISIT 50÷190°C
capillary length 1200 mm
bulb ø 5x95 mm



ELECTROLUX PROFESSIONAL 056591

3523004 VALVE B3C ø 3/8" M 1/4" F
with pilot outlet
inlet ø 3/8" M - outlet ø 1/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
90° inlet and outlet for valves



ELECTROLUX PROFESSIONAL 025846

3182005 MAGNETIC UNIT SIT
head ø 19 mm - end piece ø 14.5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT




ELECTROLUX PROFESSIONAL 056588



Suitable for:

Suitable for:

3523005 VALVE B3C \varnothing 3/8"MM
 with pilot burner outlet
 inlet \varnothing 3/8" M - outlet \varnothing 3/8" M
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C
 inlet and outlet at 90 degree for valves



3182005 MAGNETIC UNIT SIT
 head \varnothing 19 mm - end piece \varnothing 14.5 mm - length 47 mm
 for valve SIT B3-BABYSIT-SIMPOSIT-COMPOSIT



ELECTROLUX PROFESSIONAL 026489 ELECTROLUX PROFESSIONAL 057989

ELECTROLUX PROFESSIONAL 056588

3523933 VALVE MINISIT FOR FRYER 110÷190°C
 inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C
 with screw for gas outlet pressure regulation
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 without cover. knob and flanges



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2" M



ELECTROLUX PROFESSIONAL 052952 ELECTROLUX PROFESSIONAL 056689 ELECTROLUX PROFESSIONAL 0780056 ELECTROLUX PROFESSIONAL 052668
 ELECTROLUX PROFESSIONAL 083580 1016 ELECTROLUX PROFESSIONAL 0835804
 ELECTROLUX PROFESSIONAL 481851 667 ELECTROLUX PROFESSIONAL 5005668
 ELECTROLUX PROFESSIONAL 710529 52 ELECTROLUX PROFESSIONAL 7105668
 ELECTROLUX PROFESSIONAL 702105 6689

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
 with screws and OR




3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

ELECTROLUX PROFESSIONAL 054881 5000

ELECTROLUX PROFESSIONAL 056577



ELECTROLUX PROFESSIONAL




Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange






ELECTROLUX PROFESSIONAL



Suitable for:

3523051 SENSING ELEMENT MINISIT 110±190°C
capillary length 1050 mm
bulb ø 6x105 mm



ELECTROLUX PROFESSIONAL 056590

Suitable for:

5058320 TUBE NUT FITTING ø 10 mm
thread M14x1.5 mm - h 18 mm



3523010 VALVE 440 D3 ø 1/2"FF
inlet ø 1/2" F - outlet ø 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷80°C
with thread for ring nut under the push-button



ELECTROLUX PROFESSIONAL 050106

3020083 FITTING AND OLIVE ø 4 mm
thread M10x1 - h 24 mm




3523011 VALVE 440 D3 ø 3/4"FF
inlet ø 3/4" F - outlet ø 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷80°C
with thread for ring nut under the push-button



ELECTROLUX PROFESSIONAL 026888

3020083 FITTING AND OLIVE ø 4 mm
thread M10x1 - h 24 mm



3526133 VALVE 630 EUROSIT FRY TOP 60÷300°C
inlet ø 3/8" F - outlet ø 3/8" F
thermocouple fitting M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range:
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb ø 4x72 mm



ELECTROLUX PROFESSIONAL Z05877 ELECTROLUX PROFESSIONAL 002215 4301
ELECTROLUX PROFESSIONAL 063031 ELECTROLUX PROFESSIONAL 063033 ELECTROLUX PROFESSIONAL 0780002

3526260 CAP FOR VALVE EUROSIT ø 3/8"
with OR






Suitable for:

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 056009

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8"M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8"M - M16x1 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



ELECTROLUX PROFESSIONAL




Suitable for:

3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 003391

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526127 FLANGE FOR EXTENSION



ELECTROLUX PROFESSIONAL 058773


5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE





Suitable for:

2102563 VALVE 630 EUROSIT OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M10x1
 maximum gas inlet pressure 50 mbar
 calibration field of outlet
 pressure 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



ELECTROLUX PROFESSIONAL 0C8183

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
 with OR




ELECTROLUX PROFESSIONAL 056009

3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
 thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526127 FLANGE FOR EXTENSION



ELECTROLUX PROFESSIONAL 058773

Suitable for:


3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
 with OR



3526129 CLASP \varnothing 3x14 mm
 UNI 6873 - DIN 1481 - ISO 8752



3020083 FITTING AND OLIVE \varnothing 4 mm
 thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

5050400 FITTING FOR OLIVE \varnothing 10 mm
 thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
 thread \varnothing 3/8" M - M16x1 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm



Suitable for:

3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL Z00213 ELECTROLUX PROFESSIONAL 002130 ELECTROLUX PROFESSIONAL 051680
ELECTROLUX PROFESSIONAL 078000 2130 ELECTROLUX PROFESSIONAL 500021
ELECTROLUX PROFESSIONAL 554002 130 ELECTROLUX PROFESSIONAL 710021
ELECTROLUX PROFESSIONAL 702100 2130

5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979


3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526130 VALVE 630 EUROSIT OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 0G2294 ELECTROLUX PROFESSIONAL 063031 ELECTROLUX PROFESSIONAL 0630326
ELECTROLUX PROFESSIONAL 190130 24 ELECTROLUX PROFESSIONAL 4370019
ELECTROLUX PROFESSIONAL 7CHG72 7732 ELECTROLUX PROFESSIONAL 727732




ELECTROLUX PROFESSIONAL



Suitable for:

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR




ELECTROLUX PROFESSIONAL 056009

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526127 FLANGE FOR EXTENSION



ELECTROLUX PROFESSIONAL 058773

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaped pin \varnothing 8x6.5 mm




Suitable for:

3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm



3526125 KNOB EXTENSION LENGTH 44 mm
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL Z00213 ELECTROLUX PROFESSIONAL 002130 ELECTROLUX PROFESSIONAL 051680
ELECTROLUX PROFESSIONAL 078000 2130 ELECTROLUX PROFESSIONAL 500021
ELECTROLUX PROFESSIONAL 554002 130 ELECTROLUX PROFESSIONAL 710021
ELECTROLUX PROFESSIONAL 702100 2130



ELECTROLUX PROFESSIONAL



Suitable for:

5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979


3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm




3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526139 VALVE 630 EUROSIT OVEN $80 \div 320^{\circ}\text{C}$
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
capillary length 1000 mm
bulb \varnothing 4x72 mm



3526260 CAP FOR VALVE EUROSIT \varnothing 3/8"
with OR



ELECTROLUX PROFESSIONAL 0C6235 ELECTROLUX PROFESSIONAL 058772 ELECTROLUX PROFESSIONAL 0630327
ELECTROLUX PROFESSIONAL 083587 3700

4056009 CAP FOR VALVE EUROSIT-MERTIK \varnothing 3/8"
with OR



3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 056009

ELECTROLUX PROFESSIONAL 052833




ELECTROLUX PROFESSIONAL



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3526127 FLANGE FOR EXTENSION



ELECTROLUX PROFESSIONAL 058773

3526121 KNOB EXTENSION LENGTH 62 mm
D shaft \varnothing 8x6.5 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



Suitable for:

5050400 FITTING FOR OLIVE \varnothing 10 mm
thread \varnothing 3/8" M



5021481 GAS OUTLET VALVE FITTING
thread \varnothing 3/8" M - M16x1 mm




5050401 OLIVE FOR PIPE \varnothing 10 mm
external \varnothing 13 mm - height 8 mm



3001111 PIEZO IGNITER EUROSIT
M faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE






ELECTROLUX PROFESSIONAL



Suitable for:

3523024 VALVE 710 MINISIT FOR FRYER 50÷190°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 length capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 1/2"F



ELECTROLUX PROFESSIONAL

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



Suitable for:

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325



ELECTROLUX PROFESSIONAL



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

Suitable for:


3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 008410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523042 SENSING ELEMENT MINISIT 50 \div 190 $^{\circ}$ C
capillary length 1200 mm
bulb \varnothing 5x95 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056591

3523923 VALVE 710 MINISIT FOR FRYER 50 \div 190 $^{\circ}$ C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60 $^{\circ}$ C
length capillary 1200 mm
bulb \varnothing 5x95 mm
without cover. knob and flanges



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



ELECTROLUX PROFESSIONAL 026824 ELECTROLUX PROFESSIONAL 054267

ELECTROLUX PROFESSIONAL 052668



ELECTROLUX PROFESSIONAL



Suitable for:

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



Suitable for:


3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 054881 5000


3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 060325

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979



ELECTROLUX PROFESSIONAL



Suitable for:

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



Suitable for:

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 008410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



3523042 SENSING ELEMENT MINISIT 50 \div 190°C
capillary length 1200 mm
bulb \varnothing 5x95 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056591

3523020 VALVE 710 MINISIT OVEN 100 \div 340°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8"F



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2"M



ELECTROLUX PROFESSIONAL 052068

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"F
with screws and OR



ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
with screws and OR





ELECTROLUX PROFESSIONAL



Suitable for:

3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



Suitable for:

3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25




ELECTROLUX PROFESSIONAL 060325

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 008410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269



ELECTROLUX PROFESSIONAL



Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm




Suitable for:

3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523040 SENSING ELEMENT MINISIT 100 \pm 340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056592

3523032 VALVE 710 MINISIT OVEN 100 \pm 340°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \pm 60°C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm
with an elbow flange \varnothing 3/8" F



2100757 CONNECTION FOR OLIVE \varnothing 16 mm
thread \varnothing 1/2" M



ELECTROLUX PROFESSIONAL

3523038 ELBOW FLANGE MINISIT \varnothing 1/2" F
with screws and OR



ELECTROLUX PROFESSIONAL 052668


3523037 ELBOW FLANGE MINISIT \varnothing 3/8" F
with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

ELECTROLUX PROFESSIONAL 054881 5000

ELECTROLUX PROFESSIONAL 056577



ELECTROLUX PROFESSIONAL




Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



Suitable for:

3523061 NUT \varnothing 1/4"x6 mm



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269

3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange






ELECTROLUX PROFESSIONAL



Suitable for:

3523048 SENSING ELEMENT MINISIT 100±340°C
stainless steel capillary length 1050 mm
bulb ø 4x72 mm



ELECTROLUX PROFESSIONAL 056593

Suitable for:

5058320 TUBE NUT FITTING ø 10 mm
thread M14x1.5 mm - h 18 mm



3523920 VALVE 710 MINISIT OVEN 100±340°C
inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0±60°C
capillary length 1050 mm
bulb ø 5x70 mm
without cover, knob and flanges



ELECTROLUX PROFESSIONAL 056833

2100757 CONNECTION FOR OLIVE ø 16 mm
thread ø 1/2"M



ELECTROLUX PROFESSIONAL 052668

3523038 ELBOW FLANGE MINISIT ø 1/2"
with screws and OR




3523037 ELBOW FLANGE MINISIT ø 3/8"
with screws and OR



3523035 KNOB MINISIT BLACK ø 37 mm



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
head ø 25 mm - end piece ø 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT ø 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

ELECTROLUX PROFESSIONAL 056587




ELECTROLUX PROFESSIONAL



Suitable for:

3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



Suitable for:

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

3001070 PIEZO IGNITER MINISIT
a \varnothing 22 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8"F - \varnothing 1/2"M
of brass with internal and external thread
internal thread \varnothing 3/8"F - external thread \varnothing 1/2"M
for MINISIT flange



3523040 SENSING ELEMENT MINISIT 100 \pm 340°C
capillary length 1050 mm
bulb \varnothing 5x70 mm



5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



ELECTROLUX PROFESSIONAL 056592



Suitable for:

3523932 VALVE 710 MINISIT OVEN 100±340°C
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷80°C
 stainless steel capillary length 1050 mm
 bulb \varnothing 4x72 mm
 without cover. knob and flanges



ELECTROLUX PROFESSIONAL 053193 ELECTROLUX PROFESSIONAL 053289

3523038 ELBOW FLANGE MINISIT \varnothing 1/2"
 with screws and OR



3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELECTROLUX PROFESSIONAL 029648 ELECTROLUX PROFESSIONAL 054268

3182003 MAGNETIC UNIT SIT
 head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT



ELECTROLUX PROFESSIONAL 056587

3523060 OIL SEAL FITTING \varnothing 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



Suitable for:

2100757 CONNECTION FOR OLIVE \varnothing 16 mm
 thread \varnothing 1/2"M




ELECTROLUX PROFESSIONAL 052668

3523037 ELBOW FLANGE MINISIT \varnothing 3/8"
 with screws and OR



3523047 LID MINISIT



ELECTROLUX PROFESSIONAL 054881 5000

3523061 NUT \varnothing 1/4"x6 mm



ELECTROLUX PROFESSIONAL 056577

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
 for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325



ELECTROLUX PROFESSIONAL



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052671 ELECTROLUX PROFESSIONAL 054817
ELECTROLUX PROFESSIONAL 054979

Suitable for:

3348041 OLIVE FOR PIPE \varnothing 16 mm
 \varnothing ext. 18 mm - h 9 mm
for model PEL 23



3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269


3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm



3523036 REDUCER STRAIGHT \varnothing 3/8" F - \varnothing 1/2" M
of brass with internal and external thread
internal thread \varnothing 3/8" F - external thread \varnothing 1/2" M
for MINISIT flange



3523048 SENSING ELEMENT MINISIT 100 \div 340 $^{\circ}$ C
stainless steel capillary length 1050 mm
bulb \varnothing 4x72 mm



ELECTROLUX PROFESSIONAL 056593

5058320 TUBE NUT FITTING \varnothing 10 mm
thread M14x1.5 mm - h 18 mm



Gaskets and seals

4059675 ASBESTOS FREE FLAT GASKET \varnothing 65x50x2 mm



ELECTROLUX PROFESSIONAL 059675


40L3189 ADHESIVE GASKET 9x5 mm
SALE PER LINEAR METRE



ELECTROLUX PROFESSIONAL 0L0113 ELECTROLUX PROFESSIONAL 0L3189

Suitable for:

4054029 ALUMINIUM GASKET \varnothing 14x10x1.5 mm



ELECTROLUX PROFESSIONAL 054029

Suitable for:

3186138 ASBESTOS FREE FLAT GASKET \varnothing 30x21x2 mm



ELECTROLUX PROFESSIONAL 0E5122 ELECTROLUX PROFESSIONAL 0L2402

4051553 ASBESTOS FREE FLAT GASKET \varnothing 39x30x2 mm



ELECTROLUX PROFESSIONAL 051553

3186009 ASBESTOS FREE FLAT GASKET \varnothing 45x33x2 mm



ELECTROLUX PROFESSIONAL 0E2240

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



ELECTROLUX PROFESSIONAL 004986 ELECTROLUX PROFESSIONAL 020279

4054724 ASBESTOS FREE FLAT GASKET \varnothing 72x60x3 mm




ELECTROLUX PROFESSIONAL 054724

3186341 ASBESTOS FREE FLAT GASKET \varnothing 9x6x1 mm



ELECTROLUX PROFESSIONAL 054100

40K7971 BOILER GASKET \varnothing 374x307x1.5 mm




ELECTROLUX PROFESSIONAL 0K7971

3186026 BURNER GASKET FOR COOKING TOP



ELECTROLUX PROFESSIONAL 054093

3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.



ELECTROLUX PROFESSIONAL 054094

4091099 CONNECTOR COVERING GASKET OF RUBBER
internal \varnothing 7/3,5 mm - external \varnothing 11/8 mm
length 64 mm



ELECTROLUX PROFESSIONAL 091099

40C4230 COVER GASKET 3000 mm
profile dimensions 21x15 mm
WHITE COLOUR



ELECTROLUX PROFESSIONAL 0C0433 ELECTROLUX PROFESSIONAL 0C4230



ELECTROLUX PROFESSIONAL



Suitable for:


3786007 DRAIN ASSEMBLY GASKET \varnothing 46x39x2 mm



ELECTROLUX PROFESSIONAL 050295


Suitable for:

3786825 FIBREGLASS GASKET - 3 mt
profile dimensions 12x12 mm
max temperature 600°C
COLOUR WHITE




ELECTROLUX PROFESSIONAL 058404

40G4001 FLAT EPDM GASKET \varnothing 15x6x3 mm



ELECTROLUX PROFESSIONAL 0G4001

4060597 FLAT GASKET \varnothing 25x17x2.5 mm - 10 PCS



ELECTROLUX PROFESSIONAL 060597

3786401 FLAT GASKET \varnothing 33x24x2 mm



ELECTROLUX PROFESSIONAL 050296

40K5555 FLAT GASKET AESTOS FREE \varnothing 18x10x2 mm



ELECTROLUX PROFESSIONAL T19006 829
ELECTROLUX PROFESSIONAL 0149S0 0A04
ELECTROLUX PROFESSIONAL 103041 0401

ELECTROLUX PROFESSIONAL 0K5555
ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 190068

4032460 FLAT GASKET EPDM \varnothing 44x36x3 mm



ELECTROLUX PROFESSIONAL 032460

3786576 FLAT RUBBER GASKET \varnothing 30x22x2 mm



ELECTROLUX PROFESSIONAL 005921

7104425 GASKET FLAT ASBESTOS-FREE \varnothing 37x27x2 mm



ELECTROLUX PROFESSIONAL 054807

5010462 GASKET FLAT FIBER \varnothing 24x17x2 mm




ELECTROLUX PROFESSIONAL 0K5559 ELECTROLUX PROFESSIONAL 069548

40K7687 GASKET FOR HEATING ELEMENTS 235x125x3 mm



ELECTROLUX PROFESSIONAL 0K7687

3186342 GASKET FOR PIN \varnothing 14x4x3 mm




ELECTROLUX PROFESSIONAL 053816



Suitable for:

4002075 GASKET FOR PROBE \varnothing 9x6x6 mm



ELECTROLUX PROFESSIONAL 002075

Suitable for:

3186667 GASKET FOR TAP PROTECTION \varnothing 58 mm
inner \varnothing hole 29 mm - height 17 mm



ELECTROLUX PROFESSIONAL 003209

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534

3186187 HEATING ELEMENT GASKET
external dimensions 68x14 mm




ELECTROLUX PROFESSIONAL J24629 ELECTROLUX PROFESSIONAL 0H6665 ELECTROLUX PROFESSIONAL 0K1831
ELECTROLUX PROFESSIONAL 070023 7353 ELECTROLUX PROFESSIONAL 070024
ELECTROLUX PROFESSIONAL 246294 ELECTROLUX PROFESSIONAL 289070 0237353
ELECTROLUX PROFESSIONAL 289070 0246294 ELECTROLUX PROFESSIONAL 600504
ELECTROLUX PROFESSIONAL 7D2373 53 ELECTROLUX PROFESSIONAL 7D2462
ELECTROLUX PROFESSIONAL 700224 6294

3186666 KNOB GASKET \varnothing 38x27x5 mm



ELECTROLUX PROFESSIONAL 006465

3186665 PTFE FLAT GASKET \varnothing 35x21x2 mm



ELECTROLUX PROFESSIONAL 002448

40K5557 PTFE GASKET \varnothing 54.4x4.75 mm
external \varnothing 63 mm



ELECTROLUX PROFESSIONAL 0K5557

40K5576 RUBBER COLLAR \varnothing 133x110x12,5 mm



ELECTROLUX PROFESSIONAL 0K5576

40KI521 RUBBER COLLAR \varnothing 150x110x15 mm



ELECTROLUX PROFESSIONAL 0KI521




Suitable for:

Suitable for:

Gaskets for oven door

3186107 OVEN DOOR GASKET
 of silicone elastomer
 profile dimensions 15x5.2 mm
 BLACK COLOUR
 SALE PER LINEAR METRE



ELECTROLUX PROFESSIONAL 054111 ELECTROLUX PROFESSIONAL 054112

3186298 OVEN DOOR GASKET 580x290 mm
 of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 10x9 mm
 BLACK COLOUR



ELECTROLUX PROFESSIONAL 006801

Glasses

4037841 BASE SUPPORT GLASS 57x35 mm



ELECTROLUX PROFESSIONAL 037841

4037839 CLAMP FOR GLASS ø 40 mm



ELECTROLUX PROFESSIONAL 037839

4037840 CLAMP FOR GLASS ø 40 mm



ELECTROLUX PROFESSIONAL 037840

3519009 COMPLETE CHAMBER GLASS 35x35 mm
 complete with glass and gasket



ELECTROLUX PROFESSIONAL 0C5340 ELECTROLUX PROFESSIONAL 057400

3519001 FRAME 35x35 mm



ELECTROLUX PROFESSIONAL 002350 3700
 ELECTROLUX PROFESSIONAL 053880 0700
 ELECTROLUX PROFESSIONAL 078005 7382
 ELECTROLUX PROFESSIONAL 481851 720
 ELECTROLUX PROFESSIONAL 710573 82

3519009 COMPLETE CHAMBER GLASS 35x35 mm
 complete with glass and gasket



ELECTROLUX PROFESSIONAL 0206260
 ELECTROLUX PROFESSIONAL 057382
 ELECTROLUX PROFESSIONAL 1201186
 ELECTROLUX PROFESSIONAL 5005738
 ELECTROLUX PROFESSIONAL 727857

3519002 GASKET FOR GLASS FRAME 30x30 mm



ELECTROLUX PROFESSIONAL 057402



Suitable for:

Suitable for:

3519002 GASKET FOR GLASS FRAME 30x30 mm



ELECTROLUX PROFESSIONAL 057402

Glues

2111796 BLACK SEALANT NOVASIL S76 310 ml
maximum use temperature +265°C
HIGH ADHESIVE AND SEALING POWER
suitable for GLASSCERAMIC HOBS



ELECTROLUX PROFESSIONAL 0D6223

3392012 BLACK SEALING NOVASIL S56 310 ml
max operating temperature +265°C
HIGHLY ADHESIVE AND SEALING
suitable for GLASS-CERAMIC RANGE



ELECTROLUX PROFESSIONAL 0K3948

3180052 RED HIGH TEMPERATURE SEALER 280 ml
operating temperature -65+260°C with peaks 320°C
for OVEN GASKETS



ELECTROLUX PROFESSIONAL 003926 ELECTROLUX PROFESSIONAL 014709 8060

ELECTROLUX PROFESSIONAL 014709 8067

ELECTROLUX PROFESSIONAL 078000 3926

ELECTROLUX PROFESSIONAL 500596 11009

ELECTROLUX PROFESSIONAL 710039 26

ELECTROLUX PROFESSIONAL 059611

ELECTROLUX PROFESSIONAL 0780059

ELECTROLUX PROFESSIONAL 5540596

ELECTROLUX PROFESSIONAL 7105961


Grids and trays

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ELECTROLUX PROFESSIONAL 057468

3185055 CHROME PLATED GRID GN 2/1 650x530 mm



ELECTROLUX PROFESSIONAL 025020 ELECTROLUX PROFESSIONAL 081883

3185053 STAINLESS STEEL GRID GN 2/1 650x530 mm



ELECTROLUX PROFESSIONAL 003189



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Grids for kitchen

40C0978 GRID FIREPLACE 398x78x26 mm



ELECTROLUX PROFESSIONAL 0C0978

3185085 GRID FOR SMOKE OUTLET 395x70 mm



ELECTROLUX PROFESSIONAL 002438 ELECTROLUX PROFESSIONAL 006029 ELECTROLUX PROFESSIONAL 006580
ELECTROLUX PROFESSIONAL 059246

40A5377 GRID 345x345 mm



ELECTROLUX PROFESSIONAL 0A5377

4006086 GRID 345x345 mm




ELECTROLUX PROFESSIONAL 006086

40C2526 GRID 385x285 mm



ELECTROLUX PROFESSIONAL 0C2526

40C1985 GRID 390x370 mm



ELECTROLUX PROFESSIONAL 0C1985

3185064 GRILL 320x530 mm




ELECTROLUX PROFESSIONAL 004976

3185066 PAN SUPPORT GRID 345x285 mm



ELECTROLUX PROFESSIONAL 002436 ELECTROLUX PROFESSIONAL 004245 ELECTROLUX PROFESSIONAL 055064
ELECTROLUX PROFESSIONAL 058558

3185087 PAN SUPPORT GRID 380x370 mm



ELECTROLUX PROFESSIONAL 0C0132

3185057 PAN SUPPORT GRID 390x350 mm



ELECTROLUX PROFESSIONAL 002437

3185001 PAN SUPPORT GRID 400x345 mm



ELECTROLUX PROFESSIONAL 0HB155 ELECTROLUX PROFESSIONAL 0KE860 ELECTROLUX PROFESSIONAL 020981 ELECTROLUX PROFESSIONAL 002446
ELECTROLUX PROFESSIONAL 025861 ELECTROLUX PROFESSIONAL 058179

3185080 PAN SUPPORT GRID 595x340 mm






Suitable for:

Suitable for:

3185099 S/STEEL PAN SUPPORT GRID 370x395 mm



ELECTROLUX PROFESSIONAL 0C0130

Guides

3391036 DOOR SLIDEWAY 35x15 mm
for TABLE-CUPBOARD



ELECTROLUX PROFESSIONAL 031060

3053223 DOOR SLIDEWAY 40x14 mm



ELECTROLUX PROFESSIONAL 032928

3063031 DOOR SLIDEWAY 45x20 mm
distance between holes 25 mm - h 14 mm



ELECTROLUX PROFESSIONAL 031902

Handles

40K5514 BLACK HANDLE \varnothing 23x65 mm
overall length 82 mm - thread M8



ELECTROLUX PROFESSIONAL 0K5514

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



ELECTROLUX PROFESSIONAL 056581

3242306 SHIM 5 mm
RAHRBACH






ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

5114472 SPESSORE 1 mm
lunghezza base 38x18x31 mm
interasse di fissaggio 26 mm
RAHRBACH



4037804 HANDLE PLASTIC 200 mm GREY
distance between holes 170/80 mm



ELECTROLUX PROFESSIONAL 032933 ELECTROLUX PROFESSIONAL 037804

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
straight handgrip
base length 150x23x30h mm
mounting distance 110 mm
catch height 16.5 mm



3242922 STRIKE FOR DOOR CATCH
fitting height 16.5 mm



ELECTROLUX PROFESSIONAL 032156

3242185 LOCKING HANDLE RH/LH W/OUT KEY LOCK
straight handle
base length 147x32 mm
mounting distance 118-134 mm
adjustable catch



3242042 CHROME-PLATED CATCH FOR HANDLE
58x35x18 mm
distance between holes 42± 2.5 mm



ELECTROLUX PROFESSIONAL 093081

3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



ELECTROLUX PROFESSIONAL 003010 ELECTROLUX PROFESSIONAL 053990



Suitable for:

3242337 OVEN DOOR HANDLE \varnothing 26x80 mm M10



ELECTROLUX PROFESSIONAL 0KQ193 ELECTROLUX PROFESSIONAL 004148

Suitable for:

3242343 HAND GUARD WASHER



ELECTROLUX PROFESSIONAL 004195

3242336 OVEN DOOR HANDLE \varnothing 28x90 mm M10



ELECTROLUX PROFESSIONAL MP0000 021
ELECTROLUX PROFESSIONAL 710041 07

ELECTROLUX PROFESSIONAL 004107
ELECTROLUX PROFESSIONAL 9151001

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
length 240 mm - width 60 mm



ELECTROLUX PROFESSIONAL 0A2843

3355826 CERAMIC HEATING ELEMENT 400W 230V
length 245 mm - width 60 mm



ELECTROLUX PROFESSIONAL 058144

3310016 CERAMIC HEATING ELEMENT 500W 230V
length 245 mm - width 60 mm



ELECTROLUX PROFESSIONAL

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



ELECTROLUX PROFESSIONAL 004898

4065560 COVER FOR HEATING ELEMENT
 \varnothing 55 mm - height 60 mm
distance between fastening holes 60 mm



ELECTROLUX PROFESSIONAL 065560

3355339 HEAT.ELEM.F/TANK 1450W 220V
length 510 mm - width 55 mm
flange 60x28 mm



ELECTROLUX PROFESSIONAL 056906



ELECTROLUX PROFESSIONAL



Suitable for:

40C5347 HEATING ELEMENT FOR BOILER 3000W 220V
immersed length 255 mm
flange ø external 63 mm
complete with O-ring ø 58 mm (3186013)



ELECTROLUX PROFESSIONAL 0C5347 ELECTROLUX PROFESSIONAL 047505

Suitable for:

4088274 HEATING ELEMENT SILICONEE 1000W 230V
length 400 mm - width 290 mm
with thermostat 200°C with automatic reset
with cables
operating ambient: dry



ELECTROLUX PROFESSIONAL 088274

3355336 HEATING ELEMENT SILICONEE 1000W 240V
length 400 mm - width 290 mm
with thermostat 150°C with automatic reset
with cables
operating ambient: dry




ELECTROLUX PROFESSIONAL 032094

3755940 SILICONE HEATING ELEMENT 1000W 230V
length 400 mm - width 290 mm
with thermostat 145°C with automatic reset
with cables
operating ambient: dry



3355332 HEATING ELEMENT SILICONEE 500W 240V
length 290 mm - width 175 mm
with thermostat 150°C with automatic reset
with cables
operating ambient: dry



ELECTROLUX PROFESSIONAL 032086

3355044 HEATING ELEMENT 1000W 220V
length 410 mm - width 45 mm
height 90 mm



ELECTROLUX PROFESSIONAL 051855

3355720 HEATING ELEMENT 1000W 220V
immersed length 225 mm - width 60 mm
flange 80x28 mm - with receptacle hole



ELECTROLUX PROFESSIONAL 0H6199

3755570 HEATING ELEMENT 1000W 220V
length 600 mm - width 55 mm
height 80 mm




ELECTROLUX PROFESSIONAL 052919 ELECTROLUX PROFESSIONAL 052920

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm



ELECTROLUX PROFESSIONAL 003014

3755205 HEATING ELEMENT 1000W 230V
length 250 mm - height 285 mm



ELECTROLUX PROFESSIONAL 0A5492



Suitable for:

Suitable for:

3755595 HEATING ELEMENT 1050W 230V
length 425 mm - width 40 mm
height 95 mm



ELECTROLUX PROFESSIONAL 059680

3755539 HEATING ELEMENT 10750W 230V
immersed length 540 mm
external flange \varnothing 63 mm
complete with O-ring




ELECTROLUX PROFESSIONAL 0C0715

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3355036 HEATING ELEMENT 1100W 220V
length 365 mm - width 230 mm
upon request nut and washer
operating ambient: dry



ELECTROLUX PROFESSIONAL 050233

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 067930

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3755287 HEATING ELEMENT 1100W 380V
length 540 mm - height 62 mm
with cables



ELECTROLUX PROFESSIONAL 0H6155

3755022 HEATING ELEMENT 1150W 240V BOTTOM
length 190 mm - width 310 mm



ELECTROLUX PROFESSIONAL 0S1277




ELECTROLUX PROFESSIONAL



Suitable for:


3755314 HEATING ELEMENT 1160W 400V
length 295 mm - width 245 mm
total height 103 mm
for BAINMARIE ELECTRIC HLE249/259



ELECTROLUX PROFESSIONAL 0K4815

Suitable for:

40K4853 HEATING ELEMENT 1160W 440V
length 295 mm - width 245 mm
h 95 mm



ELECTROLUX PROFESSIONAL 0K4853

3755263 HEATING ELEMENT 1250W 230V
length 475 mm - width 55 mm
height 60 mm



ELECTROLUX PROFESSIONAL 004649

3755522 HEATING ELEMENT 1250W 230V
length 470 mm - width 55 mm
height 40 mm



ELECTROLUX PROFESSIONAL 053393

3755596 HEATING ELEMENT 1250W 230V
length 480 mm - width 45 mm
height 95 mm



ELECTROLUX PROFESSIONAL 059679

3755267 HEATING ELEMENT 1250W 240V
length 480 mm - width 50 mm
height 60 mm



ELECTROLUX PROFESSIONAL 053614

3355337 HEATING ELEMENT 1300W 220V
length 535 mm - width 80 mm
height 105 mm
complete with cables



ELECTROLUX PROFESSIONAL 051355 ELECTROLUX PROFESSIONAL 051356 ELECTROLUX PROFESSIONAL 051358 ELECTROLUX PROFESSIONAL 004910

3355824 HEATING ELEMENT 1300W 230V
length 330 mm - width 200 mm
2 flanges 40x18 mm
operating ambient: dry




3355836 HEATING ELEMENT 1300W 230V
length 475 mm - width 80 mm
height 50 mm



ELECTROLUX PROFESSIONAL 004918

3755313 HEATING ELEMENT 1335W 400V
length 327 mm - width 270 mm
total length 97 mm
for BAINMARIE ELECTRIC HLE249/259




ELECTROLUX PROFESSIONAL 0K4814



Suitable for:

40K4854 HEATING ELEMENT 1335W 440V
external dimensions 320x270 mm



ELECTROLUX PROFESSIONAL 0K4854

Suitable for:

3755508 HEATING ELEMENT 1350W 230V
length 395 mm - width 60 mm
height 35 mm - fittings \varnothing 1/4"



ELECTROLUX PROFESSIONAL 004907

40K5116 HEATING ELEMENT 1400W 230V
length 530 mm - width 60 mm
flange 60x28 mm



ELECTROLUX PROFESSIONAL 0K5116

3355042 HEATING ELEMENT 1500W 220/380V
fitting \varnothing 2"
complete with gasket
nut upon request



ELECTROLUX PROFESSIONAL 026044

3186012 ASBESTOS FREE FLAT GASKET \varnothing 80x60x2 mm
gasket 2"



3316052 NUT FOR HEATING ELEMENT 2"



3355038 HEATING ELEMENT 1500W 220V
length 395 mm - width 205 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 050933 ELECTROLUX PROFESSIONAL 050934

4091099 CONNECTOR COVERING GASKET OF RUBBER
internal \varnothing 7/3,5 mm - external \varnothing 11/8 mm
length 64 mm



ELECTROLUX PROFESSIONAL 091099



ELECTROLUX PROFESSIONAL



Suitable for:

3355061 HEATING ELEMENT 1500W 220V
length 385 mm - width 205 mm
flange 245x20 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 053174 ELECTROLUX PROFESSIONAL 053577

3455279 HEATING ELEMENT 1500W 220V
length 370 mm - width 75 mm
height 75 mm



ELECTROLUX PROFESSIONAL 002559

3755133 HEATING ELEMENT 1500W 230V
length 395 mm - width 200 mm
2 flanges 30x16 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 0G2290

3755569 HEATING ELEMENT 1500W 230V
length 330 mm - width 25 mm
height 220 mm - flange 33x31 mm



ELECTROLUX PROFESSIONAL 004752

3755721 HEATING ELEMENT 1500W 230V
length 340 mm - width 37 mm
fittings M10x1 mm
operating ambient: immersion



ELECTROLUX PROFESSIONAL 0H6163

Suitable for:

3355338 HEATING ELEMENT 1500W 220V
length 535 mm - width 80 mm
height 105 mm
complete with cables



ELECTROLUX PROFESSIONAL 051356

3755601 HEATING ELEMENT 1500W 220V
length 380 mm - width 25 mm
height 260 mm - flange 33x40 mm



ELECTROLUX PROFESSIONAL 054951 ELECTROLUX PROFESSIONAL 058612

3755202 HEATING ELEMENT 1500W 230V
length 530 mm - width 140 mm
flange 162x18 mm



ELECTROLUX PROFESSIONAL 0C0310

3755588 HEATING ELEMENT 1500W 230V
length 480 mm - width 90 mm
height 60 mm



ELECTROLUX PROFESSIONAL 004671

3455280 HEATING ELEMENT 1500W 400V
length 535 mm width 150 mm
flange 162x18 mm




ELECTROLUX PROFESSIONAL 0C0269 ELECTROLUX PROFESSIONAL 0C2813



Suitable for:


3755312 HEATING ELEMENT 1505W 400V
length 350 mm - width 305 mm
total length 83 mm



ELECTROLUX PROFESSIONAL 0K4813

Suitable for:

40K4855 HEATING ELEMENT 1505W 440V
length 350 mm - width 300 mm
h 95 mm



ELECTROLUX PROFESSIONAL 0K4855

3755268 HEATING ELEMENT 1550W 220V
length 530 mm - width 50 mm
flange 60x28 mm



ELECTROLUX PROFESSIONAL 059066

3355127 HEATING ELEMENT 1600W 220V
ø external 190 mm - internal ø 178 mm
total height 65 mm
flange 70x22 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 0A2017 ELECTROLUX PROFESSIONAL 037611

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534

3755599 HEATING ELEMENT 1600W 230V
length 365 mm - width 75 mm
total height 195 mm



ELECTROLUX PROFESSIONAL 005816

3755269 HEATING ELEMENT 1650W 230V
length 540 mm - width 150 mm
couplings M10x1,5 mm



ELECTROLUX PROFESSIONAL 054147

3755562 HEATING ELEMENT 1650W 230V
length 550 mm - width 60 mm
flange 60x28 mm



ELECTROLUX PROFESSIONAL 006853



ELECTROLUX PROFESSIONAL



Suitable for:

3755556 HEATING ELEMENT 1750W 220V
external \varnothing 200 mm - total height 70 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 0H6212

3755178 HEATING ELEMENT 1800W 230V
length 550 mm - width 95 mm



ELECTROLUX PROFESSIONAL J24921 ELECTROLUX PROFESSIONAL 0H6707

3755013 HEATING ELEMENT 1900W 220V
length 245 mm - width 225 mm



ELECTROLUX PROFESSIONAL 056783

3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm



ELECTROLUX PROFESSIONAL 003012

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



ELECTROLUX PROFESSIONAL 0K4812

Suitable for:

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534

3755589 HEATING ELEMENT 1800W 230V
length 620 mm - width 90 mm
flange 60x30 mm



ELECTROLUX PROFESSIONAL 002403

3355048 HEATING ELEMENT 2000W 220V
length 570 mm - width 90 mm
height 50 mm



ELECTROLUX PROFESSIONAL 026944

3755598 HEATING ELEMENT 2000W 220V
length 595 mm - width 90 mm
height 50 mm



ELECTROLUX PROFESSIONAL 055998

3355285 HEATING ELEMENT 2000W 230V
length 255 mm - width 45 mm
height 200 mm - fittings \varnothing 1/4"




ELECTROLUX PROFESSIONAL 004926



Suitable for:


3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



ELECTROLUX PROFESSIONAL 0K4812

Suitable for:

3355847 HEATING ELEMENT 2000W 230V
length 230 mm - width 280 mm
flange 107x33 mm



ELECTROLUX PROFESSIONAL 003016

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm




ELECTROLUX PROFESSIONAL 0C7090

3755173 HEATING ELEMENT 2000W 230V
length 285 mm - width 45 mm
height 265 mm - fittings M12x1 mm



ELECTROLUX PROFESSIONAL 0H6180

40G3793 HEATING ELEMENT 2000W 440V
length 325 mm - width 150 mm
h 65 mm




ELECTROLUX PROFESSIONAL 0G3793

3355080 HEATING ELEMENT 2200W 220V
length 565 mm - width 90 mm
height 97 mm



ELECTROLUX PROFESSIONAL 059401

3355037 HEATING ELEMENT 2300W 240V
length 645 mm - width 180 mm
2 flange 40x18 mm



ELECTROLUX PROFESSIONAL 041750.5314

3755315 HEATING ELEMENT 2400W 400V
length 610 mm - width 315 mm
couplings M14x1.5 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 051998 ELECTROLUX PROFESSIONAL 0K4984



ELECTROLUX PROFESSIONAL



Suitable for:

40C5383 HEATING ELEMENT 2400W 400V SET
for boiler
immersed length 570 mm
flange external 72 mm
with bulb sheath
complete with O-ring



ELECTROLUX PROFESSIONAL 0C5383 ELECTROLUX PROFESSIONAL 007101

Suitable for:

3186014 O-RING 06225 EPDM ø 67 mm
ring thickness 5.34 mm - internal ø 56.52 mm



ELECTROLUX PROFESSIONAL Z0E503 ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 0W0052
ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156 ELECTROLUX PROFESSIONAL 049909
ELECTROLUX PROFESSIONAL 054361 3600 ELECTROLUX PROFESSIONAL 054382
ELECTROLUX PROFESSIONAL 07800E 5037 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 500471 56000 ELECTROLUX PROFESSIONAL 543613
ELECTROLUX PROFESSIONAL 554049 909 ELECTROLUX PROFESSIONAL 710E50
ELECTROLUX PROFESSIONAL 710471 56 ELECTROLUX PROFESSIONAL 710499
ELECTROLUX PROFESSIONAL 7PD064 3828800 ELECTROLUX PROFESSIONAL 70210E
ELECTROLUX PROFESSIONAL 702104 7156 ELECTROLUX PROFESSIONAL 740483
ELECTROLUX PROFESSIONAL 805002 67

3355055 HEATING ELEMENT 2500W 220V
external ø 190 mm - internal ø 178 mm
total height 93 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 054317 ELECTROLUX PROFESSIONAL 054843

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534

3355889 HEATING ELEMENT 2500W 230V
external ø 190 mm - internal ø 178 mm
total height 70 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL RC0056 8000
ELECTROLUX PROFESSIONAL 00568 ELECTROLUX PROFESSIONAL 078000 4934
ELECTROLUX PROFESSIONAL 554004 934
ELECTROLUX PROFESSIONAL 7TEC00 568

ELECTROLUX PROFESSIONAL 004934 ELECTROLUX PROFESSIONAL 057534
ELECTROLUX PROFESSIONAL 7D568

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



3755288 HEATING ELEMENT 2500W 230V
length 285 mm - width 70 mm
height 240 mm - fittings M12x1 mm



ELECTROLUX PROFESSIONAL 0K0569

3755571 HEATING ELEMENT 2500W 230V
length 540 mm - width 80 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 0C0686 ELECTROLUX PROFESSIONAL 270686



Suitable for:

40K4792 HEATING ELEMENT 2500W 230V
length 518 mm - width 95 mm
complete with cables



ELECTROLUX PROFESSIONAL 0K4792

Suitable for:

3355057 HEATING ELEMENT 2500W 240V
external \varnothing 200 mm - total height 64 mm
flange 100x22 mm



ELECTROLUX PROFESSIONAL 031064 ELECTROLUX PROFESSIONAL 031483 ELECTROLUX PROFESSIONAL 031485

3455348 HEATING ELEMENT 2500W 400V
length 620 mm - width 87 mm
flange 60x30 mm



ELECTROLUX PROFESSIONAL 0C0495

3755566 HEATING ELEMENT 2500W 400V
length 540 mm - width 80 mm
flange 70x22 mm




ELECTROLUX PROFESSIONAL 0C0685

3755591 HEATING ELEMENT 2500W 400V
length 570 mm - width 90 mm
height 90 mm



ELECTROLUX PROFESSIONAL 006681

3755723 HEATING ELEMENT 2600W 230V
 \varnothing external 200 mm - total height 65 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 0H6157

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



ELECTROLUX PROFESSIONAL 057534

3755587 HEATING ELEMENT 2900W 230V
length 305 mm - width 60 mm
height 200 mm - flange 65x31.5 mm



ELECTROLUX PROFESSIONAL 005964

3755592 HEATING ELEMENT 2900W 230V
length 285 mm - width 80 mm
height 250 mm - flange 85x30 mm



ELECTROLUX PROFESSIONAL 004767



ELECTROLUX PROFESSIONAL



Suitable for:


40C2616 HEATING ELEMENT 2900W 230V
length 260 mm - width 60 mm
height 245 mm - flange 67x31.5 mm



ELECTROLUX PROFESSIONAL 0A5565 ELECTROLUX PROFESSIONAL 0C2616

Suitable for:

3355817 HEATING ELEMENT 3000W 220V
length 358 mm - width 230 mm
flange 70x22 mm



ELECTROLUX PROFESSIONAL 052836

3755204 HEATING ELEMENT 3000W 230V
length 490 mm - width 130 mm
total height 60 mm




ELECTROLUX PROFESSIONAL 053451 ELECTROLUX PROFESSIONAL 053613

3755517 HEATING ELEMENT 3000W 230V
length 320 mm - width 50 mm
height 260 mm - flange 68x40 mm



ELECTROLUX PROFESSIONAL 054962 ELECTROLUX PROFESSIONAL 058615

3755602 HEATING ELEMENT 3000W 230V
length 125 mm - width 525 mm
height 50 mm - flange 70x22 mm



ELECTROLUX PROFESSIONAL 004469

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm




ELECTROLUX PROFESSIONAL 057534

40C1848 HEATING ELEMENT 3000W 230V
immersed depth 255 mm
flange ø ext. 63 mm
complete with OR-gasket ø 58 mm



ELECTROLUX PROFESSIONAL 0C1848

40K4745 HEATING ELEMENT 3000W 230V
length 500 mm - width 160 mm
height 45 mm - complete with cables



ELECTROLUX PROFESSIONAL 0K4745

40K4793 HEATING ELEMENT 3000W 230V
length 515 mm - width 150 mm
complete with cables



ELECTROLUX PROFESSIONAL 0K4793

4058802 HEATING ELEMENT 3000W 240V
length 400 mm - width 60 mm
height 265 mm - flange 67x41 mm




ELECTROLUX PROFESSIONAL 055553 ELECTROLUX PROFESSIONAL 058802



Suitable for:


3755172 HEATING ELEMENT 3500W 230V
length 240 mm - width 380 mm
2 flanges 70x22 mm



ELECTROLUX PROFESSIONAL 0H6213


Suitable for:

7107061 HEATING ELEMENT 3500W 230V
length 130 mm - width 625 mm
height 50 mm - flange 70x22 mm



ELECTROLUX PROFESSIONAL 0C2613

3455301 HEATING ELEMENT 4000W 220V
length 410 mm - width 90 mm
height 330 mm - fittings \varnothing 1/4"



ELECTROLUX PROFESSIONAL 052326

3755179 HEATING ELEMENT 4000W 230V
length 255 mm - width 65 mm
flange 80x28 mm




ELECTROLUX PROFESSIONAL 0H6170

3755180 HEATING ELEMENT 4000W 400V
length 255 mm - width 65 mm
flange 80x28 mm



ELECTROLUX PROFESSIONAL 0H6202

40G2883 HEATING ELEMENT 4000W 400V
length 300 mm - width 370 mm
height 75 mm



ELECTROLUX PROFESSIONAL 0G2883

3355033 HEATING ELEMENT 4200W 220/380V
for tank and boiler
immersed length 335 mm
flange external \varnothing 63 mm - with probe receptacle
complete with O-ring \varnothing 58 mm (3186013)



ELECTROLUX PROFESSIONAL 046622 ELECTROLUX PROFESSIONAL 046623

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 067930

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456



ELECTROLUX PROFESSIONAL



Suitable for:

3755211 HEATING ELEMENT 4500W 230V
immersed length 320 mm
flange external \varnothing 63 mm - with probe receptacle
complete with O-ring \varnothing 58 mm (3186013)



ELECTROLUX PROFESSIONAL 046627

Suitable for:

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

40K4733 HEATING ELEMENT 4500W 230V
immersed depth 330 mm
external flange \varnothing 63 mm
complete with OR-gasket \varnothing 58 mm




ELECTROLUX PROFESSIONAL 0K4733

40K4734 HEATING ELEMENT 4500W 230V
immersed depth 330 mm
external flange \varnothing 63 mm - w. bulb holder sheathing
complete with OR-gasket \varnothing 58 mm



ELECTROLUX PROFESSIONAL 0K4734

40K8600 HEATING ELEMENT 5000W 230V
external \varnothing 80 mm - overall height 160 mm
fittings M14x1.5 mm



ELECTROLUX PROFESSIONAL 0K8600

3355125 HEATING ELEMENT 550W 220V
length 430 mm - width 45 mm
flange 60x40 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 0A2197

3355510 HEATING ELEMENT 5500W 230V
length 325 mm - width 100 mm
height 275 mm - flange 60x30 mm



ELECTROLUX PROFESSIONAL 059563

3755593 HEATING ELEMENT 5500W 400V
length 310 mm - width 80 mm
height 250 mm - flange 60x30 mm



ELECTROLUX PROFESSIONAL 006571

3355046 HEATING ELEMENT 6000W 220V
immersed length 490 mm
flange \varnothing external 63 mm - with probe receptacle
complete with O-ring \varnothing 58 mm (3186013)



ELECTROLUX PROFESSIONAL 051632

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456



Suitable for:

3755181 HEATING ELEMENT 6000W 230V
length 380 mm - width 65 mm
flange 80x28mm



ELECTROLUX PROFESSIONAL 0H6171

Suitable for:

3355721 HEATING ELEMENT 6000W 400V
for boiler
immersed length 380 mm - width 60 mm
flange 80x28 mm



ELECTROLUX PROFESSIONAL 0H6198

3355034 HEATING ELEMENT 700W 220V
length 320 mm - width 140 mm
flange 175x20 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 050232

3355746 HEATING ELEMENT 700W 230V
length 440 mm - width 30 mm
fittings M10x1 mm - complete with cables



ELECTROLUX PROFESSIONAL 0K9751

3755290 HEATING ELEMENT 750W 230V
length 470 mm - width 28 mm
flange 44x20 mm



3755594 HEATING ELEMENT 750W 230V
length 315 mm - width 45 mm
height 100 mm



ELECTROLUX PROFESSIONAL 0H6183

3755203 HEATING ELEMENT 7500W 220V
immersed length 560 mm
flange external \varnothing 63 mm
with thermostat probe receptacle
with O-ring



ELECTROLUX PROFESSIONAL 059665

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620
ELECTROLUX PROFESSIONAL 069456

3755549 HEATING ELEMENT 765W 230V
length 330 mm - width 150 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 032759

3355039 HEATING ELEMENT 800W 220V
overall length 545 mm
length of winged part 400 mm - \varnothing 28 mm



ELECTROLUX PROFESSIONAL 026710



ELECTROLUX PROFESSIONAL



Suitable for:

3355126 HEATING ELEMENT 800W 220V
length 655 mm - width 45 mm
flange 60x40 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 0A2137


Suitable for:

3355506 HEATING ELEMENT 810W 240V
length 260 mm - width 60 mm
fittings M12x1 mm
operating ambient: dry



ELECTROLUX PROFESSIONAL 032072

40K4821 HEATING ELEMENT 810W 400V
length 225 mm - width 225 mm
h 75 mm



ELECTROLUX PROFESSIONAL 0K4821

3355508 HEATING ELEMENT 950W 220V
length 550 mm - width 70 mm
flange 90x25 mm



ELECTROLUX PROFESSIONAL 059237

40L1877 KIT HEATING ELEMENT 6000W 230V
immersed length 490 mm
flange external $\varnothing 63$ mm - with probe receptable
complete with O-ring $\varnothing 58$ mm (3186013)
latches and contact protections included



ELECTROLUX PROFESSIONAL 0L1877 ELECTROLUX PROFESSIONAL 003410

4065560 COVER FOR HEATING ELEMENT
 $\varnothing 55$ mm - height 60 mm
distance between fastening holes 60 mm




ELECTROLUX PROFESSIONAL 065560

3755981 QUARTZ HEATING ELEMENT 500W 112.5V
length 370 mm - $\varnothing 12$ mm



ELECTROLUX PROFESSIONAL KRS010 5A

3755311 RESISTENZA 2100W 400V
length 260 mm - width 220 mm
height 25 mm - couplings M14x1.5 mm



ELECTROLUX PROFESSIONAL 0K4777

4054723 RESISTENZA 5000W 220V
immersed depth 470 mm
fitting $\varnothing 2$ "
complete with cap



ELECTROLUX PROFESSIONAL 054723


Hinges, catches and accessories

4002983 BLOCK HINGE \varnothing 47x77 mm



ELECTROLUX PROFESSIONAL 002983

4006925 BRACKET REINFORCED HINGE 180x20 mm
height 18 mm



ELECTROLUX PROFESSIONAL 006925

4006926 COVER REINFORCED FOR LID SUPPORT
length 170 mm - width 40 mm



ELECTROLUX PROFESSIONAL 006926

3053225 DOOR HINGE



ELECTROLUX PROFESSIONAL 005980

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

3053277 HINGE BLOCK \varnothing 47x57 mm



ELECTROLUX PROFESSIONAL 059864

3053276 HINGE BLOCK \varnothing 47x77 mm



ELECTROLUX PROFESSIONAL 059865

3053221 HINGE COVER
mounting distance 95 mm - dimensions 122x20 mm



ELECTROLUX PROFESSIONAL 052725

40C0138 HINGE FOR UPPER DOOR LH-LOWER RH
external dimensions 60x45x27 mm



ELECTROLUX PROFESSIONAL 0C0138




ELECTROLUX PROFESSIONAL



Suitable for:

40C0139 HINGE FOR UPPER DOOR RH-LOWER LH
external dimensions 60x45x27 mm



ELECTROLUX PROFESSIONAL 0C0139

Suitable for:

3990008 HINGE KITRH-LH FOR OVEN
the kit includes:
1 hinge RH-LH 205 mm - distance betw. holes 175 mm
1 roll holder 118 mm - distance betw. holes 95 mm



ELECTROLUX PROFESSIONAL 050766

4006087 HINGE LH FOR OVEN
distance between holes 120 mm-overall length 155mm
h 150 mm



ELECTROLUX PROFESSIONAL 006087

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

3053344 LEFT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm



3053226 HINGE LOCK \varnothing 45x50 mm



ELECTROLUX PROFESSIONAL 051266

3053278 HINGE LOCK \varnothing 47x40 mm



ELECTROLUX PROFESSIONAL 059863

4002982 HINGE LOCK \varnothing 47x40 mm



ELECTROLUX PROFESSIONAL 002982

3053227 HINGE RETAINER \varnothing 50x65 mm



ELECTROLUX PROFESSIONAL 051267



Suitable for:

4006090 HINGE RH FOR OVEN
distance between holes 120 mm - overall length 155mm
h 150 mm



ELECTROLUX PROFESSIONAL 006090

3053345 RIGHT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm




ELECTROLUX PROFESSIONAL 0K3592

3053224 HINGE SUPPORT \varnothing 50x72 mm



ELECTROLUX PROFESSIONAL 002107 ELECTROLUX PROFESSIONAL 051260

3053280 HINGE SUPPORT 130x60x30 mm



ELECTROLUX PROFESSIONAL 002944

3053007 LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



ELECTROLUX PROFESSIONAL 0A2004

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm



ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596

3053229 HINGE SUPPORT \varnothing 50x72 mm



ELECTROLUX PROFESSIONAL 002106

40A2612 HOOK SUPPORT FOR HANDLE PIN
external dimensions \varnothing 10x20 mm



ELECTROLUX PROFESSIONAL 0A2612

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227



ELECTROLUX PROFESSIONAL



Suitable for:

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm




Suitable for:

3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm




3053034 LID HINGE RADIUS 320 mm
for lid \varnothing 640 mm
for BOILING KETTLE with round lid



ELECTROLUX PROFESSIONAL

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008010

3053036 LID HINGE RADIUS 395 mm
for lid \varnothing 790 mm
for BOILING KETTLE with round lid



ELECTROLUX PROFESSIONAL

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008010

3053555 LID SHAFT \varnothing 20x334 mm




ELECTROLUX PROFESSIONAL 051278

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008011

3053311 SPRINGS RH-LH \varnothing 4 mm
for hinges




3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008011

3053226 HINGE LOCK \varnothing 45x50 mm



ELECTROLUX PROFESSIONAL 051266



ELECTROLUX PROFESSIONAL



Suitable for:

3053227 HINGE RETAINER \varnothing 50x65 mm



ELECTROLUX PROFESSIONAL 051267

3053229 HINGE SUPPORT \varnothing 50x72 mm



ELECTROLUX PROFESSIONAL 002106

3053228 SUPPORT SCREW \varnothing 6x19 mm



ELECTROLUX PROFESSIONAL 051393

4051003 LIFTING PIN \varnothing 12x243 mm



ELECTROLUX PROFESSIONAL 051003

3053345 RIGHT HINGE FOR OVEN
mounting distance 120 mm - overall length 155 mm
height 150 mm



ELECTROLUX PROFESSIONAL 0K3592

Suitable for:

3053224 HINGE SUPPORT \varnothing 50x72 mm



ELECTROLUX PROFESSIONAL 002107 ELECTROLUX PROFESSIONAL 051260

3250026 LID SPRING \varnothing 40x300 mm
for BRATT PAN series HD900
for BOILING PAN H900/HD900
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ELECTROLUX PROFESSIONAL 051268

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm




ELECTROLUX PROFESSIONAL 037595 ELECTROLUX PROFESSIONAL 037596



Suitable for:


3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 156 mm



ELECTROLUX PROFESSIONAL 0C0203 ELECTROLUX PROFESSIONAL 050766 ELECTROLUX PROFESSIONAL 059227 ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



3053221 HINGE COVER
mounting distance 95 mm - dimensions 122x20 mm




ELECTROLUX PROFESSIONAL 052725

3053006 RIGHTHAND DOOR HINGE FOR OVEN
mounting distance 175 mm - overall length 205
height 160 mm



ELECTROLUX PROFESSIONAL 0A2005

3053003 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 118
height 23 mm



ELECTROLUX PROFESSIONAL 053096 ELECTROLUX PROFESSIONAL 059227

3053234 HINGE COVER
mounting distance 95 mm - dimensions 124x20 mm



3053299 HINGE COVER
mounting distance 77 mm - dimensions 129x26 mm



3053279 SHAFT \varnothing 16x437 mm



ELECTROLUX PROFESSIONAL 059862

4006925 BRACKET REINFORCED HINGE 180x20 mm
height 18 mm



ELECTROLUX PROFESSIONAL 006925

4002983 BLOCK HINGE \varnothing 47x77 mm



ELECTROLUX PROFESSIONAL 002983

4006926 COVER REINFORCED FOR LID SUPPORT
length 170 mm - width 40 mm



ELECTROLUX PROFESSIONAL 006926



ELECTROLUX PROFESSIONAL



Suitable for:

3053277 HINGE BLOCK \varnothing 47x57 mm




ELECTROLUX PROFESSIONAL 059864

3053278 HINGE LOCK \varnothing 47x40 mm



ELECTROLUX PROFESSIONAL 059863

3053280 HINGE SUPPORT 130x60x30 mm



ELECTROLUX PROFESSIONAL 002944

3528014 SLOTTED SCREW M6x16 mm



ELECTROLUX PROFESSIONAL 059860

3053111 SPRING LH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008011

3053228 SUPPORT SCREW \varnothing 6x19 mm



ELECTROLUX PROFESSIONAL 051393

Suitable for:

3053276 HINGE BLOCK \varnothing 47x77 mm



ELECTROLUX PROFESSIONAL 059865

4002982 HINGE LOCK \varnothing 47x40 mm



ELECTROLUX PROFESSIONAL 002982

3528016 SCREW M6



ELECTROLUX PROFESSIONAL 059859

3053110 SPRING RH \varnothing 4 mm
for hinges with radius 320-395 mm



ELECTROLUX PROFESSIONAL 008010



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Hood filters

3160203 HOOD LABYRINTH FILTER 500x400x25 mm
in AISI 304 stainless steel



ELECTROLUX PROFESSIONAL 032269

3242590 FILTER HANDLE
distance between mounting holes 50 mm



3160023 HOOD SCREEN FILTER 400x250x20 mm
5 coats in STAINLESS steel:
3 crossed internal coats (2 smooth, 1 rolled)
2 external containing coats with wide-meshed net



ELECTROLUX PROFESSIONAL 0S0052

3160019 HOOD SCREEN FILTER 500x400x20 mm
5 coats in STAINLESS steel:
3 crossed internal coats (2 smooth, 1 rolled)
2 external containing coats with wide-meshed net



ELECTROLUX PROFESSIONAL 0S0049 ELECTROLUX PROFESSIONAL 050440 8400
ELECTROLUX PROFESSIONAL 640060 ELECTROLUX PROFESSIONAL 710S00 49

Hose reels

3359553 WASHING UNIT MINIREEL
stainless steel case aisi 304
with automatic retractor
EPDM hose \varnothing 13 mm
pull-out hose length 1.6 meters
complete with shower ECO/F
for fixing to any equipment



ELECTROLUX PROFESSIONAL 0T1747 ELECTROLUX PROFESSIONAL 006696

3359610 BLACK SHOWER HEAD ECO \varnothing 1/2" M
with coupling 3/8" M x 1/2" M



ELECTROLUX PROFESSIONAL Z00317 ELECTROLUX PROFESSIONAL 0PP043 0000
ELECTROLUX PROFESSIONAL 003175 ELECTROLUX PROFESSIONAL 078000 3175
ELECTROLUX PROFESSIONAL 500031 75002 ELECTROLUX PROFESSIONAL 554003
ELECTROLUX PROFESSIONAL 710031 75 ELECTROLUX PROFESSIONAL 702100
ELECTROLUX PROFESSIONAL 903030 ELECTROLUX PROFESSIONAL 903030 2

3359611 SPRAY CUP WITH FILTER



Hot plates

3312005 COOKING PLATE - DISK \varnothing 225 mm
made of cast iron




ELECTROLUX PROFESSIONAL 026953

3312048 COOKING PLATE RIBBED 330x300x15 mm
made of cast iron




ELECTROLUX PROFESSIONAL 002815

3312065 COOKING PLATE RIBBED 350x400x30 mm
made of cast iron



ELECTROLUX PROFESSIONAL 002011

4206172 COOKING PLATE RIBBED 390x350 mm
made of cast iron



ELECTROLUX PROFESSIONAL 206055 ELECTROLUX PROFESSIONAL 206172

3312063 COOKING PLATE SMOOTH 350x350x30 mm
made of cast iron



ELECTROLUX PROFESSIONAL 002009

3312064 COOKING PLATE SMOOTH 350x400x30 mm
made of cast iron




ELECTROLUX PROFESSIONAL 002010

40C2939 HOT PLATE 485x90x40 mm




ELECTROLUX PROFESSIONAL 0C2939

4050803 PLATE COMPLETE 690x595 mm
made of cast iron



ELECTROLUX PROFESSIONAL 0CA587 ELECTROLUX PROFESSIONAL 050803

3312059 RIBBED PLATE 330x320x8.5 mm
made of cast iron - for burner \varnothing 70 mm



ELECTROLUX PROFESSIONAL 055556

3312060 RIBBED PLATE 695x395x55 mm
made of cast iron - for burners \varnothing 84-103 mm




ELECTROLUX PROFESSIONAL 059274



Suitable for:


3312055 SMOOTH PLATE 395x345x30 mm
made of cast iron - for burner \varnothing 84 mm



ELECTROLUX PROFESSIONAL 054653

Suitable for:

3312057 SMOOTH PLATE 695x395x55 mm
made of cast iron - for burners \varnothing 84-103 mm



ELECTROLUX PROFESSIONAL 026440

Hydraulic piping

40C7133 HOSE RUBBER CANVAS \varnothing 30/40 mm 550 mm
internal \varnothing 30 mm - external \varnothing 40 mm



ELECTROLUX PROFESSIONAL 0C7133

4059543 HOSE RUBBER CANVAS \varnothing 30/40 mm 670 mm
internal \varnothing 30 mm - external \varnothing 40 mm



ELECTROLUX PROFESSIONAL 059543

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
temperature $-40+100^{\circ}\text{C}$
sale per linear metre



ELECTROLUX PROFESSIONAL 055445

4004730 HOSE RUBBER REINFORCED \varnothing 30/40 mm 1000 mm
 \varnothing int. 30 mm - \varnothing ext. 40 mm



ELECTROLUX PROFESSIONAL 004730

40C0723 HOSE SILICONE 243 mm
internal \varnothing 4/10 mm - external \varnothing 10/16 mm



ELECTROLUX PROFESSIONAL 0C0723

4006248 SILICONE PIPE \varnothing 20/26 mm
 \varnothing int. 20 mm - \varnothing ext. 26 mm
SOLD PER METER



ELECTROLUX PROFESSIONAL 002052 5000
ELECTROLUX PROFESSIONAL 014006 8010
ELECTROLUX PROFESSIONAL 111514 17
ELECTROLUX PROFESSIONAL 710062 48

ELECTROLUX PROFESSIONAL 006248
ELECTROLUX PROFESSIONAL 078000
ELECTROLUX PROFESSIONAL 140068

Ignitors

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm




ELECTROLUX PROFESSIONAL Z00281 ELECTROLUX PROFESSIONAL 0C9409 ELECTROLUX PROFESSIONAL 002816
ELECTROLUX PROFESSIONAL 054180 9000 ELECTROLUX PROFESSIONAL 0780002
ELECTROLUX PROFESSIONAL 500028 16002 ELECTROLUX PROFESSIONAL 5540028
ELECTROLUX PROFESSIONAL 710028 16 ELECTROLUX PROFESSIONAL 7021002

3001013 IGNITER PIEZO WITH CAP
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



ELECTROLUX PROFESSIONAL Z00260 ELECTROLUX PROFESSIONAL 0C9240 ELECTROLUX PROFESSIONAL 002605
ELECTROLUX PROFESSIONAL 077000 727705 ELECTROLUX PROFESSIONAL 0770190
ELECTROLUX PROFESSIONAL 078000 2605 ELECTROLUX PROFESSIONAL 0835834
ELECTROLUX PROFESSIONAL 10041 ELECTROLUX PROFESSIONAL 190133 47
ELECTROLUX PROFESSIONAL 437001 9013347 ELECTROLUX PROFESSIONAL 5000260
ELECTROLUX PROFESSIONAL 554002 605 ELECTROLUX PROFESSIONAL 7D19013
ELECTROLUX PROFESSIONAL 7D7277 05 ELECTROLUX PROFESSIONAL 7100260
ELECTROLUX PROFESSIONAL 702100 2605 ELECTROLUX PROFESSIONAL 727705

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : \varnothing external 29 mm - \varnothing internal 18 mm



ELECTROLUX PROFESSIONAL Z00281 ELECTROLUX PROFESSIONAL 0C9409 ELECTROLUX PROFESSIONAL 002816
ELECTROLUX PROFESSIONAL 054180 9000 ELECTROLUX PROFESSIONAL 078000
ELECTROLUX PROFESSIONAL 500028 16002 ELECTROLUX PROFESSIONAL 554002
ELECTROLUX PROFESSIONAL 710028 16 ELECTROLUX PROFESSIONAL 702100

3001090 PIEZO SEALING CAP
of silicone rubber



ELECTROLUX PROFESSIONAL 0C9409 ELECTROLUX PROFESSIONAL 002816

5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



3528073 WASHER \varnothing 32x18.5x4.5 mm





ELECTROLUX PROFESSIONAL



Suitable for:

40KI332 IGNITION PIEZO
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0G6821 ELECTROLUX PROFESSIONAL 0KI332

Suitable for:

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm



ELECTROLUX PROFESSIONAL 0H6070 ELECTROLUX PROFESSIONAL 058100 ELECTROLUX PROFESSIONAL 058497

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



ELECTROLUX PROFESSIONAL 0A2127 ELECTROLUX PROFESSIONAL 059251

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



5071589 WATERTIGHT PIEZO CAP
made of silicone rubber



3001029 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
faston M \varnothing 2.4 mm
for SNACK SERIES




ELECTROLUX PROFESSIONAL 004944

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 0K0210 ELECTROLUX PROFESSIONAL 052539 ELECTROLUX PROFESSIONAL 058225

3001071 PIEZO IGNITER MINISIT WITH COVER
M faston 2.4 mm



ELECTROLUX PROFESSIONAL 0C8410 ELECTROLUX PROFESSIONAL 051567 ELECTROLUX PROFESSIONAL 054269 ELECTROLUX PROFESSIONAL 0C9409 ELECTROLUX PROFESSIONAL 002816

3001090 PIEZO SEALING CAP
of silicone rubber



Incandescent lamps and neon lamps

3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0C4396

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C




ELECTROLUX PROFESSIONAL 0S1983

3221250 HALOGEN LAMP NEUTRAL G4 10W 12V
max. temperature 250°C



D221004 HALOGEN LAMP OSRAM G9 40W 230V SMEG
max. temperature 200°C



ELECTROLUX PROFESSIONAL Z00295 ELECTROLUX PROFESSIONAL 0C2803 ELECTROLUX PROFESSIONAL 0C9877 ELECTROLUX PROFESSIONAL 0S2260
ELECTROLUX PROFESSIONAL 0H7038 ELECTROLUX PROFESSIONAL 002956 ELECTROLUX PROFESSIONAL 0660804
ELECTROLUX PROFESSIONAL 066080 7800 ELECTROLUX PROFESSIONAL 0700565
ELECTROLUX PROFESSIONAL 078000 2956 ELECTROLUX PROFESSIONAL 2890700
ELECTROLUX PROFESSIONAL 359596 ELECTROLUX PROFESSIONAL 554002 956
ELECTROLUX PROFESSIONAL 565729 ELECTROLUX PROFESSIONAL 600504 71
ELECTROLUX PROFESSIONAL 7D5657 29 ELECTROLUX PROFESSIONAL 7I00295
ELECTROLUX PROFESSIONAL 7PD066 0807800 ELECTROLUX PROFESSIONAL 7002565
ELECTROLUX PROFESSIONAL 702100 2956

3221381 HALOGEN LAMP OSRAM R7s 230W 230V
length 118 mm



ELECTROLUX PROFESSIONAL 091110

3221330 HALOGEN LAMP OSRAM 1000W 235V
halogen lamp infrared
overall length 475 mm
glass length 338 mm



ELECTROLUX PROFESSIONAL 0K3359

2102048 HALOGEN LAMP R7s 160W 230V
length 118 mm




ELECTROLUX PROFESSIONAL 093041

2111556 HALOGEN LAMP R7s 500W 230V
length 222 mm



ELECTROLUX PROFESSIONAL 0PR505

3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions \varnothing 22x50 mm



ELECTROLUX PROFESSIONAL 0H7035

3221061 LAMP E14 25W 230V
max temperature 300°C - \varnothing 26x57 mm



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840



ELECTROLUX PROFESSIONAL



Suitable for:

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



ELECTROLUX PROFESSIONAL 007056 ELECTROLUX PROFESSIONAL 066080 6500
ELECTROLUX PROFESSIONAL 600503 18

Suitable for:

3221471 OVEN LAMP Ba9s 3W 125mA 24V
dimensions ø 10x28 mm



ELECTROLUX PROFESSIONAL 0K9110

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



ELECTROLUX PROFESSIONAL 066070 0000
ELECTROLUX PROFESSIONAL 081696 ELECTROLUX PROFESSIONAL 500816 96002
ELECTROLUX PROFESSIONAL 554081 696
ELECTROLUX PROFESSIONAL 702108 1696

ELECTROLUX PROFESSIONAL 0780081
ELECTROLUX PROFESSIONAL 7108169

Indicator lights

40K5094 GREEN INDICATOR LAMP 230V
ø head 26 mm - ø hole 22 mm - 60°C



ELECTROLUX PROFESSIONAL 0K5094

3221008 GREEN LAMP RECEPTACLE
head ø 15 mm - hole ø 12 mm
universal application



ELECTROLUX PROFESSIONAL 075096

3221097 INDICATOR LIGHT NEUTRAL 220V
head ø 8 mm - 120°C



ELECTROLUX PROFESSIONAL Z04624 ELECTROLUX PROFESSIONAL 0A0205 9200
ELECTROLUX PROFESSIONAL 00052 ELECTROLUX PROFESSIONAL 004895 ELECTROLUX PROFESSIONAL 046241
ELECTROLUX PROFESSIONAL 048488 ELECTROLUX PROFESSIONAL 048832 ELECTROLUX PROFESSIONAL 065560
ELECTROLUX PROFESSIONAL 065560 1101 ELECTROLUX PROFESSIONAL 065560
ELECTROLUX PROFESSIONAL 078000 4895 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 078004 8832 ELECTROLUX PROFESSIONAL 213207
ELECTROLUX PROFESSIONAL 21327F 0079 ELECTROLUX PROFESSIONAL 500462
ELECTROLUX PROFESSIONAL 500488 32005 ELECTROLUX PROFESSIONAL 554004
ELECTROLUX PROFESSIONAL 554048 832 ELECTROLUX PROFESSIONAL 710048
ELECTROLUX PROFESSIONAL 710462 41 ELECTROLUX PROFESSIONAL 710488
ELECTROLUX PROFESSIONAL 7TEC00 052 ELECTROLUX PROFESSIONAL 710488
ELECTROLUX PROFESSIONAL 702104 8832 ELECTROLUX PROFESSIONAL 702104



Suitable for:

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C

Suitable for:



ELECTROLUX PROFESSIONAL 075110

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm

40K9096 INDICATOR LAMP WHITE 230V
 \varnothing head 15 mm - \varnothing hole 14 mm - 150°C



ELECTROLUX PROFESSIONAL 0K1364 ELECTROLUX PROFESSIONAL 004896

ELECTROLUX PROFESSIONAL 0K9096

3221032 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL Z05854 ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 0005190
ELECTROLUX PROFESSIONAL 066080 4200 ELECTROLUX PROFESSIONAL 0780058
ELECTROLUX PROFESSIONAL 28H274 0378 ELECTROLUX PROFESSIONAL 5005854
ELECTROLUX PROFESSIONAL 554058 544 ELECTROLUX PROFESSIONAL 7105854
ELECTROLUX PROFESSIONAL 702105 8544

3221085 INDICATOR LIGHT GREEN 230V
 \varnothing head 18 mm - \varnothing hole 12 mm - 120°C

3221084 INDICATOR LIGHT RED 230V
 \varnothing head 18 mm - \varnothing hole 12 mm - 120°C



ELECTROLUX PROFESSIONAL 003531

3221132 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL ME0000 320 ELECTROLUX PROFESSIONAL 004169
ELECTROLUX PROFESSIONAL 058544 ELECTROLUX PROFESSIONAL 710041 69



ELECTROLUX PROFESSIONAL



Suitable for:

3221164 INDICATOR LIGHT GREEN 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



ELECTROLUX PROFESSIONAL 054150 ELECTROLUX PROFESSIONAL 054150 +054151
ELECTROLUX PROFESSIONAL 054151

Suitable for:

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



ELECTROLUX PROFESSIONAL 054151

3221329 INDICATOR LIGHT GREEN 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C




ELECTROLUX PROFESSIONAL 0M0755

3221207 INDICATOR LIGHT GREEN 250V
 \varnothing head 15 mm - \varnothing hole 13 mm - 150°C



ELECTROLUX PROFESSIONAL 005010 ELECTROLUX PROFESSIONAL 058658

3221301 INDICATOR LIGHT RED 240V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



ELECTROLUX PROFESSIONAL 0C0687

3221005 INDICATOR LIGHT GREEN 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154

3221034 INDICATOR LIGHT GREEN 400V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 004157

3221430 INDICATOR LIGHT ORANGE 400V
head \varnothing 14 mm - hole \varnothing 10 mm
universal application





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3221035 INDICATOR LIGHT RED 400V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C



40KI361 INDICATOR LIGHT NEUTRAL 440V
head \varnothing 8 mm - 120°C



ELECTROLUX PROFESSIONAL Z04624 ELECTROLUX PROFESSIONAL 0A0205 9200

ELECTROLUX PROFESSIONAL 0KI361

ELECTROLUX PROFESSIONAL 00052 ELECTROLUX PROFESSIONAL 004895 ELECTROLUX PROFESSIONAL 046241

ELECTROLUX PROFESSIONAL 048488 ELECTROLUX PROFESSIONAL 048832 ELECTROLUX PROFESSIONAL 0655601

ELECTROLUX PROFESSIONAL 065560 1101 ELECTROLUX PROFESSIONAL 0655602

ELECTROLUX PROFESSIONAL 078000 4895 ELECTROLUX PROFESSIONAL 0780046

ELECTROLUX PROFESSIONAL 078004 8832 ELECTROLUX PROFESSIONAL 2132079

ELECTROLUX PROFESSIONAL 21327F 0079 ELECTROLUX PROFESSIONAL 5004624

ELECTROLUX PROFESSIONAL 500488 32005 ELECTROLUX PROFESSIONAL 5540048

ELECTROLUX PROFESSIONAL 554048 832 ELECTROLUX PROFESSIONAL 7100489

ELECTROLUX PROFESSIONAL 710462 41 ELECTROLUX PROFESSIONAL 7104883

ELECTROLUX PROFESSIONAL 7TEC00 052 ELECTROLUX PROFESSIONAL 7021046

ELECTROLUX PROFESSIONAL 702104 8832

3221014 INDICATOR LIGHT ORANGE 220V
mounting hole 22x30 mm - 105°C
universal application



ELECTROLUX PROFESSIONAL 0KM981

3221112 INDICATOR LIGHT ORANGE 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



5037049 LAMP CAP TAPERED CONICAL ORANGE SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



ELECTROLUX PROFESSIONAL 053811 ELECTROLUX PROFESSIONAL 053811 +053812

ELECTROLUX PROFESSIONAL 053812



ELECTROLUX PROFESSIONAL



Suitable for:

3221011 INDICATOR LIGHT ORANGE 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2225

Suitable for:

3221032 INDICATOR LIGHT GREEN 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL Z05854 ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 000519
ELECTROLUX PROFESSIONAL 066080 4200 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 28H274 0378 ELECTROLUX PROFESSIONAL 500585
ELECTROLUX PROFESSIONAL 554058 544 ELECTROLUX PROFESSIONAL 710585
ELECTROLUX PROFESSIONAL 702105 8544

3221033 INDICATOR LIGHT RED 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2408

3221094 INDICATOR LIGHT ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C



ELECTROLUX PROFESSIONAL 0H6618

3221095 INDICATOR LIGHT ORANGE 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 000519 0200 ELECTROLUX PROFESSIONAL 005215
ELECTROLUX PROFESSIONAL 058522 ELECTROLUX PROFESSIONAL 066080 4300
ELECTROLUX PROFESSIONAL 078000 5215 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 28H212 0478 ELECTROLUX PROFESSIONAL 500585
ELECTROLUX PROFESSIONAL 501702 31000 ELECTROLUX PROFESSIONAL 554058
ELECTROLUX PROFESSIONAL 710052 15 ELECTROLUX PROFESSIONAL 710585
ELECTROLUX PROFESSIONAL 702100 5215

3221208 INDICATOR LIGHT ORANGE 250V
 \varnothing head 15 mm - \varnothing hole 13 mm - 150°C



ELECTROLUX PROFESSIONAL Z05865 ELECTROLUX PROFESSIONAL 005011 ELECTROLUX PROFESSIONAL 058631 ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155
ELECTROLUX PROFESSIONAL 058659

3221006 INDICATOR LIGHT ORANGE 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application





Suitable for:

3221009 INDICATOR LIGHT RED 220V
head 17x17 mm - \varnothing hole 13 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 057294

Suitable for:

3221033 INDICATOR LIGHT RED 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2408

3221301 INDICATOR LIGHT RED 240V
head \varnothing 16 mm - hole \varnothing 13 mm - 150°C



ELECTROLUX PROFESSIONAL 0C0687

3221298 INDICATOR LIGHT RED 250V
head \varnothing 15 mm - hole \varnothing 13 mm - 150°C



ELECTROLUX PROFESSIONAL 005012 ELECTROLUX PROFESSIONAL 058712

3221004 INDICATOR LIGHT RED 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 053153

3221005 INDICATOR LIGHT GREEN 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154

3221006 INDICATOR LIGHT ORANGE 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155

3221593 INDICATOR LIGHT WHITE 24V
 \varnothing hole 12 mm - \varnothing head 15 mm



ELECTROLUX PROFESSIONAL 0E5134

3221605 INDICATOR LIGHT YELLOW 24V
 \varnothing hole 12 mm - \varnothing head 15 mm



ELECTROLUX PROFESSIONAL 0E5195



ELECTROLUX PROFESSIONAL



Suitable for:

3221045 LAMP CAP TAPERED CONICAL GREEN SU3
mounting hole \varnothing 6 mm - head \varnothing 7 mm



ELECTROLUX PROFESSIONAL 054151

Suitable for:

3221358 LAMP RECEPTACLE CLEAR
head \varnothing 16 mm - hole \varnothing 13 mm



ELECTROLUX PROFESSIONAL 046289

3221007 LAMP RECEPTACLE ORANGE
head \varnothing 15 mm - hole \varnothing 12 mm
universal application



ELECTROLUX PROFESSIONAL 075095

3221097 INDICATOR LIGHT NEUTRAL 220V
head \varnothing 8 mm - 120°C



ELECTROLUX PROFESSIONAL Z04624 ELECTROLUX PROFESSIONAL 0A0205 9200
 ELECTROLUX PROFESSIONAL 00052 ELECTROLUX PROFESSIONAL 004895 ELECTROLUX PROFESSIONAL 046241
 ELECTROLUX PROFESSIONAL 048488 ELECTROLUX PROFESSIONAL 048832 ELECTROLUX PROFESSIONAL 065560
 ELECTROLUX PROFESSIONAL 065560 1101 ELECTROLUX PROFESSIONAL 065560
 ELECTROLUX PROFESSIONAL 078000 4895 ELECTROLUX PROFESSIONAL 078004
 ELECTROLUX PROFESSIONAL 078004 8832 ELECTROLUX PROFESSIONAL 213207
 ELECTROLUX PROFESSIONAL 21327F 0079 ELECTROLUX PROFESSIONAL 500462
 ELECTROLUX PROFESSIONAL 500488 32005 ELECTROLUX PROFESSIONAL 554004
 ELECTROLUX PROFESSIONAL 554048 832 ELECTROLUX PROFESSIONAL 710048
 ELECTROLUX PROFESSIONAL 710462 41 ELECTROLUX PROFESSIONAL 710488
 ELECTROLUX PROFESSIONAL 7TEC00 052 ELECTROLUX PROFESSIONAL 702104
 ELECTROLUX PROFESSIONAL 702104 8832

3221126 INDICATOR LIGHT NEUTRAL 24V
head \varnothing 8 mm - 120°C



ELECTROLUX PROFESSIONAL 075110

3221098 LIGHT RECEPTACLE GREEN
 \varnothing hole 10 mm - head 12x12 mm



ELECTROLUX PROFESSIONAL 0HA054

40KI362 NEON INDICATOR LAMP GREEN 440V
head \varnothing 8 mm



ELECTROLUX PROFESSIONAL 0KI362 ELECTROLUX PROFESSIONAL 0665S0 0D06
 ELECTROLUX PROFESSIONAL 077072 593804 ELECTROLUX PROFESSIONAL 213W00
 ELECTROLUX PROFESSIONAL 7CHG72 593804 ELECTROLUX PROFESSIONAL 725938



Suitable for:

Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ELECTROLUX PROFESSIONAL 004928

Induction coils

40D7220 INDUCTION GENERATOR KIT DOUBLE ZONE
3000W 230V
complete with cable



ELECTROLUX PROFESSIONAL 0D7220

Insulators


5078074 GLASS PROTECTION PANEL 250x248 mm
for GLASS-CERAMIC PLATE



ELECTROLUX PROFESSIONAL 0D4024 ELECTROLUX PROFESSIONAL 653527

Interference suppression filters

3160233 INTERF. SUP. FILTER D.E.M. FZP0271001002
3x0.27 μ F - 250V - 50/60Hz



ELECTROLUX PROFESSIONAL 049303 ELECTROLUX PROFESSIONAL 069460 5400
ELECTROLUX PROFESSIONAL 078004 9303
ELECTROLUX PROFESSIONAL 710493 03


D068006 INTERFER. SUPP. FILTER D.E.M. FLC630501F
0.47 μ F - 250V - 50/60Hz - 16A



ELECTROLUX PROFESSIONAL 002215 3300
ELECTROLUX PROFESSIONAL 069450 2400
ELECTROLUX PROFESSIONAL 554059 078

ELECTROLUX PROFESSIONAL 059078
ELECTROLUX PROFESSIONAL 411105
ELECTROLUX PROFESSIONAL 710590

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112F
0.47 μ F



ELECTROLUX PROFESSIONAL 046217



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Ironmongery (screws,nuts,washers)

1528013 BLIND HEXAGONAL NUT M6
stainl. steel -height 16 mm -UNI 5721 - DIN 1587



ELECTROLUX PROFESSIONAL 0K1297

3242451 CLASP \varnothing 3x16 mm
stainless steel C70 - UNI 6873 - DIN 1481-ISO 8752



ELECTROLUX PROFESSIONAL 0H6043 ELECTROLUX PROFESSIONAL 052061 ELECTROLUX PROFESSIONAL 060920

3053049 CLASP \varnothing 4.5x24 mm
stainless steel - UNI 6873 - DIN 1481 - ISO 8752



ELECTROLUX PROFESSIONAL 045446

40C2170 CLASP \varnothing 4x36 mm



ELECTROLUX PROFESSIONAL 0C2170

1528031 COUNTERSUNK FLAT HEAD SCREWS M5x12
slotted - stainless steel
UNI 6109 - DIN 963 - ISO 2009



ELECTROLUX PROFESSIONAL 0KM408

3528087 COUNTERSUNK FLAT HEAD SCREWS M6x50
cross recessed - stainless steel
UNI 7688 - DIN 965 - ISO 7046



ELECTROLUX PROFESSIONAL 0D0658

40D6099 CYLINDER HEAD SCREW M10x40
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ELECTROLUX PROFESSIONAL 0D6099

3528206 CYLINDER HEAD SCREW M5x20
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ELECTROLUX PROFESSIONAL 0D0502

3528207 CYLINDER HEAD SCREW M6x25
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



ELECTROLUX PROFESSIONAL 0D2248

5008617 EXTERNAL TOOTHED WASHER M5
internal/external \varnothing 5.3/10 mm - thickness 0.6 mm
stainless steel - UNI 8842 A - DIN 6798 A



ELECTROLUX PROFESSIONAL 0KQ491 ELECTROLUX PROFESSIONAL 0Q0008

Suitable for:

9742006 FEATHER KEY ST. STEEL C40 6x6x25 mm
UNI 6604/A - DIN 6685/A



ELECTROLUX PROFESSIONAL 0E5048 ELECTROLUX PROFESSIONAL 0K8973

Suitable for:

3528238 FLAT WASHER M4
internal/external \varnothing 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 067930

1186192 FLAT WASHER M5
internal/external \varnothing 5.3/10 mm - thickness 1 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0E1119 ELECTROLUX PROFESSIONAL 0Q0012

3528010 FLAT WASHER M6
 \varnothing internal/external 6.4/12 mm - thickness 1.6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0U2043

3743145 FLAT WASHER M8
internal/external \varnothing 8.4/16 mm - thickness 1.6 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0KM405

5042380 HEXAGON HEAD SCREW M6x20
stainless steel - UNI 5739 - DIN 933 - ISO 4017



ELECTROLUX PROFESSIONAL 0G1698

1528622 HEXAGON HEAD SCREW M8x16
stainless steel - UNI 5739 - DIN 933 - ISO 4017



ELECTROLUX PROFESSIONAL 0K8919

3528106 HEXAGONAL HEAD SCREW M5x16
st./steel - UNI 5739 - DIN 933 - ISO 4017



ELECTROLUX PROFESSIONAL 0D0506

3528094 HEXAGONAL HEAD SCREW M8x12
st./steel - UNI 5739 - DIN 933 - ISO 4017



ELECTROLUX PROFESSIONAL 0KE147

5060610 HEXAGONAL NUT MEDIUM M3
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ELECTROLUX PROFESSIONAL 0U0182



ELECTROLUX PROFESSIONAL



Suitable for:

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ELECTROLUX PROFESSIONAL 027019

Suitable for:

3528128 LARGE PAN HEAD SCREW M6x20
stainless steel - slotted



ELECTROLUX PROFESSIONAL 0U0237

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ELECTROLUX PROFESSIONAL 0K4516

3528016 SCREW M6



ELECTROLUX PROFESSIONAL 059859

3241201 SCREW NO HEAD WITH HEXAGON SOCKET M4X6
stainless steel - cone end
UNI 5927 - DIN 914 - ISO 4027



ELECTROLUX PROFESSIONAL Z04784 ELECTROLUX PROFESSIONAL 021724 2061

ELECTROLUX PROFESSIONAL 021724 2065

ELECTROLUX PROFESSIONAL 047846 ELECTROLUX PROFESSIONAL 078004 6258

ELECTROLUX PROFESSIONAL 078004 7846

ELECTROLUX PROFESSIONAL 554047 846

ELECTROLUX PROFESSIONAL 710478 46

ELECTROLUX PROFESSIONAL 702104 7846

7105783 SCREWS NO HEAD WITH HEX. SOCKET M5x6
10 pcs package
stainless steel - flat end
UNI 5923 - DIN 913 - ISO 4026




ELECTROLUX PROFESSIONAL 0D0605

5017493 SCREWS WITH HEXAGON SOCKET M8x12
stainless steel - conical edge
UNI 5927 - DIN 914 - ISO 4027




ELECTROLUX PROFESSIONAL 0G4248

3528140 SELF-LOCKING HEXAGON NUT M6
stainless steel - with nylon built-in ring
UNI 7474 - DIN 985 - ISO 10511



ELECTROLUX PROFESSIONAL 049372

3528002 SELF-LOCKING HEXAGON NUT M10
in zinc plated iron alloy
with built-in nylon ring
UNI 7473 - DIN 982 - ISO 7040



ELECTROLUX PROFESSIONAL 0U0651

3528014 SLOTTED SCREW M6x16 mm



ELECTROLUX PROFESSIONAL 059860

Suitable for:

Suitable for:

1186504 WASHER FLAT M10
 internal/external \varnothing 10.5/20 mm - thickness 2 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ELECTROLUX PROFESSIONAL 0D0622

Knobs

3241709 ADAPTER FOR KNOB \varnothing 27 mm
 D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5400

3241429 BLACK KNOB \varnothing 30 mm SILK-SCREEN PRINTED



ELECTROLUX PROFESSIONAL 003704 ELECTROLUX PROFESSIONAL 056452

3241189 BLACK KNOB \varnothing 32 mm
 fixing hole \varnothing 27 mm



ELECTROLUX PROFESSIONAL 0C0190

3241190 BLACK KNOB RING NUT 110-270°C



ELECTROLUX PROFESSIONAL 0C0194

3241117 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
 D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 052604

3241118 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
 D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 054105

3241817 BLACK KNOB \varnothing 55 mm
 D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A5621

3241801 FASTENING RING - 10 PCS



ELECTROLUX PROFESSIONAL 0C6288 ELECTROLUX PROFESSIONAL 069567



ELECTROLUX PROFESSIONAL



Suitable for:

3241055 **FIXING CLIP**
for knob with hole \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 025245

3241424 **KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8**




ELECTROLUX PROFESSIONAL 0C0317 ELECTROLUX PROFESSIONAL 0C0317

3241478 **KNOB RING NUT \varnothing 84 mm 100-300°C**



ELECTROLUX PROFESSIONAL 0C0258

3241881 **BLACK KNOB \varnothing 55 mm**
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C1007

3241043 **BLACK KNOB \varnothing 55 mm SILK-SCREEN PRINTED**
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0A2126


3241866 **BLACK KNOB \varnothing 55 mm 0-300°C**
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A5143

Suitable for:

3186342 **GASKET FOR PIN \varnothing 14x4x3 mm**




ELECTROLUX PROFESSIONAL 053816

3241469 **KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8**



ELECTROLUX PROFESSIONAL 0C0318 ELECTROLUX PROFESSIONAL 0C0318 7

40C1233 **BLACK KNOB \varnothing 55 mm**



ELECTROLUX PROFESSIONAL 0C1233

3241443 **BLACK KNOB \varnothing 55 mm SILK-SCREEN PRINTED**
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059850

3241267 **BLACK KNOB \varnothing 55 mm 1-2-3-4-5-6-7**
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059469



Suitable for:

3241413 BLACK KNOB \varnothing 55 mm 100-280°C
D-shaped hole 8x6 mm



ELECTROLUX PROFESSIONAL 058776

Suitable for:

3241430 BLACK KNOB \varnothing 55 mm 105-185°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004783

3241408 BLACK KNOB \varnothing 55 mm 110-350°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059236

3241417 BLACK KNOB \varnothing 55 mm 120-300°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059468

3241440 BLACK KNOB \varnothing 55 mm 120-330°C
D-shaped hole 8x6 mm



ELECTROLUX PROFESSIONAL 059220

3241869 BLACK KNOB \varnothing 55 mm 120-330°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0A9065

3241066 BLACK KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 052138

3241260 BLACK KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004957

3241064 BLACK KNOB \varnothing 60 mm 0-1-0-1
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 050341

3241414 BLACK KNOB \varnothing 60 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004913

3241062 BLACK KNOB \varnothing 60 mm 1-2-3-4-5
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 051552

3241244 BLACK KNOB \varnothing 60 mm 1-2-3-4-5-6
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004897



ELECTROLUX PROFESSIONAL



Suitable for:

3241067 BLACK KNOB ø 60 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 026915

Suitable for:

3241246 BLACK KNOB ø 60 mm 100-190°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004924

3241248 BLACK KNOB ø 60 mm 100-300°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004916

3241245 BLACK KNOB ø 60 mm 30-90°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004909

3241421 BLACK KNOB ø 60 mm 90-250°C
hole for mertik gas valve knob




ELECTROLUX PROFESSIONAL 0A5586 ELECTROLUX PROFESSIONAL 006464

3241419 BLACK KNOB ø 70 mm HOT WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0G2258 ELECTROLUX PROFESSIONAL 059538

3241438 BLACK KNOB ø 70 mm HOT WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059516

3241140 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059304

3241141 EXTENSION FOR 820 NOVA VALVE
D-shaped pin 10x8 mm



ELECTROLUX PROFESSIONAL 059305

3241142 KNOB GASKET ø 44 mm




ELECTROLUX PROFESSIONAL 059326



Suitable for:

3241262 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 059265

Suitable for:

3241268 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 004483

3241313 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 058597

3241314 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 059206

3241315 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 002308 ELECTROLUX PROFESSIONAL 059378

3241410 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 058541

3241418 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004329

3241444 BLACK KNOB POINER



ELECTROLUX PROFESSIONAL 059207

3241420 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0A2958 ELECTROLUX PROFESSIONAL 054881 8800

ELECTROLUX PROFESSIONAL 07800A 2958

ELECTROLUX PROFESSIONAL 710A29 58

3241622 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0A2986

ELECTROLUX PROFESSIONAL 5541029



ELECTROLUX PROFESSIONAL



Suitable for:

3241815 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0A5188

Suitable for:

3526269 VALVE 820 NOVA EXTENSION
D shaft \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 002790

3241818 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004291

3241444 BLACK KNOB POINER



ELECTROLUX PROFESSIONAL 059207

3241820 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004304

3241444 BLACK KNOB POINER



ELECTROLUX PROFESSIONAL 059207

3241868 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0A5421

3525019 EXTENSION FOR BALLCOCK VALVE \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0A2135

3241879 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059386

3241880 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 059348

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059062

3241464 SELF-STICK DISK MIN/MAX
external \varnothing 63 mm






ELECTROLUX PROFESSIONAL



Suitable for:

3241463 SELF-STICK DISK WITH ARROW SYMBOL
external ø 63 mm




Suitable for:


3241451 SELF-STICK DISK WITHOUT PILOT SYMBOL
external ø 63 mm
for gas taps without pilot




3241465 SELF-STICK DISK 0-1-0-1
external ø 63 mm




3241466 SELF-STICK DISK 0-1-2-3
external ø 63 mm



3241467 SELF-STICK DISK 0-1-2-3-4-5-6
external ø 63 mm




3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps PEL




3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps EGA




3241458 SELF-STICK DISK 100-180°C
external ø 63 mm




3241456 SELF-STICK DISK 30-110°C
external ø 63 mm




3241457 SELF-STICK DISK 30-110°C
external ø 63 mm



3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



3241455 SELF-STICK DISK 30-90°C
external ø 63 mm





ELECTROLUX PROFESSIONAL




Suitable for:

3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



Suitable for:


3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm



3241462 SELF-STICK DISK 50-320°C
external ø 63 mm



3241450 SELF-STICKING DISK WITH PILOT SYMBOL
external ø 63 mm
for gas taps with pilot



3241448 BLACK KNOB ø 70 mm 0-1-0-1
D-shaped hole 6x4.6 mm



3241316 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059333

ELECTROLUX PROFESSIONAL 059230

3241269 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm




3241270 BLACK KNOB ø 70 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059779

ELECTROLUX PROFESSIONAL 059554

3241428 BLACK KNOB ø 70 mm 100-280°C
D-shaped hole 8x6.5 mm



3241506 BLACK KNOB ø 70 mm 105-185°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059422

ELECTROLUX PROFESSIONAL 059303



Suitable for:

3241832 BLACK KNOB \varnothing 70 mm 105-185°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 058591

Suitable for:

3241411 BLACK KNOB \varnothing 70 mm 120-280°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059403

3241816 BLACK KNOB \varnothing 70 mm 120-300°C
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0A5279

3241055 FIXING CLIP
for knob with hole \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 025245

3186342 GASKET FOR PIN \varnothing 14x4x3 mm



ELECTROLUX PROFESSIONAL 053816

3241317 BLACK KNOB \varnothing 70 mm 140-300°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 058537

3241441 BLACK KNOB \varnothing 70 mm 140-300°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0A2965

3241415 BLACK KNOB \varnothing 70 mm 140-320°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004330

3241446 BLACK KNOB \varnothing 70 mm 140-320°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 058542

3241477 BLACK KNOB \varnothing 70 mm 150-290°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004336

3241447 BLACK KNOB \varnothing 70 mm 150-310°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 004710



ELECTROLUX PROFESSIONAL



Suitable for:

3241412 BLACK KNOB \varnothing 70 mm 180-300°C
D-shaped hole 8x6 mm



ELECTROLUX PROFESSIONAL 059413

Suitable for:

3241444 BLACK KNOB POINER



ELECTROLUX PROFESSIONAL 059207

3241190 BLACK KNOB RING NUT 110-270°C



ELECTROLUX PROFESSIONAL 0C0194

3241425 BLACK KNOB RING NUT 110-270°C



ELECTROLUX PROFESSIONAL 0C0597

3241442 BLACK KNOB RING NUT 120-190°C



ELECTROLUX PROFESSIONAL 0C0623

3241422 BLACK KNOB RING NUT 30-90°C



ELECTROLUX PROFESSIONAL 0C0503

3241197 BLACK KNOB 46x51 mm
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C0191

3241801 FASTENING RING - 10 PCS



ELECTROLUX PROFESSIONAL 0C6288 ELECTROLUX PROFESSIONAL 069567

3241195 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



ELECTROLUX PROFESSIONAL 0C0193

3241196 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE




ELECTROLUX PROFESSIONAL 0C0192

3241266 BLACK KNOB 46x51 mm
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C0257

3241439 KNOB RING NUT \varnothing 84 mm SCREEN-PRINTED



ELECTROLUX PROFESSIONAL 0C0259




ELECTROLUX PROFESSIONAL




Suitable for:

3241445 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



ELECTROLUX PROFESSIONAL 0C0711

3241479 KNOB RING NUT \varnothing 84 mm 0-1-2-3



ELECTROLUX PROFESSIONAL 0C0560

3241507 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6



ELECTROLUX PROFESSIONAL 0C0304

3241469 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8



ELECTROLUX PROFESSIONAL 0C0318 ELECTROLUX PROFESSIONAL 0C0318 7

3241436 KNOB RING NUT \varnothing 84 mm 105-185°C



ELECTROLUX PROFESSIONAL 0C0615


3241427 KNOB RING NUT \varnothing 84 mm 30-90°C



ELECTROLUX PROFESSIONAL 0C0515

Suitable for:

3241449 KNOB RING NUT \varnothing 84 mm 0-1-0-1



ELECTROLUX PROFESSIONAL 0C0518

3241468 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6




ELECTROLUX PROFESSIONAL 0C0307

3241424 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8



ELECTROLUX PROFESSIONAL 0C0317 ELECTROLUX PROFESSIONAL 0C3017

3241478 KNOB RING NUT \varnothing 84 mm 100-300°C



ELECTROLUX PROFESSIONAL 0C0258

3241426 KNOB RING NUT \varnothing 84 mm 120-280°C



ELECTROLUX PROFESSIONAL 0C0466



ELECTROLUX PROFESSIONAL



Suitable for:


3241437 BLACK KNOB 46x51 mm
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0C0465

Suitable for:

3241196 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE




ELECTROLUX PROFESSIONAL 0C0192

3241708 BLACK KNOB 46x51 mm
new type
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5251

40C5254 BLUE KNOB ø 60 mm 110-190°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C5254

3241801 FASTENING RING - 10 PCS



ELECTROLUX PROFESSIONAL 0C6288 ELECTROLUX PROFESSIONAL 069567

3241055 FIXING CLIP
for knob with hole ø 6x4.6 mm




ELECTROLUX PROFESSIONAL 025245

3241119 GASKET FOR KNOB




ELECTROLUX PROFESSIONAL 054108

3241069 GREY KNOB ø 55 mm 0-120'
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C3022 ELECTROLUX PROFESSIONAL 003844 ELECTROLUX PROFESSIONAL 075543 ELECTROLUX PROFESSIONAL 053816

3186342 GASKET FOR PIN ø 14x4x3 mm





Suitable for:

3241104 GREY KNOB \varnothing 55 mm 120-330°C
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 059249

Suitable for:

3241247 KNOB BLACK \varnothing 16x25 mm
round hole \varnothing 6 mm



ELECTROLUX PROFESSIONAL 00329 ELECTROLUX PROFESSIONAL 004906 ELECTROLUX PROFESSIONAL 078000
ELECTROLUX PROFESSIONAL 554004 906 ELECTROLUX PROFESSIONAL 7D329
ELECTROLUX PROFESSIONAL 7TEC00 329

3241243 KNOB BLACK \varnothing 39 mm 1-10
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 003029

4050183 KNOB BLACK \varnothing 50 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 050183

5035660 KNOB BLACK \varnothing 50 mm 100-180°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K9909

4004802 KNOB BLACK \varnothing 55 mm SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004802

4059481 KNOB BLACK \varnothing 55 mm 1-2-3-4-5-6-7
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059481

4004601 KNOB BLACK \varnothing 55 mm 100-280°C
D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 004601

4006570 KNOB BLACK \varnothing 60 mm 110-190°C



ELECTROLUX PROFESSIONAL 006570

3241199 KNOB BLACK \varnothing 70 mm COLD WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059531



ELECTROLUX PROFESSIONAL



Suitable for:

4004246 KNOB BLACK \varnothing 70 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 004246

Suitable for:

3241103 KNOB BLACK \varnothing 70 mm SILKSCREEN-PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 059244

3241109 KNOB BLACK \varnothing 70 mm SILKSCREEN-PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 058534

3241110 KNOB BLACK \varnothing 70 mm SILKSCREEN-PRINTED
D-shaped hole 8x6.5 mm



ELECTROLUX PROFESSIONAL 058561

3241198 KNOB BLACK \varnothing 70 mm 0-1-2-3
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 059546

3241113 KNOB BLACK \varnothing 70 mm 110-190°C
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 003392

4004356 KNOB BLACK \varnothing 70 mm 110-190°C
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 004356

4004484 KNOB BLACK \varnothing 70 mm 110-190°C
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 004484

3241210 KNOB BLACK \varnothing 70 mm 120-300°C
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 002104

3241193 KNOB BLACK 46x51 mm



ELECTROLUX PROFESSIONAL 0C0189

3241190 BLACK KNOB RING NUT 110-270°C



ELECTROLUX PROFESSIONAL 0C0194



Suitable for:

3241425 BLACK KNOB RING NUT 110-270°C



ELECTROLUX PROFESSIONAL 0C0597

Suitable for:

3241442 BLACK KNOB RING NUT 120-190°C



ELECTROLUX PROFESSIONAL 0C0623

3241422 BLACK KNOB RING NUT 30-90°C




ELECTROLUX PROFESSIONAL 0C0503

40H6782 KNOB BLACK-WHITE ø 77 mm 120-180°C
D-shaft 6x4.6 mm




ELECTROLUX PROFESSIONAL 0H6782

40C2021 KNOB BLUE ø 32 mm




ELECTROLUX PROFESSIONAL 0C2021

40G3648 KNOB BLUE ø 60 mm
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0G3648

40C2234 KNOB BLUE ø 60 mm SCREEN PRINTED
D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 0C2234

40C2009 KNOB BLUE ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C2009

40C2014 KNOB BLUE ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C2014

40C2124 KNOB BLUE ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 0C2124

40KI391 KNOB BLUE ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0KI391



ELECTROLUX PROFESSIONAL



Suitable for:

40C2012 KNOB BLUE ø 60 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C2012

Suitable for:

40G3715 KNOB BLUE ø 60 mm 0-12
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0G3715

40G5268 KNOB BLUE ø 60 mm 1-2-3-4-5-6-7
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0G5268

40C2020 KNOB BLUE ø 60 mm 100-270°C




ELECTROLUX PROFESSIONAL 0C2020

40C2023 KNOB BLUE ø 60 mm 100-270°C




ELECTROLUX PROFESSIONAL 0C2023

40C5253 KNOB BLUE ø 60 mm 100-270°C
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C5253

40C5256 KNOB BLUE ø 60 mm 100-270°C
D-shaped hole 8x6.5 mm




ELECTROLUX PROFESSIONAL 0C5256

40C2015 KNOB BLUE ø 60 mm 100-300°C
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0C2015

40C2232 KNOB BLUE ø 60 mm 105-185°C
D-shaped hole 6x4.6 mm




ELECTROLUX PROFESSIONAL 0C2232

40C2231 KNOB BLUE ø 60 mm 110-190°C



ELECTROLUX PROFESSIONAL 0C2231

40C2011 KNOB BLUE ø 60 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C2011

40K5583 KNOB BLUE CONTROL PANEL ø 20 mm
D-shaped hole 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5583 ELECTROLUX PROFESSIONAL 0K5591



ELECTROLUX PROFESSIONAL



Suitable for:

3241108 KNOB CAP



ELECTROLUX PROFESSIONAL 025255 ELECTROLUX PROFESSIONAL 054367

Suitable for:

**4010142 KNOB FOR VALVE \varnothing 67 mm
square hole 7x7 mm**



ELECTROLUX PROFESSIONAL 010142 ELECTROLUX PROFESSIONAL 031528 0901
ELECTROLUX PROFESSIONAL 078001 0142
ELECTROLUX PROFESSIONAL 710101 42
ELECTROLUX PROFESSIONAL 728005

ELECTROLUX PROFESSIONAL 554010
ELECTROLUX PROFESSIONAL 702101

3241142 KNOB GASKET \varnothing 44 mm




ELECTROLUX PROFESSIONAL 059326

**4031320 KNOB GREY \varnothing 55 mm 0-10
D-shaped hole 6x4.6 mm**



ELECTROLUX PROFESSIONAL 031320

3241439 KNOB RING NUT \varnothing 84 mm SCREEN-PRINTED




ELECTROLUX PROFESSIONAL 0C0259

3241195 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE




ELECTROLUX PROFESSIONAL 0C0193

3241196 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE




ELECTROLUX PROFESSIONAL 0C0192

3241445 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE




ELECTROLUX PROFESSIONAL 0C0711

3241449 KNOB RING NUT \varnothing 84 mm 0-1-0-1



ELECTROLUX PROFESSIONAL 0C0518

3241479 KNOB RING NUT \varnothing 84 mm 0-1-2-3




ELECTROLUX PROFESSIONAL 0C0560

3241468 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6



ELECTROLUX PROFESSIONAL 0C0307

3241507 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6



ELECTROLUX PROFESSIONAL 0C0304



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3241424 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8

3241469 KNOB RING NUT \varnothing 84 mm 1-2-3-4-5-6-7-8




ELECTROLUX PROFESSIONAL 0C0317 ELECTROLUX PROFESSIONAL 0C3017

ELECTROLUX PROFESSIONAL 0C0318 ELECTROLUX PROFESSIONAL 0C0318 7

3241478 KNOB RING NUT \varnothing 84 mm 100-300°C

3241436 KNOB RING NUT \varnothing 84 mm 105-185°C



ELECTROLUX PROFESSIONAL 0C0258

ELECTROLUX PROFESSIONAL 0C0615

3241426 KNOB RING NUT \varnothing 84 mm 120-280°C

3241427 KNOB RING NUT \varnothing 84 mm 30-90°C



ELECTROLUX PROFESSIONAL 0C0466

ELECTROLUX PROFESSIONAL 0C0515

40C2006 RING NUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 122x87 mm

40C2008 RING NUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



ELECTROLUX PROFESSIONAL 0C2006

ELECTROLUX PROFESSIONAL 0C2008

40C2007 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm

40C2017 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



ELECTROLUX PROFESSIONAL 0C2007

ELECTROLUX PROFESSIONAL 0C2017

40KL289 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm

3241107 TAP KNOB - BLACK \varnothing 50 mm
square hole 7x7 mm



ELECTROLUX PROFESSIONAL 0KL289

ELECTROLUX PROFESSIONAL 025260 ELECTROLUX PROFESSIONAL 054254



Suitable for:

Suitable for:

Labels for control panels

5056458 ADHESIVE CONTROL PLATE DX 590x95 mm



ELECTROLUX PROFESSIONAL 0KG239

4088441 ADHESIVE CONTROL PLATE 238x75 mm



ELECTROLUX PROFESSIONAL 088441

5060178 ADHESIVE CONTROL PLATE 238x75 mm



ELECTROLUX PROFESSIONAL 088438

3399137 ADHESIVE CONTROL PLATE 265x85 mm



ELECTROLUX PROFESSIONAL 0C2330

3399138 ADHESIVE CONTROL PLATE 265x85 mm



ELECTROLUX PROFESSIONAL 0D6267

40D7225 ADHESIVE CONTROL PLATE 265x85 mm



ELECTROLUX PROFESSIONAL 0D7225

40KG240 ADHESIVE CONTROL PLATE 590x95 mm



ELECTROLUX PROFESSIONAL 0KG240


4032674 CONTROL PANEL 330x210x82 mm



ELECTROLUX PROFESSIONAL 032674

Lamp receptacles and spare parts

3520022 FLAME FOR OVEN GLASS \varnothing 76 mm



ELECTROLUX PROFESSIONAL 002628

3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



ELECTROLUX PROFESSIONAL 0H2410 ELECTROLUX PROFESSIONAL 055022



ELECTROLUX PROFESSIONAL




Suitable for:

Suitable for:

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS



ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 002626

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
thread \varnothing 63 mm - overall height 45 mm

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C



ELECTROLUX PROFESSIONAL 003451 ELECTROLUX PROFESSIONAL 004163 ELECTROLUX PROFESSIONAL 5540034 ELECTROLUX PROFESSIONAL 0H6989
ELECTROLUX PROFESSIONAL 710034 51 ELECTROLUX PROFESSIONAL 7370069

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm



ELECTROLUX PROFESSIONAL 0F0071 ELECTROLUX PROFESSIONAL 0K8365 ELECTROLUX PROFESSIONAL 002627

3221404 HALOGEN LAMP RECEPTACLE G4 20W 12V
wire connection length 370 mm
mounting hole \varnothing 42 mm

3520022 FLAME FOR OVEN GLASS \varnothing 76 mm



ELECTROLUX PROFESSIONAL 0C1555 ELECTROLUX PROFESSIONAL 006106

ELECTROLUX PROFESSIONAL 002628

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm



ELECTROLUX PROFESSIONAL 002626

ELECTROLUX PROFESSIONAL 0F0071 ELECTROLUX PROFESSIONAL 0K8365 ELECTROLUX PROFESSIONAL 002627



ELECTROLUX PROFESSIONAL



Suitable for:

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0S1983

Suitable for:

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



ELECTROLUX PROFESSIONAL 007056 ELECTROLUX PROFESSIONAL 066080 6500

ELECTROLUX PROFESSIONAL 600503 18

ELECTROLUX PROFESSIONAL 7PDO66

40C4459 LAMP CAP OVEN ø 40 mm
internal ø 13 mm



ELECTROLUX PROFESSIONAL 0C4459

5013466 LAMP HOLDER WITH LAMP E14 25W 230V
extern size 140x72 mm
maximal temperature 300°C



ELECTROLUX PROFESSIONAL 0H6617 ELECTROLUX PROFESSIONAL 0K7521 ELECTROLUX PROFESSIONAL 054991

3221255 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 140x72 mm



3221257 GASKET F. OVEN LAMP RECEPTACLE SILICONE
external dimensions 140x75 mm



ELECTROLUX PROFESSIONAL 0H2410 ELECTROLUX PROFESSIONAL 055022

3221256 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 112x65 mm
max temperature 500°C




ELECTROLUX PROFESSIONAL 0H6989

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3221120 LAMP RECEPTACLE FOR LAMP E14 25W 230V
dimensioni esterne 106x65 mm





ELECTROLUX PROFESSIONAL




Suitable for:

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C

Suitable for:



3221399 LAMP RECEPTACLE E14 25W 230V
max temperature 300°C



ELECTROLUX PROFESSIONAL 002625

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS




ELECTROLUX PROFESSIONAL 002626

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole ø 38 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL 0C5508 ELECTROLUX PROFESSIONAL 002625

3520022 FLAME FOR OVEN GLASS ø 76 mm



ELECTROLUX PROFESSIONAL 002628

3520021 GLASS FOR OVEN LAMP RECEPTACLE ø 44 mm



ELECTROLUX PROFESSIONAL 0F0071 ELECTROLUX PROFESSIONAL 0K8365 ELECTROLUX PROFESSIONAL 002627

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C





Suitable for:

Suitable for:

3221649 LAMP RECEPTACLE WITH GLASS E14
 WITHOUT BULB
 lamp glass \varnothing 72 mm
 mounting hole \varnothing 68 mm
 max temperature 300°C



ELECTROLUX PROFESSIONAL 004160

3221351 GASKET FOR LAMP RECEPTACLE \varnothing 79.5 mm




ELECTROLUX PROFESSIONAL 005875

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
 thread \varnothing 63 mm - overall height 45 mm




ELECTROLUX PROFESSIONAL 003451 ELECTROLUX PROFESSIONAL 004163 ELECTROLUX PROFESSIONAL 5540034
 ELECTROLUX PROFESSIONAL 710034 51 ELECTROLUX PROFESSIONAL 7370069

D221007 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass \varnothing 46 mm
 max. temperature 300°C



ELECTROLUX PROFESSIONAL 054318

3221041 LAMP E14 15W 230V
 max temperature 300°C - dimensions \varnothing 22x50 mm



ELECTROLUX PROFESSIONAL 0H7035

D421015 OVEN LAMP DR FISCHER E14 15W 230V
 \varnothing 22x49 mm - max temperature 300°C




3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V
 lamp glass \varnothing 57 mm
 mounting hole \varnothing 42 mm
 max temperature 300°C
 for OVEN



ELECTROLUX PROFESSIONAL

3221053 GASKET FOR OVEN LAMP RECEPTACLE
 dimensions \varnothing 48x38x5 mm
 for OVEN



ELECTROLUX PROFESSIONAL



ELECTROLUX PROFESSIONAL




Suitable for:

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm




Suitable for:

3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions \varnothing 22x50 mm



ELECTROLUX PROFESSIONAL 0H7035

2101372 LAMP RECEPTACLE FOR LAMP E14 15-25W 230V
mounting hole \varnothing 38 mm
max temperature 300°C



D421015 OVEN LAMP DR FISCHER E14 15W 230V
 \varnothing 22x49 mm - max temperature 300°C



ELECTROLUX PROFESSIONAL 0C5508 ELECTROLUX PROFESSIONAL 002625

3221040 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 54 mm
mounting hole \varnothing 45 mm
max temperature 300°C



3221061 LAMP E14 25W 230V
max temperature 300°C - \varnothing 26x57 mm



ELECTROLUX PROFESSIONAL 056708

D421016 OVEN LAMP DR FISCHER E14 25W 230V
 \varnothing 25x57 mm - max temperature 300°C



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

3621011 OVEN LAMP RECEPTACLE GLASS \varnothing 54 mm
thread \varnothing 44 mm - total height 42.6 mm



3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
ceramic foot \varnothing 30 mm
external dimensions 80x65 mm
max. temperature 300°C



5064670 GLASS FOR LIGHT RECEPTACLE OVEN
external dimensions 80x65 mm



ELECTROLUX PROFESSIONAL J56852 ELECTROLUX PROFESSIONAL 0K3363 ELECTROLUX PROFESSIONAL 0700568
ELECTROLUX PROFESSIONAL 289070 0568520 ELECTROLUX PROFESSIONAL 7D56852
ELECTROLUX PROFESSIONAL 77705U 10323



ELECTROLUX PROFESSIONAL



Suitable for:

3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



Suitable for:

D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

5072410 LAMP RECEPTACLE WITH LAMP E14 25W 230V
ceramic base ø 30 mm
external dimensions 75x60 mm
max. temperature 300°C



3221172 FRAME FOR OVEN LAMP RECEPTACLE
external dimensions 96x80 mm



ELECTROLUX PROFESSIONAL 003956


3186173 GASKET FOR OVEN LAMP RECEPTACLE
external dimensions 93x79 mm



3221173 GLASS FOR OVEN LAMP RECEPTACLE
external dimensions 73x58 mm



3221061 LAMP E14 25W 230V
max temperature 300°C - ø 26x57 mm



D421016 OVEN LAMP DR FISCHER E14 25W 230V
ø 25x57 mm - max temperature 300°C



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V

lamp glass \varnothing 72 mm
mounting hole \varnothing 68 mm
max temperature 300°C



ELECTROLUX PROFESSIONAL ADN000 003
ELECTROLUX PROFESSIONAL ME0000 360
ELECTROLUX PROFESSIONAL Z05484 ELECTROLUX PROFESSIONAL 0H6613 ELECTROLUX PROFESSIONAL 004160
ELECTROLUX PROFESSIONAL 054840 ELECTROLUX PROFESSIONAL 066080 2502
ELECTROLUX PROFESSIONAL 070024 5812
ELECTROLUX PROFESSIONAL 078005 4840
ELECTROLUX PROFESSIONAL 289070 0245812
ELECTROLUX PROFESSIONAL 500548 40009
ELECTROLUX PROFESSIONAL 7D2458 12
ELECTROLUX PROFESSIONAL 7D5685 29
ELECTROLUX PROFESSIONAL 710041 63
ELECTROLUX PROFESSIONAL 700224 5812

ELECTROLUX PROFESSIONAL B26E14
ELECTROLUX PROFESSIONAL Z004163
ELECTROLUX PROFESSIONAL 0700568
ELECTROLUX PROFESSIONAL 245812
ELECTROLUX PROFESSIONAL 440403
ELECTROLUX PROFESSIONAL 5540548
ELECTROLUX PROFESSIONAL 7D44040
ELECTROLUX PROFESSIONAL 7100416
ELECTROLUX PROFESSIONAL 7105484
ELECTROLUX PROFESSIONAL 7021054

3221351 GASKET FOR LAMP RECEPTACLE \varnothing 79.5 mm



3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm thread \varnothing 63 mm - overall height 45 mm



ELECTROLUX PROFESSIONAL 003451 ELECTROLUX PROFESSIONAL 004163 ELECTROLUX PROFESSIONAL 5540034
ELECTROLUX PROFESSIONAL 710034 51 ELECTROLUX PROFESSIONAL 7370069

5026552 HALOGEN LAMP OSRAM E14 40W 230V dimensions 80x26 mm max temperature 300°C



D421020 HOOD LAMP DR FISCHER E14 40W 230V \varnothing 25x86 mm



5059251 LAMP FOR OVEN E14 40W 220/230V max. temperature 500°C dimensions \varnothing 25x67 mm



3221649 LAMP RECEPTACLE WITH GLASS E14 WITHOUT BULB lamp glass \varnothing 72 mm mounting hole \varnothing 68 mm max temperature 300°C



ELECTROLUX PROFESSIONAL 004160

D421019 OVEN LAMP DR FISCHER E14 40W 230V \varnothing 45x78 mm - max temperature 300°C





ELECTROLUX PROFESSIONAL



Suitable for:

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



ELECTROLUX PROFESSIONAL 066070 0000
ELECTROLUX PROFESSIONAL 081696 ELECTROLUX PROFESSIONAL 500816 96002
ELECTROLUX PROFESSIONAL 554081 696
ELECTROLUX PROFESSIONAL 702108 1696

Suitable for:

ELECTROLUX PROFESSIONAL 0780081
ELECTROLUX PROFESSIONAL 7108169

4007055 RECEPTACLE/HALOGEN LAMP G4 20W 12V
wire connection length 2400 mm
mounting hole \varnothing 35 mm



ELECTROLUX PROFESSIONAL 007055

3186422 GASKET FOR OVEN LAMP RECEPTACLE GLASS



ELECTROLUX PROFESSIONAL 002626

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 300°C



ELECTROLUX PROFESSIONAL 0S1983

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



ELECTROLUX PROFESSIONAL 007056 ELECTROLUX PROFESSIONAL 066080 6500
ELECTROLUX PROFESSIONAL 600503 18

ELECTROLUX PROFESSIONAL 7PDC660

3520022 FLAME FOR OVEN GLASS \varnothing 76 mm



ELECTROLUX PROFESSIONAL 002628

3520021 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 44 mm



ELECTROLUX PROFESSIONAL 0F0071 ELECTROLUX PROFESSIONAL 0K8365 ELECTROLUX PROFESSIONAL 002627

40C4459 LAMP CAP OVEN \varnothing 40 mm
internal \varnothing 13 mm



ELECTROLUX PROFESSIONAL 0C4459



ELECTROLUX PROFESSIONAL



Suitable for:

40E3681 RECEPTACLE WITH LAMP E14 15W 230V
glass for lamp \varnothing 42 mm
mounting hole \varnothing 38 mm
maximum temperature 300°C




ELECTROLUX PROFESSIONAL 0E3681

Suitable for:

3221233 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 42 mm
thread \varnothing 33 mm - overall height 26 mm



3221041 LAMP E14 15W 230V
max temperature 300°C - dimensions \varnothing 22x50 mm



ELECTROLUX PROFESSIONAL 0H7035

D421015 OVEN LAMP DR FISCHER E14 15W 230V
 \varnothing 22x49 mm - max temperature 300°C



Lava stone

3310008 LAVA ROCK MEDIUM-LARGE Kg 5
medium-large size



ELECTROLUX PROFESSIONAL 050859

Lava stone grids

40C2571 CAST IRON GRID 478x175 mm



ELECTROLUX PROFESSIONAL 0C2571

40C0450 CAST IRON SUPPORT GRID 640x160x50 mm




ELECTROLUX PROFESSIONAL 0C0450

3312068 COOKING GRID 640x175 mm



ELECTROLUX PROFESSIONAL 0CB528 ELECTROLUX PROFESSIONAL 0C0424

3312039 KIT COOKING GRID 540x340 mm



ELECTROLUX PROFESSIONAL 0C6879 ELECTROLUX PROFESSIONAL 0C9059 ELECTROLUX PROFESSIONAL 053693



Suitable for:


3185051 STAINLESS STEEL GRILL 440x290x20 mm



ELECTROLUX PROFESSIONAL 056657

Suitable for:

3185103 STAINLESS STEEL GRILL 445x285x20 mm




ELECTROLUX PROFESSIONAL 006205

3185059 STAINLESS STEEL GRILL 600x345x20 mm
for new series



ELECTROLUX PROFESSIONAL 002385

3185079 STAINLESS STEEL GRILL 635x445x20 mm



ELECTROLUX PROFESSIONAL 006206

3185078 STAINLESS STEEL GRILL 715x600x20 mm



ELECTROLUX PROFESSIONAL 002395 ELECTROLUX PROFESSIONAL 0780002395

ELECTROLUX PROFESSIONAL 0830877701

ELECTROLUX PROFESSIONAL 5540023

ELECTROLUX PROFESSIONAL 71002395

Leak detectors for gas

3394009 LEAK DETECTOR FOR GAS SE151NM
for natural gas and lpg leaks finding.
standard 4 batteries 1.5V power supply
battery life 7 hours of continuous working
with imitation leather case
calibration is reached through sensitivity adjustm
in no polluting gas air so that
the buzzer gives one pulse every second.
As soon as the sensor is in a polluted
environment the pulses frequency
increases.



ELECTROLUX PROFESSIONAL SE151N ELECTROLUX PROFESSIONAL 0S2023 ELECTROLUX PROFESSIONAL 710S202



Suitable for:

Suitable for:

Level gauges

3201004 LEVEL GLASS \varnothing 10x167 mm
for PAN




ELECTROLUX PROFESSIONAL 0C5352 ELECTROLUX PROFESSIONAL 059856

3186340 O-RING 03037 EPDM
ring thickness 2.62 mm - internal \varnothing 9.19 mm



ELECTROLUX PROFESSIONAL 002923 ELECTROLUX PROFESSIONAL 069550

4002986 LEVEL GLASS \varnothing 10x77 mm



ELECTROLUX PROFESSIONAL 002986

Level regulators

3341000 LEVEL REGULATOR RL30/3ES/F/G
230V 50/60Hz



ELECTROLUX PROFESSIONAL 0C0937 ELECTROLUX PROFESSIONAL 055458

3341003 LEVEL PROBE \varnothing 1/4"M-110 mm



ELECTROLUX PROFESSIONAL 056449

3341002 LEVEL PROBE \varnothing 1/4"M-114.5 mm



ELECTROLUX PROFESSIONAL 0C1086 ELECTROLUX PROFESSIONAL 055346

3341001 LEVEL PROBE \varnothing 1/4"M-155 mm



ELECTROLUX PROFESSIONAL 0C1055 ELECTROLUX PROFESSIONAL 0C1105 ELECTROLUX PROFESSIONAL 053909

3391037 LEVEL PROBE SPACER
external \varnothing 8 mm
internal \varnothing 2.5 mm
overall length 11.5 mm



ELECTROLUX PROFESSIONAL 055347

3391038 LEVEL PROBE SPACER
external \varnothing 8 mm - 7.5 mm height



ELECTROLUX PROFESSIONAL 055435



Suitable for:

Suitable for:

3341038 LEVEL REGULATOR RL30/3ES/11
24V 50/60Hz



ELECTROLUX PROFESSIONAL 053913

Lubricants

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF H1 certified
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ELECTROLUX PROFESSIONAL 0S1145

3180002 GREASE STABURAGS N32 50 g
high quality grease for high temperatures
to lubricate gas taps



ELECTROLUX PROFESSIONAL 0S0001 ELECTROLUX PROFESSIONAL 0S0002 ELECTROLUX PROFESSIONAL 0S0183
ELECTROLUX PROFESSIONAL 0S0245

3180103 GREASE TUBE FERMIT GLISSA 60 g
temperature $-20+140^{\circ}\text{C}$
special grease for taps
it can be used with food and potable water
in compliance with KTW German Department of Health



ELECTROLUX PROFESSIONAL 0S0353

Magnet groups

3182018 MAGNETIC UNIT MINISIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
thermocouple connection M10x1



ELECTROLUX PROFESSIONAL 0K0669

3182009 MAGNETIC UNIT PEL BIG HEAD
head \varnothing 15.5 mm - end piece \varnothing 14 mm - length 44 mm
for PEL tap model 22-24




ELECTROLUX PROFESSIONAL 056594



Suitable for:

3182011 MAGNETIC UNIT PEL SMALL HEAD
head \varnothing 15 mm - end piece \varnothing 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELECTROLUX PROFESSIONAL 056595 ELECTROLUX PROFESSIONAL 078005 6595
ELECTROLUX PROFESSIONAL 0982 ELECTROLUX PROFESSIONAL 554056 595
ELECTROLUX PROFESSIONAL 710565 95

Suitable for:

3182003 MAGNETIC UNIT SIT
head \varnothing 25 mm - end piece \varnothing 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




ELECTROLUX PROFESSIONAL 056587

3182005 MAGNETIC UNIT SIT
head \varnothing 19 mm - end piece \varnothing 14.5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ELECTROLUX PROFESSIONAL 056588

3182008 MAGNETIC UNIT SIT
head \varnothing 35 mm - end piece \varnothing 20 mm - length 47 mm
for valve SIT NOVASIT 820



ELECTROLUX PROFESSIONAL 056589

3182020 PEL MAGNETIC GROUP
head \varnothing 24 mm - end \varnothing 18 mm - length 59 mm
thermocouple fitting M9x1
for tap PEL model 235



ELECTROLUX PROFESSIONAL 056596

Magnets

3242112 DOOR LOCK MAGNET
distance between magnetic part holes 37 mm
distance between holes of strike plate 31 mm



ELECTROLUX PROFESSIONAL 004266

3242115 DOOR LOCK MAGNET \varnothing 33 mm



ELECTROLUX PROFESSIONAL 059902

5009179 MAGNET DOOR LOCKING \varnothing 32 mm
thread M5x15 mm



ELECTROLUX PROFESSIONAL 0C0201



Suitable for:

Suitable for:

Measuring tools

3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F
 watertight and shockproof
 battery powered and auto power off
 measurement unit selectable in degrees °C/°F
 resolution 0.1°C - accuracy $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$
 memory button - ON/OFF button
 complete with case



ELECTROLUX PROFESSIONAL 0S2040

3394207 DIGITAL THERMOMETER -50+70°C BLACK
 battery powered
 front battery
 working temperature 0+50°C
 accuracy $\pm 1^\circ\text{C}$
 resolution 0.1°C
 dimensions 62.5x29.5x19 mm
 remote probe 1600 mm



ELECTROLUX PROFESSIONAL 099993

Microswitches, magnetic


9100050 MAGNETIC MICROSWITCH PSA60010
 2A 240Vac - contact NO - head 52x16x7 mm
 with cable length 350 mm



ELECTROLUX PROFESSIONAL 0D6673 ELECTROLUX PROFESSIONAL 0KJ006 ELECTROLUX PROFESSIONAL 032634

Microswitches, mechanical

3240605 DOOR MICROSWITCH M1AX20 10A 250V



ELECTROLUX PROFESSIONAL 002785 ELECTROLUX PROFESSIONAL 046063 ELECTROLUX PROFESSIONAL 0640803
 ELECTROLUX PROFESSIONAL 078000 2785 ELECTROLUX PROFESSIONAL 5000278
 ELECTROLUX PROFESSIONAL 554002 785 ELECTROLUX PROFESSIONAL 7100278
 ELECTROLUX PROFESSIONAL 702100 2785

3240144 MICROSWITCH BITRON TYPE S16
 16A 250V



3240282 MICROSWITCH BITRON TYPE 209
 0.5A 250V



ELECTROLUX PROFESSIONAL 004241

3240584 MICROSWITCH BITRON TYPE 209
 0.5A 250V



ELECTROLUX PROFESSIONAL 004288



Suitable for:


Suitable for:

4059565 MICROSWITCH CHERRY DC1
6A 250V - head 20x15x6 mm
with cable length 1400 mm



ELECTROLUX PROFESSIONAL 059565

3240820 MICROSWITCH ELECTRICA NR48W5
1NO + 1NC 16A 250V



ELECTROLUX PROFESSIONAL 0KB678
ELECTROLUX PROFESSIONAL 064080 4500
ELECTROLUX PROFESSIONAL 325629 451
ELECTROLUX PROFESSIONAL 7D4943 25629450

3240152 BUSHING FOR MICROSWITCH




ELECTROLUX PROFESSIONAL 047485
ELECTROLUX PROFESSIONAL 053671
ELECTROLUX PROFESSIONAL 047487

3240473 GASKET FOR BUSHING



ELECTROLUX PROFESSIONAL 047490

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404
ELECTROLUX PROFESSIONAL 45404

5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH



ELECTROLUX PROFESSIONAL 047488

3240154 SPRING FOR MICROSWITCH ROD



ELECTROLUX PROFESSIONAL 047489



Suitable for:

3240407 MICROSWITCH KIT 16A 250V
 2 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheel - lever 27 mm with wheel




ELECTROLUX PROFESSIONAL 069484

Suitable for:

3240568 MICROSWITCH CROUZET EF83161.3
 1NO+NC 16A 250V
 complete with roll lever 28 mm




3240241 MICROSWITCH OMRON V-166-1C5
 1NO + 1NC 16A 250V
 with roll lever 28 mm



ELECTROLUX PROFESSIONAL LF-324 0927

9240007 MICROSWITCH PIZZATO MKV11D30
 16A 250V



ELECTROLUX PROFESSIONAL 004175

3240406 MICROSWITCH SAIA-BURGESS
 model XGK2-88-S20Z1
 10(4)A 250V



ELECTROLUX PROFESSIONAL 0H6597

9240002 MICROSWITCH SAIA-BURGESS XP52-Z51
 16A 250V



ELECTROLUX PROFESSIONAL 0E1685

3803138 MICROSWITCH SAIA-BURGESS XTD22J
 16.5A 400V



ELECTROLUX PROFESSIONAL 0K3516 ELECTROLUX PROFESSIONAL 004927

3803126 MICROSWITCH SAIA-BURGESS 250V
 with bracket 100x35 mm
 head 20x15x6 mm - with cable length 800 mm



ELECTROLUX PROFESSIONAL 0G6381 ELECTROLUX PROFESSIONAL 0K5144

3240410 MICROSWITCH 16(4)A 250V



ELECTROLUX PROFESSIONAL 0K1395 ELECTROLUX PROFESSIONAL 023208 00102

ELECTROLUX PROFESSIONAL 070024 5040

ELECTROLUX PROFESSIONAL 7D2450 40

3240203 BUSHING DOOR MICROSWITCH
 external \varnothing 10x15 mm



ELECTROLUX PROFESSIONAL 345032



Suitable for:

3240236 LIMIT SWITCH CONTROL



3240233 MICROSWITCH FITTING M16x1.5 mm



3240235 RING NUT M16x1.5 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3240234 LIMIT SWITCH PIN



3250071 MICROSWITCH SPRING \varnothing 13x25 mm



Motor fans for hoods

3526202 SPEED REGULATOR 2500W

power supply 230V 50Hz
rated power 2500W
operating direct current 12A
max current 18A
sizes 105x82x170 mm

Technical note:

It starts and changes its speed gradually
in order to avoid harmful
motor hammers



ELECTROLUX PROFESSIONAL 032986



Suitable for:

Suitable for:

Motors

3528013 BLIND HEXAGONAL NUT M6
for motor fan



ELECTROLUX PROFESSIONAL 0C3061

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



ELECTROLUX PROFESSIONAL STVR04 03400
ELECTROLUX PROFESSIONAL 0A2010 ELECTROLUX PROFESSIONAL 004933
ELECTROLUX PROFESSIONAL 031484 ELECTROLUX PROFESSIONAL 054314
ELECTROLUX PROFESSIONAL 068230 0701
ELECTROLUX PROFESSIONAL 078000 4933
ELECTROLUX PROFESSIONAL 078005 4314
ELECTROLUX PROFESSIONAL 481852 483
ELECTROLUX PROFESSIONAL 500543 14005
ELECTROLUX PROFESSIONAL 554004 933
ELECTROLUX PROFESSIONAL 710314 84
ELECTROLUX PROFESSIONAL 7TEC00 565
ELECTROLUX PROFESSIONAL 702105 4314

ELECTROLUX PROFESSIONAL Z03148
ELECTROLUX PROFESSIONAL 00565
ELECTROLUX PROFESSIONAL 0682R0
ELECTROLUX PROFESSIONAL 068230
ELECTROLUX PROFESSIONAL 078003
ELECTROLUX PROFESSIONAL 481851
ELECTROLUX PROFESSIONAL 500314
ELECTROLUX PROFESSIONAL 502185
ELECTROLUX PROFESSIONAL 7D565
ELECTROLUX PROFESSIONAL 710543
ELECTROLUX PROFESSIONAL 702103

Nozzles

3500274 GAS JET ø 0.80 mm



ELECTROLUX PROFESSIONAL 050675

3500019 GAS JET M10x1 ø 1.45 mm



ELECTROLUX PROFESSIONAL 056470

3500346 GAS JET ø M10x1 ø 2.45 mm



ELECTROLUX PROFESSIONAL 002267 ELECTROLUX PROFESSIONAL 051680 6100
ELECTROLUX PROFESSIONAL 078000 2267
ELECTROLUX PROFESSIONAL 710022 67

ELECTROLUX PROFESSIONAL 5540022
ELECTROLUX PROFESSIONAL 7278030

3500150 GAS JET ø 0.70 mm



ELECTROLUX PROFESSIONAL 021442 7900
ELECTROLUX PROFESSIONAL 078005 0679
ELECTROLUX PROFESSIONAL 710506 79

ELECTROLUX PROFESSIONAL 050679
ELECTROLUX PROFESSIONAL 554050
ELECTROLUX PROFESSIONAL 702105

3500151 GAS JET ø 0.85 mm



ELECTROLUX PROFESSIONAL 025983

3500281 GAS JET ø 0.90 mm



ELECTROLUX PROFESSIONAL 051121

3500152 GAS JET ø 0.95 mm



ELECTROLUX PROFESSIONAL 026717

3500153 GAS JET ø 1.00 mm



ELECTROLUX PROFESSIONAL 026212 ELECTROLUX PROFESSIONAL 050501



ELECTROLUX PROFESSIONAL



Suitable for:

3500154 GAS JET \varnothing 1.10 mm



ELECTROLUX PROFESSIONAL 025865

Suitable for:

3500155 GAS JET \varnothing 1.15 mm



ELECTROLUX PROFESSIONAL 026785

3500302 GAS JET \varnothing 1.20 mm



ELECTROLUX PROFESSIONAL 026213

3500156 GAS JET \varnothing 1.25 mm



ELECTROLUX PROFESSIONAL 026788

3500157 GAS JET \varnothing 1.30 mm



ELECTROLUX PROFESSIONAL 026718

3500158 GAS JET \varnothing 1.35 mm



ELECTROLUX PROFESSIONAL 025866

3500159 GAS JET \varnothing 1.40 mm



ELECTROLUX PROFESSIONAL 026786

3500160 GAS JET \varnothing 1.45 mm



ELECTROLUX PROFESSIONAL 045676

3500161 GAS JET \varnothing 1.50 mm



ELECTROLUX PROFESSIONAL 025954

3500162 GAS JET \varnothing 1.55 mm



ELECTROLUX PROFESSIONAL 050515

3500163 GAS JET \varnothing 1.60 mm



ELECTROLUX PROFESSIONAL 026000 ELECTROLUX PROFESSIONAL 026622 ELECTROLUX PROFESSIONAL 026954 ELECTROLUX PROFESSIONAL 025867 ELECTROLUX PROFESSIONAL 051872

3500165 GAS JET \varnothing 1.80 mm





ELECTROLUX PROFESSIONAL



Suitable for:

4025868 GAS JET \varnothing 1.85 mm



ELECTROLUX PROFESSIONAL 025868

Suitable for:

3500166 GAS JET \varnothing 1.90 mm



ELECTROLUX PROFESSIONAL 025953

3500167 GAS JET \varnothing 2.00 mm



ELECTROLUX PROFESSIONAL 026720

4050750 GAS JET \varnothing 2.05 mm



ELECTROLUX PROFESSIONAL 050750

3500168 GAS JET \varnothing 2.10 mm



ELECTROLUX PROFESSIONAL 026787

4050591 GAS JET \varnothing 2.15 mm



ELECTROLUX PROFESSIONAL 050591

3500169 GAS JET \varnothing 2.20 mm



ELECTROLUX PROFESSIONAL 0C4363 ELECTROLUX PROFESSIONAL 026214

4050493 GAS JET \varnothing 2.30 mm



ELECTROLUX PROFESSIONAL 050493

3500170 GAS JET \varnothing 2.40 mm



ELECTROLUX PROFESSIONAL 050807

3500171 GAS JET \varnothing 2.50 mm



ELECTROLUX PROFESSIONAL 051072

2103339 GAS JET \varnothing 2.70 mm



ELECTROLUX PROFESSIONAL 051460

4057512 GAS JET \varnothing 3.20 mm



ELECTROLUX PROFESSIONAL 057512



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

**4059357 GAS JET M10x1 \varnothing 0.85 mm
for COOKING RANGE**

5000681 GAS JET M10x1 \varnothing 0.90 mm



ELECTROLUX PROFESSIONAL 059357

ELECTROLUX PROFESSIONAL 002265

3500021 GAS JET M10x1 \varnothing 0.95 mm

3500022 GAS JET M10x1 \varnothing 1.00 mm



ELECTROLUX PROFESSIONAL 0A0517 8500
ELECTROLUX PROFESSIONAL 07800A 2088
ELECTROLUX PROFESSIONAL 554002 088
ELECTROLUX PROFESSIONAL 70210A 2088

ELECTROLUX PROFESSIONAL 0A2088
ELECTROLUX PROFESSIONAL 5001208
ELECTROLUX PROFESSIONAL 710A208
ELECTROLUX PROFESSIONAL 7278010

4059328 GAS JET M10x1 \varnothing 1.05 mm

3500023 GAS JET M10x1 \varnothing 1.10 mm



ELECTROLUX PROFESSIONAL 0G2885 ELECTROLUX PROFESSIONAL 059328

ELECTROLUX PROFESSIONAL 0A2076

4059314 GAS JET M10x1 \varnothing 1.15 mm

5015539 GAS JET M10x1 \varnothing 1.15 mm



ELECTROLUX PROFESSIONAL 059314

ELECTROLUX PROFESSIONAL 005935

3500025 GAS JET M10x1 \varnothing 1.20 mm

3500026 GAS JET M10x1 \varnothing 1.25 mm



ELECTROLUX PROFESSIONAL 0A2650

ELECTROLUX PROFESSIONAL 0A2101

5005655 GAS JET M10x1 \varnothing 1.25 mm

3500027 GAS JET M10x1 \varnothing 1.30 mm



ELECTROLUX PROFESSIONAL 059804

ELECTROLUX PROFESSIONAL 002393



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

5015401 GAS JET M10x1 ø 1.30 mm

3500338 GAS JET M10x1 ø 1.35 mm



ELECTROLUX PROFESSIONAL 059364

ELECTROLUX PROFESSIONAL 004732

5013384 GAS JET M10x1 ø 1.35 mm

3500028 GAS JET M10x1 ø 1.45 mm



ELECTROLUX PROFESSIONAL 0A2533

ELECTROLUX PROFESSIONAL 0A2082 ELECTROLUX PROFESSIONAL 0A2091

3500029 GAS JET M10x1 ø 1.50 mm

5015576 GAS JET M10x1 ø 1.50 mm



ELECTROLUX PROFESSIONAL 0A0517 7600
ELECTROLUX PROFESSIONAL 07800A 2103
ELECTROLUX PROFESSIONAL 710A21 03

ELECTROLUX PROFESSIONAL 0A2103 ELECTROLUX PROFESSIONAL 002862
ELECTROLUX PROFESSIONAL 5540A21
ELECTROLUX PROFESSIONAL 7278010

3500030 GAS JET M10x1 ø 1.60 mm

5021506 GAS JET M10x1 ø 1.60 mm



ELECTROLUX PROFESSIONAL 0A2089

ELECTROLUX PROFESSIONAL 002905

5065029 GAS JET M10x1 ø 1.65 mm

3500070 GAS JET M10x1 ø 1.70 mm



ELECTROLUX PROFESSIONAL 054127

ELECTROLUX PROFESSIONAL 059336

5005166 GAS JET M10x1 ø 1.75 mm

4054631 GAS JET M10x1 ø 1.80 mm



ELECTROLUX PROFESSIONAL 003723

ELECTROLUX PROFESSIONAL 054631



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3500031 GAS JET M10x1 ø 1.90 mm

3500082 GAS JET M10x1 ø 1.90 mm



ELECTROLUX PROFESSIONAL 0A2077 ELECTROLUX PROFESSIONAL 056793

ELECTROLUX PROFESSIONAL 0G2806 ELECTROLUX PROFESSIONAL 054033

5015530 GAS JET M10x1 ø 1.90 mm

5061895 GAS JET M10x1 ø 1.95 mm



ELECTROLUX PROFESSIONAL 0A2301 ELECTROLUX PROFESSIONAL 0C0141

ELECTROLUX PROFESSIONAL 003514

3500032 GAS JET M10x1 ø 2.00 mm

3500081 GAS JET M10x1 ø 2.10 mm



ELECTROLUX PROFESSIONAL 0A2102

ELECTROLUX PROFESSIONAL 056147

3500033 GAS JET M10x1 ø 2.20 mm

3500284 GAS JET M10x1 ø 2.25 mm



ELECTROLUX PROFESSIONAL 0A2083 ELECTROLUX PROFESSIONAL 0C0143

ELECTROLUX PROFESSIONAL 0A2475

3500034 GAS JET M10x1 ø 2.30 mm

4002865 GAS JET M10x1 ø 2.30 mm



ELECTROLUX PROFESSIONAL 0A2081 ELECTROLUX PROFESSIONAL 0A2104

ELECTROLUX PROFESSIONAL 002865

3500035 GAS JET M10x1 ø 2.50 mm

3500017 GAS JET M10x1 ø 2.70 mm



ELECTROLUX PROFESSIONAL 0A0565 9500
ELECTROLUX PROFESSIONAL 000200 3200

ELECTROLUX PROFESSIONAL 0A2302 ELECTROLUX PROFESSIONAL 0A0523 0100
ELECTROLUX PROFESSIONAL 059382 ELECTROLUX PROFESSIONAL 056795

ELECTROLUX PROFESSIONAL 000200



Suitable for:

Suitable for:

5012517 GAS JET M10x1 \varnothing 2.90 mm

3500084 GAS JET M10x1 \varnothing 3.30 mm



ELECTROLUX PROFESSIONAL 006419

ELECTROLUX PROFESSIONAL 055388

3500085 GAS JET M10x1 \varnothing 3.40 mm

3500394 GAS JET M12x1 \varnothing 1.85 mm



ELECTROLUX PROFESSIONAL 054128

ELECTROLUX PROFESSIONAL 0H6355 ELECTROLUX PROFESSIONAL 000200 5900

ELECTROLUX PROFESSIONAL 070023 0730

ELECTROLUX PROFESSIONAL 100302

ELECTROLUX PROFESSIONAL 7D2307 30

3500472 GAS JET M12x1 \varnothing 2.10 mm
10mm

3500438 GAS JET M5x0.8 \varnothing 0.19 mm



ELECTROLUX PROFESSIONAL 0G2030 ELECTROLUX PROFESSIONAL 070023 0753

ELECTROLUX PROFESSIONAL 0G2372 ELECTROLUX PROFESSIONAL 0KT755

3500442 GAS JET M5x0.8 \varnothing 0.30 mm

3500062 GAS JET M7x1 \varnothing 0.85 mm



ELECTROLUX PROFESSIONAL 0G2412 ELECTROLUX PROFESSIONAL 0G3514 ELECTROLUX PROFESSIONAL 0K1185 ELECTROLUX PROFESSIONAL 055112

3500066 GAS JET M7x1 \varnothing 1.35 mm

3500051 GAS JET M9x1 \varnothing 1.90 mm



ELECTROLUX PROFESSIONAL 055113

ELECTROLUX PROFESSIONAL 058375

3500449 GAS NOZZLE M10x1 \varnothing 0.90 mm

3500446 GAS NOZZLE M10x1 \varnothing 1.15 mm



ELECTROLUX PROFESSIONAL 0A2088

ELECTROLUX PROFESSIONAL 005935



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3500452 GAS NOZZLE M10x1 ϕ 1.25 mm

3500448 GAS NOZZLE M10x1 ϕ 1.30 mm



ELECTROLUX PROFESSIONAL 0A2101

ELECTROLUX PROFESSIONAL 002393

4003722 GAS NOZZLE M10x1 ϕ 1,55 mm

3500447 GAS NOZZLE M10x1 ϕ 2.25 mm



ELECTROLUX PROFESSIONAL 0G2230 ELECTROLUX PROFESSIONAL 0G2278 ELECTROLUX PROFESSIONAL 003722 ELECTROLUX PROFESSIONAL 0A2475

5080496 GAS NOZZLE M10x1 ϕ 2.40 mm

3500450 GAS NOZZLE M10x1 ϕ 2.80 mm



ELECTROLUX PROFESSIONAL 0C0729

ELECTROLUX PROFESSIONAL 059383

4026955 NOZZLE GAS ϕ 2.60 mm

4002906 NOZZLE GAS M10x1 ϕ 1.05 mm



ELECTROLUX PROFESSIONAL 026955

ELECTROLUX PROFESSIONAL 002906

4054082 NOZZLE GAS M10x1 ϕ 1.10 mm

40A2141 NOZZLE GAS M10x1 ϕ 1.65 mm



ELECTROLUX PROFESSIONAL 054082

ELECTROLUX PROFESSIONAL 0A2141

4055459 NOZZLE GAS M10x1 ϕ 2.15 mm

4056471 NOZZLE GAS M10x1 ϕ 2.25 mm



ELECTROLUX PROFESSIONAL 055459

ELECTROLUX PROFESSIONAL 056471



Suitable for:

40C0144 NOZZLE GAS M10x1 ø 2.60 mm



ELECTROLUX PROFESSIONAL 0C0144

Suitable for:

4059383 NOZZLE GAS M10x1 ø 2.80 mm



ELECTROLUX PROFESSIONAL 059383

4054034 NOZZLE GAS M10x1 ø 3.00 mm



ELECTROLUX PROFESSIONAL 051483 1200
ELECTROLUX PROFESSIONAL 078005 4034
ELECTROLUX PROFESSIONAL 710540 34

ELECTROLUX PROFESSIONAL 054034
ELECTROLUX PROFESSIONAL 5540540

O-Ring and ORM gaskets

3243069 O-RING OR 02068 EPDM
ring thickness 1.78 mm - internal ø 17.17 mm



ELECTROLUX PROFESSIONAL 047987

3061011 O-RING SEAL 04375 EPDM
ring thickness 3.53 mm - internal ø 94.84 mm



ELECTROLUX PROFESSIONAL 047458

3243009 O-RING 0106 EPDM
ring thickness 1.78 mm - internal ø 6.75 mm



ELECTROLUX PROFESSIONAL 0C1935 ELECTROLUX PROFESSIONAL 054383 2300
ELECTROLUX PROFESSIONAL 7PD054 3832300

1186422 O-RING 0108 EPDM
ring thickness 1.78 mm - internal ø 8.73 mm



ELECTROLUX PROFESSIONAL 0L0555 ELECTROLUX PROFESSIONAL 0L2341 ELECTROLUX PROFESSIONAL 0Q0002
ELECTROLUX PROFESSIONAL 054362 9800 ELECTROLUX PROFESSIONAL 054381
ELECTROLUX PROFESSIONAL 058904 ELECTROLUX PROFESSIONAL 7CGN54 3629800
ELECTROLUX PROFESSIONAL 710589 04

1186255 O-RING 0109 EPDM
ring thickness 2.62 mm - internal ø 9.13 mm



ELECTROLUX PROFESSIONAL 068573

1186626 O-RING 0114 EPDM
ring thickness 1.78 mm - internal ø 11.11 mm



ELECTROLUX PROFESSIONAL 0E2836 ELECTROLUX PROFESSIONAL 0E5360



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

1186805 O-RING 0115 EPDM
ring thickness 2.62 mm - internal \varnothing 11.91 mm



ELECTROLUX PROFESSIONAL Z06729 ELECTROLUX PROFESSIONAL 024617 2200
ELECTROLUX PROFESSIONAL 067292 ELECTROLUX PROFESSIONAL 078006 7292
ELECTROLUX PROFESSIONAL 500672 92008
ELECTROLUX PROFESSIONAL 702106 7292

3186606 O-RING 0144 EPDM
ring thickness 3.53 mm - internal \varnothing 39.69 mm



ELECTROLUX PROFESSIONAL 047192 ELECTROLUX PROFESSIONAL 054361 3900
ELECTROLUX PROFESSIONAL 554047 192
ELECTROLUX PROFESSIONAL 7106729
ELECTROLUX PROFESSIONAL 702104 7192

3186184 O-RING 0147 EPDM
ring thickness 3.53 mm - internal \varnothing 42.86 mm



ELECTROLUX PROFESSIONAL 066506

3786181 O-RING 0150 EPDM
ring thickness 3.53 mm - internal \varnothing 46.04 mm



ELECTROLUX PROFESSIONAL 048229

5005318 O-RING 0153 VITON
ring thickness 3.53 mm - internal \varnothing 49.21 mm



ELECTROLUX PROFESSIONAL 0C3128

3316031 O-RING 0155 EPDM
ring thickness 3.53 mm - internal \varnothing 50.80 mm
connection \varnothing 1"1/2



ELECTROLUX PROFESSIONAL 075647

1186230 O-RING 0164 EPDM
ring thickness 3.53 mm - internal \varnothing 60.33 mm



ELECTROLUX PROFESSIONAL 024607 7200
ELECTROLUX PROFESSIONAL 078006 8799
ELECTROLUX PROFESSIONAL 500687 99001
ELECTROLUX PROFESSIONAL 710687 99

1186641 O-RING 0176 EPDM
ring thickness 3.53 mm - internal \varnothing 73.03 mm



ELECTROLUX PROFESSIONAL 068799
ELECTROLUX PROFESSIONAL 2460772
ELECTROLUX PROFESSIONAL 5540687
ELECTROLUX PROFESSIONAL 7021068

ELECTROLUX PROFESSIONAL 046366

1186014 O-RING 02015 EPDM
ring thickness 1.78 mm - internal \varnothing 3.69 mm



ELECTROLUX PROFESSIONAL 054381 5000
ELECTROLUX PROFESSIONAL 077000 727879
ELECTROLUX PROFESSIONAL 120120 59
ELECTROLUX PROFESSIONAL 554059 293
ELECTROLUX PROFESSIONAL 7D7278 79
ELECTROLUX PROFESSIONAL 702105 9293

3243139 O-RING 02025 EPDM
ring thickness 1.78 mm - internal \varnothing 6.07 mm



ELECTROLUX PROFESSIONAL 059293
ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 5005929
ELECTROLUX PROFESSIONAL 7CHG727
ELECTROLUX PROFESSIONAL 7105929
ELECTROLUX PROFESSIONAL 727879

ELECTROLUX PROFESSIONAL 067898 ELECTROLUX PROFESSIONAL 086109



Suitable for:

Suitable for:

1186803 O-RING 02037 EPDM
ring thickness 1.78 mm - internal \varnothing 9.25 mm



ELECTROLUX PROFESSIONAL Z04637 ELECTROLUX PROFESSIONAL 046376 ELECTROLUX PROFESSIONAL 0543605
ELECTROLUX PROFESSIONAL 078004 6376 ELECTROLUX PROFESSIONAL 5004637
ELECTROLUX PROFESSIONAL 543605 900 ELECTROLUX PROFESSIONAL 7104637
ELECTROLUX PROFESSIONAL 702104 6376 ELECTROLUX PROFESSIONAL 8050090

1786087 O-RING 02037 RED SILICONE
ring thickness 1.78 mm - internal \varnothing 9.25 mm



ELECTROLUX PROFESSIONAL 0L2303
ELECTROLUX PROFESSIONAL 5004637
ELECTROLUX PROFESSIONAL 7104637
ELECTROLUX PROFESSIONAL 8050090

1186346 O-RING 02043 EPDM
ring thickness 1.78 mm - internal \varnothing 10.82 mm



ELECTROLUX PROFESSIONAL ADL600 73 ELECTROLUX PROFESSIONAL 0U1041
ELECTROLUX PROFESSIONAL 60073 ELECTROLUX PROFESSIONAL 7ADL60 073

1186352 O-RING 02050 EPDM
ring thickness 1.78 mm - internal \varnothing 12.42 mm



ELECTROLUX PROFESSIONAL Z04798 ELECTROLUX PROFESSIONAL 047986 ELECTROLUX PROFESSIONAL 054361
ELECTROLUX PROFESSIONAL 078004 7986 ELECTROLUX PROFESSIONAL 500479
ELECTROLUX PROFESSIONAL 554047 986 ELECTROLUX PROFESSIONAL 710479
ELECTROLUX PROFESSIONAL 702104 7986

1186223 O-RING 02056 EPDM
ring thickness 1.78 mm - internal \varnothing 14.00 mm



ELECTROLUX PROFESSIONAL ADL600 72 ELECTROLUX PROFESSIONAL Z046223 ELECTROLUX PROFESSIONAL 070347
ELECTROLUX PROFESSIONAL Z04747 ELECTROLUX PROFESSIONAL 046223 ELECTROLUX PROFESSIONAL 047473
ELECTROLUX PROFESSIONAL 054360 4000 ELECTROLUX PROFESSIONAL 0543617
ELECTROLUX PROFESSIONAL 070346 ELECTROLUX PROFESSIONAL 078004 6223
ELECTROLUX PROFESSIONAL 078004 7473 ELECTROLUX PROFESSIONAL 5004622
ELECTROLUX PROFESSIONAL 500474 73009 ELECTROLUX PROFESSIONAL 5436170
ELECTROLUX PROFESSIONAL 554046 223 ELECTROLUX PROFESSIONAL 60072
ELECTROLUX PROFESSIONAL 7ADL60 072 ELECTROLUX PROFESSIONAL 7104622
ELECTROLUX PROFESSIONAL 710474 73 ELECTROLUX PROFESSIONAL 7021046
ELECTROLUX PROFESSIONAL 702104 7473 ELECTROLUX PROFESSIONAL 8050090
ELECTROLUX PROFESSIONAL 906007 2

1186424 O-RING 02062 EPDM
ring thickness 1.78 mm - internal \varnothing 15.60 mm



ELECTROLUX PROFESSIONAL 070347

3243266 O-RING 02081 EPDM
ring thickness 1.78 mm - internal \varnothing 20.35 mm



ELECTROLUX PROFESSIONAL 052779

3186343 O-RING 02106 EPDM
ring thickness 1.78 mm - internal \varnothing 26.70 mm



ELECTROLUX PROFESSIONAL 033462



ELECTROLUX PROFESSIONAL



Suitable for:

3243191 O-RING 02125 EPDM
ring thickness 1.78 mm - internal \varnothing 31.47 mm



ELECTROLUX PROFESSIONAL 046861

Suitable for:

3186317 O-RING 02131 RED SILICONE
ring thickness 1.78 mm - internal \varnothing 33.05 mm
for pod punch




ELECTROLUX PROFESSIONAL 0C0188

3243189 O-RING 02137 EPDM
ring thickness 1.78 mm - internal \varnothing 34.65 mm



ELECTROLUX PROFESSIONAL 046868

6456074 O-RING 02325 EPDM
ring thickness 1.78 mm - internal \varnothing 82.27 mm
for pump housing



ELECTROLUX PROFESSIONAL 0KM820

3186340 O-RING 03037 EPDM
ring thickness 2.62 mm - internal \varnothing 9.19 mm



ELECTROLUX PROFESSIONAL 002923 ELECTROLUX PROFESSIONAL 069550

1186318 O-RING 03043 EPDM
ring thickness 2.62 mm - internal \varnothing 10.78 mm



ELECTROLUX PROFESSIONAL Z06951 ELECTROLUX PROFESSIONAL Z06964 ELECTROLUX PROFESSIONAL 069644
ELECTROLUX PROFESSIONAL 078006 9644 ELECTROLUX PROFESSIONAL 456006
ELECTROLUX PROFESSIONAL 500696 44008 ELECTROLUX PROFESSIONAL 554069
ELECTROLUX PROFESSIONAL 710696 44 ELECTROLUX PROFESSIONAL 702106

3186860 O-RING 03056 EPDM
ring thickness 2.62 mm - internal \varnothing 13.95 mm
EX OR 0118



ELECTROLUX PROFESSIONAL 0KK400 ELECTROLUX PROFESSIONAL 068642

3186181 O-RING 03068 EPDM
ring thickness 2.62 mm - internal \varnothing 17.13 mm



ELECTROLUX PROFESSIONAL DS1814 ELECTROLUX PROFESSIONAL 0E5118 ELECTROLUX PROFESSIONAL 0KM727
ELECTROLUX PROFESSIONAL 0KQ575 ELECTROLUX PROFESSIONAL 0W0052 4500
ELECTROLUX PROFESSIONAL 03117 ELECTROLUX PROFESSIONAL 07800E 5118
ELECTROLUX PROFESSIONAL 18147 ELECTROLUX PROFESSIONAL 481853 547
ELECTROLUX PROFESSIONAL 570000 0018147 ELECTROLUX PROFESSIONAL 640081
ELECTROLUX PROFESSIONAL 7DSM18 147 ELECTROLUX PROFESSIONAL 710E51
ELECTROLUX PROFESSIONAL 7SCO64 008100 ELECTROLUX PROFESSIONAL 70210E
ELECTROLUX PROFESSIONAL 805018 02



Suitable for:

Suitable for:

1186356 O-RING 03075 EPDM
ring thickness 2.62 mm - internal \varnothing 18.72 mm



ELECTROLUX PROFESSIONAL 049036
ELECTROLUX PROFESSIONAL 078004 9036
ELECTROLUX PROFESSIONAL 554049 036
ELECTROLUX PROFESSIONAL 702104 9036

1186327 O-RING 03081 EPDM
ring thickness 2.62 mm - internal \varnothing 20.24 mm



ELECTROLUX PROFESSIONAL 0543625
ELECTROLUX PROFESSIONAL 5004903
ELECTROLUX PROFESSIONAL 7104903
ELECTROLUX PROFESSIONAL 069527
ELECTROLUX PROFESSIONAL 456010
ELECTROLUX PROFESSIONAL 554069 527
ELECTROLUX PROFESSIONAL 702106 9527

ELECTROLUX PROFESSIONAL 078006 9527
ELECTROLUX PROFESSIONAL 500695 27005
ELECTROLUX PROFESSIONAL 710695

1186833 O-RING 03100 EPDM
ring thickness 2.62 mm - internal \varnothing 25.07 mm



ELECTROLUX PROFESSIONAL 046799
ELECTROLUX PROFESSIONAL 086280

1186759 O-RING 03106 EPDM
ring thickness 2.62 mm - internal \varnothing 26.65 mm



ELECTROLUX PROFESSIONAL 0L0922

3186247 O-RING 03112 EPDM
ring thickness 2.62 mm - internal \varnothing 28.25 mm



ELECTROLUX PROFESSIONAL 0E5062
ELECTROLUX PROFESSIONAL 0K7516

3186458 O-RING 03118 EPDM
ring thickness 2.62 mm - internal \varnothing 29.82 mm
for whipper base



ELECTROLUX PROFESSIONAL 024617 2700
ELECTROLUX PROFESSIONAL 078006 7768
ELECTROLUX PROFESSIONAL 500677 68007
ELECTROLUX PROFESSIONAL 702106 7768

ELECTROLUX PROFESSIONAL 067768
ELECTROLUX PROFESSIONAL 481851
ELECTROLUX PROFESSIONAL 710677

3243389 O-RING 03162 EPDM
ring thickness 2.62 mm - internal \varnothing 40.95 mm



ELECTROLUX PROFESSIONAL 089919

3160040 O-RING 03168 EPDM
ring thickness 2.62 mm - internal \varnothing 42.52 mm



ELECTROLUX PROFESSIONAL 052903

3160044 O-RING 03187 EPDM
ring thickness 2.62 mm - internal \varnothing 47.30 mm



ELECTROLUX PROFESSIONAL 0H6848
ELECTROLUX PROFESSIONAL 0K2958
ELECTROLUX PROFESSIONAL 0K3045
ELECTROLUX PROFESSIONAL 0TR613
ELECTROLUX PROFESSIONAL 053809

3186245 O-RING 03200 EPDM
ring thickness 2.62 mm - internal \varnothing 50.47 mm



ELECTROLUX PROFESSIONAL 0KQ652



ELECTROLUX PROFESSIONAL



Suitable for:

4052206 O-RING 03206 EPDM
ring thickness 2.62 mm - internal \varnothing 52.07 mm



ELECTROLUX PROFESSIONAL 052206

Suitable for:

3060038 O-RING 03212 EPDM
ring thickness 2.62 mm - internal \varnothing 53.65 mm




ELECTROLUX PROFESSIONAL 049460

3243166 O-RING 03237 EPDM
ring thickness 2.62 mm - internal \varnothing 60.00 mm



ELECTROLUX PROFESSIONAL 047462

1186625 O-RING 03281 EPDM
ring thickness 2.62 mm - internal \varnothing 71.12 mm



ELECTROLUX PROFESSIONAL 0KM818

3786202 O-RING 03850 EPDM
ring thickness 2.62 mm - internal \varnothing 215.57 mm



ELECTROLUX PROFESSIONAL 0KV753

1186238 O-RING 04081 EPDM
ring thickness 3.53 mm - internal \varnothing 20.22 mm



ELECTROLUX PROFESSIONAL Z0A518 ELECTROLUX PROFESSIONAL 0A5182 ELECTROLUX PROFESSIONAL 054381
ELECTROLUX PROFESSIONAL 07800A 5182 ELECTROLUX PROFESSIONAL 500151
ELECTROLUX PROFESSIONAL 554105 182 ELECTROLUX PROFESSIONAL 710A51
ELECTROLUX PROFESSIONAL 70210A 5182

4059475 O-RING 04087 VITON
ring thickness 3.53 mm - internal \varnothing 21.82 mm



ELECTROLUX PROFESSIONAL 059475

3186143 O-RING 04093 EPDM
ring thickness 3.53 mm - internal \varnothing 23.40 mm



ELECTROLUX PROFESSIONAL 050292 ELECTROLUX PROFESSIONAL 086551

1186231 O-RING 04106 EPDM
ring thickness 3.53 mm - internal \varnothing 26.58 mm



ELECTROLUX PROFESSIONAL 0L1277 ELECTROLUX PROFESSIONAL 0PR729 ELECTROLUX PROFESSIONAL 027300 ELECTROLUX PROFESSIONAL 002873

3786008 O-RING 04112 BROWN VITON
ring thickness 3.53 mm - internal \varnothing 28.17 mm
for coffee group upper piston





Suitable for:

3243142 O-RING 04118 EPDM
ring thickness 3.53 mm - internal \varnothing 29.75 mm



ELECTROLUX PROFESSIONAL 027301

Suitable for:

1186506 O-RING 04125 EPDM
ring thickness 3.53 mm - internal \varnothing 31.34 mm



ELECTROLUX PROFESSIONAL 002052 6400
ELECTROLUX PROFESSIONAL 054381 6800
ELECTROLUX PROFESSIONAL 500028 74001
ELECTROLUX PROFESSIONAL 600503 26
ELECTROLUX PROFESSIONAL 702100 2874

ELECTROLUX PROFESSIONAL 002874
ELECTROLUX PROFESSIONAL 078000
ELECTROLUX PROFESSIONAL 554002
ELECTROLUX PROFESSIONAL 710028

1786210 O-RING 04131 RED SILICONE
ring thickness 3.53 mm - internal \varnothing 32.93 mm



ELECTROLUX PROFESSIONAL 0C6800

3061040 O-RING 04137 EPDM
ring thickness 3.53 mm - internal \varnothing 34.52 mm



ELECTROLUX PROFESSIONAL 0KM725

1186990 O-RING 04137 RED SILICONE
ring thickness 3.53 mm - internal \varnothing 34.52 mm



ELECTROLUX PROFESSIONAL

3186290 O-RING 04187 EPDM
ring thickness 3.53 mm - internal \varnothing 47.22 mm



ELECTROLUX PROFESSIONAL 0HA075

4006406 O-RING 04200 RED SILICONE
ring thickness 3.53 mm - internal \varnothing 50.39 mm
for BRATT-PAN RMV E1C/E2C-MMV E1C/E2C



ELECTROLUX PROFESSIONAL 006406

1186693 O-RING 04325 EPDM
ring thickness 3.53 mm - internal \varnothing 82.14 mm



ELECTROLUX PROFESSIONAL 0KM726

3061007 O-RING 04362 EPDM
ring thickness 3.53 mm - internal \varnothing 91.67 mm



ELECTROLUX PROFESSIONAL 045462

3160607 O-RING 04400 EPDM
ring thickness 3.53 mm - internal \varnothing 101.20 mm



ELECTROLUX PROFESSIONAL 0KM724 ELECTROLUX PROFESSIONAL 069531



ELECTROLUX PROFESSIONAL



Suitable for:

3061016 O-RING 04437 EPDM
ring thickness 3.53 mm - internal \varnothing 110.70 mm



ELECTROLUX PROFESSIONAL 048327

Suitable for:

3186466 O-RING 04475 EPDM
ring thickness 3.53 mm - internal \varnothing 120.20 mm



ELECTROLUX PROFESSIONAL 049033

5018795 O-RING 06150 VITON
ring thickness 5.34 mm - internal \varnothing 37.47 mm



ELECTROLUX PROFESSIONAL 055323

3186339 O-RING 06175 EPDM
ring thickness 5.34 mm - internal \varnothing 43.82 mm



ELECTROLUX PROFESSIONAL 0C3142

3186013 O-RING 06187 EPDM \varnothing 58 mm
ring thickness 5.34 mm - internal \varnothing 47.00 mm



ELECTROLUX PROFESSIONAL 0L2765 ELECTROLUX PROFESSIONAL 046213 ELECTROLUX PROFESSIONAL 067620 ELECTROLUX PROFESSIONAL 003928
ELECTROLUX PROFESSIONAL 069456

3186333 O-RING 06200 EPDM
ring thickness 5.34 mm - internal \varnothing 50.16 mm



3186014 O-RING 06225 EPDM \varnothing 67 mm
ring thickness 5.34 mm - internal \varnothing 56.52 mm



3186314 O-RING 06225 SILICONE \varnothing 67 mm
ring thickness 5.34 mm - internal \varnothing 56.52 mm



ELECTROLUX PROFESSIONAL Z0E503 ELECTROLUX PROFESSIONAL 0E5037 ELECTROLUX PROFESSIONAL 0W00525 ELECTROLUX PROFESSIONAL 0L2304
ELECTROLUX PROFESSIONAL 007029 ELECTROLUX PROFESSIONAL 047156 ELECTROLUX PROFESSIONAL 049909
ELECTROLUX PROFESSIONAL 054361 3600 ELECTROLUX PROFESSIONAL 0543828
ELECTROLUX PROFESSIONAL 07800E 5037 ELECTROLUX PROFESSIONAL 0780047
ELECTROLUX PROFESSIONAL 500471 56000 ELECTROLUX PROFESSIONAL 5436136
ELECTROLUX PROFESSIONAL 554049 909 ELECTROLUX PROFESSIONAL 710E503
ELECTROLUX PROFESSIONAL 710471 56 ELECTROLUX PROFESSIONAL 7104990
ELECTROLUX PROFESSIONAL 7PD064 3828800 ELECTROLUX PROFESSIONAL 70210E5
ELECTROLUX PROFESSIONAL 702104 7156 ELECTROLUX PROFESSIONAL 7404831
ELECTROLUX PROFESSIONAL 805002.67

3786685 O-RING 06287 EPDM
ring thickness 5.34 mm - internal \varnothing 72.39 mm



ELECTROLUX PROFESSIONAL 049593

Outlet siphons

5077056 KIT WATER OUTLET MANIFOLD
 complete with ball valve
 thread \varnothing 1" M - hose \varnothing 15 e 30 mm
 Hole-in connection for hose \varnothing 30 mm




ELECTROLUX PROFESSIONAL 0CA490 ELECTROLUX PROFESSIONAL 0CA570 ELECTROLUX PROFESSIONAL 0C6907 ELECTROLUX PROFESSIONAL 0CA279
 ELECTROLUX PROFESSIONAL 0C6953 ELECTROLUX PROFESSIONAL 0C9660

40CA279 MANIFOLD FOR DRAIN TAP
 1 upper fitting \varnothing 32 mm - 1 upper fitting \varnothing 1" F
 1 lower fitting \varnothing 1" M
 width 115 mm - total height 104 mm
 distance between holes 90 mm



3395026 PIPE SIPHON \varnothing 1" 1/2
 fitting for 1 assembly \varnothing 1" 1/2
 made of thermoplastic material



ELECTROLUX PROFESSIONAL 069404

Pilot burners and accessories

3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT




ELECTROLUX PROFESSIONAL 0G2926 ELECTROLUX PROFESSIONAL 052246

3020100 BRACKET 2 POSITIONS SIT



ELECTROLUX PROFESSIONAL 0G2925 ELECTROLUX PROFESSIONAL 001923 7500
 ELECTROLUX PROFESSIONAL 020699 3500 ELECTROLUX PROFESSIONAL 052256
 ELECTROLUX PROFESSIONAL 077000 727917 ELECTROLUX PROFESSIONAL 078005
 ELECTROLUX PROFESSIONAL 097802 ELECTROLUX PROFESSIONAL 500522 56000
 ELECTROLUX PROFESSIONAL 554052 256 ELECTROLUX PROFESSIONAL 7CHG72
 ELECTROLUX PROFESSIONAL 710522 56 ELECTROLUX PROFESSIONAL 702105
 ELECTROLUX PROFESSIONAL 727917

3020005 BURNER PILOT 2-FLAME GASCO
 multigas with jet \varnothing 0.20 mm
 with 3 position bracket



ELECTROLUX PROFESSIONAL 004946

3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT





ELECTROLUX PROFESSIONAL



Suitable for:

3020103 BRACKET 3 POSITIONS FOR PILOT SIT




Suitable for:


3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT



**3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm**



**3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm**



ELECTROLUX PROFESSIONAL 052833

**3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm**



ELECTROLUX PROFESSIONAL 052834

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT**



**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
 ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
 ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
 ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
 ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
 ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
 ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
 ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
 ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505_5
 ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
 ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
 ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
 ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
 ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027
 ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
 ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
 ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
 ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
 ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
 ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083086
 ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 083086
 ELECTROLUX PROFESSIONAL 190133 40 ELECTROLUX PROFESSIONAL 091502

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



ELECTROLUX PROFESSIONAL 054336



ELECTROLUX PROFESSIONAL



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm




ELECTROLUX PROFESSIONAL 057251

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799 ELECTROLUX PROFESSIONAL 710G00
ELECTROLUX PROFESSIONAL 710G50 06 ELECTROLUX PROFESSIONAL 710567
ELECTROLUX PROFESSIONAL 702105 6799 ELECTROLUX PROFESSIONAL 712345

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 003327



ELECTROLUX PROFESSIONAL



Suitable for:

3500269 PILOT JET SIT \varnothing 0.45 mm



Suitable for:

5075989 PILOT JET SIT \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



ELECTROLUX PROFESSIONAL 052281

ELECTROLUX PROFESSIONAL 052686

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm**



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**




ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 7021057



Suitable for:


3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 727759


ELECTROLUX PROFESSIONAL 0214164

ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

ELECTROLUX PROFESSIONAL 5540579

ELECTROLUX PROFESSIONAL 7021057

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020351 KIT PILOT BURNER
supplied with nozzles \varnothing 0,18 - 0,20 - 0,32 - 0,35
supplied with gasket




ELECTROLUX PROFESSIONAL 0G3101

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 727759

ELECTROLUX PROFESSIONAL 0214164

ELECTROLUX PROFESSIONAL 5540579

ELECTROLUX PROFESSIONAL 7021057

3020491 LID STAINLESS STEEL PILOT ARC SERIES 073
smooth for easy cleaning
dimensions ext. 56x53x36 mm





Suitable for:

3345021 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 6 mm - h 6 mm



3020356 PILOT BURNER HEAD
thread M7x0.75 mm



3020470 PILOT COVER 57x35x52 mm



3020479 PILOT THREADED WITH JET \varnothing 0.21 mm



3020478 PILOT THREADED WITH JET \varnothing 0.40 mm



3020360 THERMOCOUPLE FITTING \varnothing 4.5 mm
thread M12x1 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

3020469 PILOT BURNER HEAD ARC



3786745 PILOT GASKET 38x34 mm



5053294 PILOT THREADED WITH JET \varnothing 0.21 mm
with external air regulation



3020484 SLEEVE LOWER FOR E PILOT
for tube \varnothing 4 mm



ELECTROLUX PROFESSIONAL 0G2373 ELECTROLUX PROFESSIONAL 0511S0 2Y00

ELECTROLUX PROFESSIONAL 077017 012720

ELECTROLUX PROFESSIONAL 170127 20

ELECTROLUX PROFESSIONAL 101586

ELECTROLUX PROFESSIONAL 7CHG17

3020477 VENTURI LOWER PILOT BURNER ARC
fitting \varnothing 1/4M
thread M6x0.75 mm





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3020376 KIT PILOT BURNER LPG
with gasket
with nozzle \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL 0K1210

3020379 PILOT BURNER GASKET
external dimensions 80x35 mm
holes mounting distance 68 mm



ELECTROLUX PROFESSIONAL 0H6645

3020381 PILOT BURNER LOWER PART NATURAL GAS



ELECTROLUX PROFESSIONAL 0G2024 ELECTROLUX PROFESSIONAL 0G2036

3020383 PILOT BURNER UPPER PART



ELECTROLUX PROFESSIONAL 0H6342

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30


ELECTROLUX PROFESSIONAL 0977051
ELECTROLUX PROFESSIONAL 5540583
ELECTROLUX PROFESSIONAL 7021058

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020382 PILOT BURNER LOWER PART LPG



ELECTROLUX PROFESSIONAL 0G2037 ELECTROLUX PROFESSIONAL 0H6316

3020380 PILOT BURNER MIDDLE PART



ELECTROLUX PROFESSIONAL 0H6343

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G00
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799
ELECTROLUX PROFESSIONAL 710567
ELECTROLUX PROFESSIONAL 712345

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525



ELECTROLUX PROFESSIONAL



Suitable for:

3020055 PILOT JET SIT \varnothing 0.35 mm



Suitable for:

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 003327

3500269 PILOT JET SIT \varnothing 0.45 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

ELECTROLUX PROFESSIONAL 000200 0700

ELECTROLUX PROFESSIONAL 051582

ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665

ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001

ELECTROLUX PROFESSIONAL 554053 665

ELECTROLUX PROFESSIONAL 710536

ELECTROLUX PROFESSIONAL 702105 3665

ELECTROLUX PROFESSIONAL 727756

3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm



3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 002210 6900

ELECTROLUX PROFESSIONAL 0517808

ELECTROLUX PROFESSIONAL 053666

ELECTROLUX PROFESSIONAL 059161 ELECTROLUX PROFESSIONAL 077000 727799

ELECTROLUX PROFESSIONAL 078005 9161

ELECTROLUX PROFESSIONAL 0957009

ELECTROLUX PROFESSIONAL 500591 61005

ELECTROLUX PROFESSIONAL 5540591

ELECTROLUX PROFESSIONAL 7CHG72 7799

ELECTROLUX PROFESSIONAL 7105916

ELECTROLUX PROFESSIONAL 702105 9161

ELECTROLUX PROFESSIONAL 727799

3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm



3020440 OLIVE FOR PIPE \varnothing 7 mm
 \varnothing ext. 9.5 mm - h 7 mm



ELECTROLUX PROFESSIONAL 003863

ELECTROLUX PROFESSIONAL 0C3645



Suitable for:

Suitable for:

3020007 ONE-FLAME FIXED PILOT BURNER SIT
multigas with nozzle \varnothing 0.20 mm
fixed without bracket




ELECTROLUX PROFESSIONAL 027239

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

3020115 PILOT CAP SIT 1 FLAME




3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 0002135
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797



ELECTROLUX PROFESSIONAL



Suitable for:

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 003327

5075989 PILOT JET SIT \varnothing 0.70 mm




Suitable for:

3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET




ELECTROLUX PROFESSIONAL 052281

3020107 PILOT WITH 0.35 mm \varnothing JET



ELECTROLUX PROFESSIONAL 052686

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



ELECTROLUX PROFESSIONAL J23018 ELECTROLUX PROFESSIONAL Z02707 ELECTROLUX PROFESSIONAL 0A05003 ELECTROLUX PROFESSIONAL 0G2926 ELECTROLUX PROFESSIONAL 052246
 ELECTROLUX PROFESSIONAL 0H6314 ELECTROLUX PROFESSIONAL 0SL340 0800
 ELECTROLUX PROFESSIONAL 010001 ELECTROLUX PROFESSIONAL 010001 ELECTROLUX PROFESSIONAL 027073
 ELECTROLUX PROFESSIONAL 070023 0187 ELECTROLUX PROFESSIONAL 0780027
 ELECTROLUX PROFESSIONAL 190127 32 ELECTROLUX PROFESSIONAL 2890700
 ELECTROLUX PROFESSIONAL 481851 310 ELECTROLUX PROFESSIONAL 5002707
 ELECTROLUX PROFESSIONAL 7D2301 87 ELECTROLUX PROFESSIONAL 7102707
 ELECTROLUX PROFESSIONAL 700223 0187 ELECTROLUX PROFESSIONAL 7021027
 ELECTROLUX PROFESSIONAL 712345 04302



ELECTROLUX PROFESSIONAL




Suitable for:

3020092 BRACKET PILOT BURNER SUPP. LH 92x55x45mm
for mounting of pilot assembly



Suitable for:

3020292 BRACKET PILOT BURNER SUPPORT 47x40x15 mm
for burner \varnothing 90 mm



3020293 BRACKET PILOT BURNER SUPPORT 65x50x45 mm
for burner \varnothing 115 mm



3020291 BRACKET PILOT BURNER SUPPORT 85x45x55 mm
for burner \varnothing 135 mm



3020100 BRACKET 2 POSITIONS SIT



3020108 DEFLECTOR 1 FLAME FOR PILOT SIT



ELECTROLUX PROFESSIONAL 0G2925 ELECTROLUX PROFESSIONAL 001923 7500

ELECTROLUX PROFESSIONAL 020699 3500

ELECTROLUX PROFESSIONAL 077000 727917

ELECTROLUX PROFESSIONAL 097802 ELECTROLUX PROFESSIONAL 500522 56000

ELECTROLUX PROFESSIONAL 554052 256

ELECTROLUX PROFESSIONAL 710522 56

ELECTROLUX PROFESSIONAL 727917

ELECTROLUX PROFESSIONAL 052256

ELECTROLUX PROFESSIONAL 0780052


ELECTROLUX PROFESSIONAL 7CHG727

ELECTROLUX PROFESSIONAL 7021052

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052833

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT





ELECTROLUX PROFESSIONAL



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 091502
ELECTROLUX PROFESSIONAL 190133 40

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



ELECTROLUX PROFESSIONAL 054336

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666



ELECTROLUX PROFESSIONAL



Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

3020054 PILOT JET SIT \varnothing 0.20 mm




ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 0002135
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799

Suitable for:

3020115 PILOT CAP SIT 1 FLAME



3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 003327

5075989 PILOT JET SIT \varnothing 0.70 mm



3020055 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797

3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25



Suitable for:

3020105 PILOT WITH 0.20 mm ø JET



3020107 PILOT WITH 0.35 mm ø JET



ELECTROLUX PROFESSIONAL 052686

**3020077 PIPE FITTING ø 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**5014757 PIPE FITTING ø 6 mm
thread M10x1 mm - h 11 mm**



**3020008 ONE-FLAME PILOT BURNER SIT
with NG nozzle ø 0.30 mm**



ELECTROLUX PROFESSIONAL 052144 ELECTROLUX PROFESSIONAL 056751

ELECTROLUX PROFESSIONAL



Suitable for:

3020106 PILOT WITH 0.25 mm ø JET




ELECTROLUX PROFESSIONAL 052281

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M - h 20 mm**



**3020078 PIPE FITTING ø 6 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

**3020083 FITTING AND OLIVE ø 4 mm
thread M10x1 - h 24 mm**



ELECTROLUX PROFESSIONAL 052833




ELECTROLUX PROFESSIONAL



Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020056 PILOT JET SIT \varnothing 0.20 mm




ELECTROLUX PROFESSIONAL 056578

3020250 ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle



ELECTROLUX PROFESSIONAL 059214

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3020057 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 056750

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002

ELECTROLUX PROFESSIONAL 554057

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 702105

ELECTROLUX PROFESSIONAL 727759

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675

ELECTROLUX PROFESSIONAL 0A0500 4000

ELECTROLUX PROFESSIONAL 0A0500

ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213

ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532

ELECTROLUX PROFESSIONAL 033027 4014

ELECTROLUX PROFESSIONAL 051565

ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019

ELECTROLUX PROFESSIONAL 077752 040111

ELECTROLUX PROFESSIONAL 078005

ELECTROLUX PROFESSIONAL 078005 6754

ELECTROLUX PROFESSIONAL 083089

ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_

ELECTROLUX PROFESSIONAL 190127 24

ELECTROLUX PROFESSIONAL 437001

ELECTROLUX PROFESSIONAL 437075 2040111

ELECTROLUX PROFESSIONAL 481851



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020573 KIT OLIVE FOR PIPE \varnothing 4 mm - 5 PCS.



3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm



ELECTROLUX PROFESSIONAL 002210 6900 ELECTROLUX PROFESSIONAL 051780
ELECTROLUX PROFESSIONAL 059161 ELECTROLUX PROFESSIONAL 077000 727799
ELECTROLUX PROFESSIONAL 078005 9161 ELECTROLUX PROFESSIONAL 095700
ELECTROLUX PROFESSIONAL 500591 61005 ELECTROLUX PROFESSIONAL 554059
ELECTROLUX PROFESSIONAL 7CHG72 7799 ELECTROLUX PROFESSIONAL 710591
ELECTROLUX PROFESSIONAL 702105 9161 ELECTROLUX PROFESSIONAL 727799

3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm



ELECTROLUX PROFESSIONAL 003863

3020237 PILOT BURNER PROTECTION 34x20x35 mm



ELECTROLUX PROFESSIONAL 003547



ELECTROLUX PROFESSIONAL



Suitable for:

3020201 PILOT JET SIT \varnothing 0.14 mm



ELECTROLUX PROFESSIONAL 059216

3020542 PILOT JET SIT \varnothing 0.20 mm



3020202 PILOT JET SIT \varnothing 0.27 mm



ELECTROLUX PROFESSIONAL 059215

3020043 PILOT JET SIT \varnothing 0.36 mm



ELECTROLUX PROFESSIONAL 003626

5022050 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 059356

Suitable for:


3020042 PILOT JET SIT \varnothing 0.19 mm



5047578 PILOT JET SIT \varnothing 0.24 mm




2102405 PILOT JET SIT \varnothing 0.35 mm



3020543 PILOT JET SIT \varnothing 0.38 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755



ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 0022505

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



40K1142 PILOT BURNER BASE



ELECTROLUX PROFESSIONAL 0K1142

3020147 PILOT BURNER
supplied without nozzle
supplied without fittings



ELECTROLUX PROFESSIONAL 0C0199 ELECTROLUX PROFESSIONAL 0C3644

3020423 PILOT BURNER EXTENSION 60 mm
thread M10x1 mm



ELECTROLUX PROFESSIONAL 0C3643

3020379 PILOT BURNER GASKET
external dimensions 80x35 mm
holes mounting distance 68 mm



ELECTROLUX PROFESSIONAL 0H6645

40K1339 PILOT BURNER HEAD 24 mm
of nickel-plated brass
thread M7x0.75 mm



ELECTROLUX PROFESSIONAL 0K1339

40K1142 PILOT BURNER BASE



ELECTROLUX PROFESSIONAL 0K1142

40G2371 SUPPORT FOR THERMOCOUPLE \varnothing 5 mm
thread M12x1 mm



ELECTROLUX PROFESSIONAL 0G2371



Suitable for:

Suitable for:

3020382 PILOT BURNER LOWER PART LPG

3020381 PILOT BURNER LOWER PART NATURAL GAS



ELECTROLUX PROFESSIONAL 0G2037 ELECTROLUX PROFESSIONAL 0H6316

ELECTROLUX PROFESSIONAL 0G2024 ELECTROLUX PROFESSIONAL 0G2036

3020018 PILOT BURNER LPG CB 503.003
with LPG jet and pilot olive
with pilot pipe connection

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1 - h 12.5 mm
for pilot burner JUNKERS/ORKLI



ELECTROLUX PROFESSIONAL 050693

3020050 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 10 mm
for pilot burner series CB 502-CB 503

5026012 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 7 mm
for pilot burner series CB 502-CB 503



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm

3020048 PILOT JET COPRECI \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



3020049 PILOT JET COPRECI \varnothing 0.28 mm
for pilot burner series CB 503

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 050661

ELECTROLUX PROFESSIONAL 052125



ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 0022505

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020380 PILOT BURNER MIDDLE PART



ELECTROLUX PROFESSIONAL 0H6343

3020021 PILOT BURNER NATURAL GAS CB 502.032
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



ELECTROLUX PROFESSIONAL 0K1172 ELECTROLUX PROFESSIONAL 066583


3349587 FITTING FOR SPARKING PLUG FIXING \varnothing 9 mm
thread M12x1 mm - h 11 mm
for pilot burner series CB 502-CB 505



3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1 - h 12.5 mm
for pilot burner JUNKERS/ORKLI



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609



ELECTROLUX PROFESSIONAL




Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020026 IGNITION PLUG ROUND \varnothing 9x39 mm
M faston M4x1 mm
overall length 67 mm
for pilot burner series CB 502



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020050 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 10 mm
for pilot burner series CB 502-CB 503



5026012 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 7 mm
for pilot burner series CB 502-CB 503



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020048 PILOT JET COPRECI \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



3020049 PILOT JET COPRECI \varnothing 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 050661

ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL



Suitable for:

3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1 - h 12.5 mm
for pilot burner JUNKERS/ORKLI



ELECTROLUX PROFESSIONAL 0K0205

3020050 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 10 mm
for pilot burner series CB 502-CB 503



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 000200 0700

ELECTROLUX PROFESSIONAL 051582

ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665

ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001

ELECTROLUX PROFESSIONAL 554053 665

ELECTROLUX PROFESSIONAL 710536

ELECTROLUX PROFESSIONAL 702105 3665

ELECTROLUX PROFESSIONAL 727756

5026012 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8.5 mm - h 7 mm
for pilot burner series CB 502-CB 503



3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm



3020466 PILOT BURNER PROTECTION 25x25x18 mm



ELECTROLUX PROFESSIONAL 003863



ELECTROLUX PROFESSIONAL



Suitable for:

3020048 PILOT JET COPRECI \varnothing 0.21 mm
for pilot burner series CB 503-CB 50203.



Suitable for:

3020049 PILOT JET COPRECI \varnothing 0.28 mm
for pilot burner series CB 503



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

ELECTROLUX PROFESSIONAL 050661

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020011 PILOT BURNER POLIDORO 3 FLAMES
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



ELECTROLUX PROFESSIONAL 054032

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002

ELECTROLUX PROFESSIONAL 554057

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 702105

ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



ELECTROLUX PROFESSIONAL 054336

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 000200 0700
ELECTROLUX PROFESSIONAL 053665
ELECTROLUX PROFESSIONAL 095701
ELECTROLUX PROFESSIONAL 554053 665
ELECTROLUX PROFESSIONAL 702105 3665

Suitable for:

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



ELECTROLUX PROFESSIONAL 0515827
ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 7105366
ELECTROLUX PROFESSIONAL 727756

5071220 PILOT JET POLIDORO \varnothing 0.22 mm



3020449 PILOT JET POLIDORO \varnothing 0.54 mm



3020044 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL 054037
ELECTROLUX PROFESSIONAL 054286

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675
ELECTROLUX PROFESSIONAL 051482 4201
ELECTROLUX PROFESSIONAL 095801
ELECTROLUX PROFESSIONAL 554046 755

3020452 PILOT JET POLIDORO \varnothing 0.32 mm



3020464 PILOT JET POLIDORO \varnothing 0.64 mm



3020045 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 054038

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859
ELECTROLUX PROFESSIONAL 057821
ELECTROLUX PROFESSIONAL 09031
ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL



Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Suitable for:

3020014 PILOT BURNER PRINTED LH 2 FLAMES
without sparking plug, gas jet and gasket
with thermocouple fitting



ELECTROLUX PROFESSIONAL 003204


3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002
ELECTROLUX PROFESSIONAL 710579 60
ELECTROLUX PROFESSIONAL 727759

ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 702105

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 000200 0700 ELECTROLUX PROFESSIONAL 0515827 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 554053 665 ELECTROLUX PROFESSIONAL 7105366
ELECTROLUX PROFESSIONAL 702105 3665 ELECTROLUX PROFESSIONAL 727756

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm





Suitable for:

5035324 PILOT JET SIT \varnothing 0.18 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053669

ELECTROLUX PROFESSIONAL



Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667

ELECTROLUX PROFESSIONAL 097712

ELECTROLUX PROFESSIONAL 554053

ELECTROLUX PROFESSIONAL 710573

ELECTROLUX PROFESSIONAL 711135

3020041 PILOT JET SIT \varnothing 0.41 mm




ELECTROLUX PROFESSIONAL 053670

3020187 PILOT JET SIT \varnothing 0.51 mm



ELECTROLUX PROFESSIONAL 053668

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482

ELECTROLUX PROFESSIONAL 051482 4201

ELECTROLUX PROFESSIONAL 078004

ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56

ELECTROLUX PROFESSIONAL 554046 755



ELECTROLUX PROFESSIONAL



Suitable for:


3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59


ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020013 PILOT BURNER PRINTED RH 2 FLAMES
without sparking plug, gas jet and gasket
with thermocouple fitting



ELECTROLUX PROFESSIONAL 058383

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002


ELECTROLUX PROFESSIONAL 554057

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 702105

ELECTROLUX PROFESSIONAL 727759

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675

ELECTROLUX PROFESSIONAL 0A0500 4000

ELECTROLUX PROFESSIONAL 0A0500

ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213

ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532

ELECTROLUX PROFESSIONAL 033027 4014

ELECTROLUX PROFESSIONAL 051565

ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019

ELECTROLUX PROFESSIONAL 077752 040111

ELECTROLUX PROFESSIONAL 078005

ELECTROLUX PROFESSIONAL 078005 6754

ELECTROLUX PROFESSIONAL 083089

ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_

ELECTROLUX PROFESSIONAL 190127 24

ELECTROLUX PROFESSIONAL 437001

ELECTROLUX PROFESSIONAL 437075 2040111

ELECTROLUX PROFESSIONAL 481851



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 000200 0700 ELECTROLUX PROFESSIONAL 0515827 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 554053 665 ELECTROLUX PROFESSIONAL 7105366
ELECTROLUX PROFESSIONAL 702105 3665 ELECTROLUX PROFESSIONAL 727756

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm





ELECTROLUX PROFESSIONAL



Suitable for:

5035324 PILOT JET SIT \varnothing 0.18 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053669

Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667

ELECTROLUX PROFESSIONAL 097712

ELECTROLUX PROFESSIONAL 554053

ELECTROLUX PROFESSIONAL 710573

ELECTROLUX PROFESSIONAL 711135

3020041 PILOT JET SIT \varnothing 0.41 mm




ELECTROLUX PROFESSIONAL 053670

3020187 PILOT JET SIT \varnothing 0.51 mm



ELECTROLUX PROFESSIONAL 053668

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482

ELECTROLUX PROFESSIONAL 051482 4201

ELECTROLUX PROFESSIONAL 078004

ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56

ELECTROLUX PROFESSIONAL 554046 755



ELECTROLUX PROFESSIONAL



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020286 PILOT BURNER PRINTED SIT 1 FLAME
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELECTROLUX PROFESSIONAL 0A2472

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200

ELECTROLUX PROFESSIONAL 021416

ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960

ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30

ELECTROLUX PROFESSIONAL 500579 60002

ELECTROLUX PROFESSIONAL 554057

ELECTROLUX PROFESSIONAL 710579 60

ELECTROLUX PROFESSIONAL 702105

ELECTROLUX PROFESSIONAL 727759

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675

ELECTROLUX PROFESSIONAL 0A0500 4000

ELECTROLUX PROFESSIONAL 0A0500

ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213

ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532

ELECTROLUX PROFESSIONAL 033027 4014

ELECTROLUX PROFESSIONAL 051565

ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019

ELECTROLUX PROFESSIONAL 077752 040111

ELECTROLUX PROFESSIONAL 078005

ELECTROLUX PROFESSIONAL 078005 6754

ELECTROLUX PROFESSIONAL 083089

ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_

ELECTROLUX PROFESSIONAL 190127 24

ELECTROLUX PROFESSIONAL 437001

ELECTROLUX PROFESSIONAL 437075 2040111

ELECTROLUX PROFESSIONAL 481851



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 000200 0700 ELECTROLUX PROFESSIONAL 0515827 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 554053 665 ELECTROLUX PROFESSIONAL 7105366
ELECTROLUX PROFESSIONAL 702105 3665 ELECTROLUX PROFESSIONAL 727756

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm





Suitable for:

5035324 PILOT JET SIT \varnothing 0.18 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053669

ELECTROLUX PROFESSIONAL



Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667

ELECTROLUX PROFESSIONAL 097712

ELECTROLUX PROFESSIONAL 554053

ELECTROLUX PROFESSIONAL 710573

ELECTROLUX PROFESSIONAL 711135

3020041 PILOT JET SIT \varnothing 0.41 mm




ELECTROLUX PROFESSIONAL 053670

3020187 PILOT JET SIT \varnothing 0.51 mm



ELECTROLUX PROFESSIONAL 053668

5023980 PILOT SUPPORT 62x41x20 mm






ELECTROLUX PROFESSIONAL



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 7021057

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020037 PILOT BURNER PRINTED SIT 3 FLAMES
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELECTROLUX PROFESSIONAL 0H6336 ELECTROLUX PROFESSIONAL 057411

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200 ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002 ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 710579 60 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



ELECTROLUX PROFESSIONAL 054336

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 000200 0700

ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665

ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001

ELECTROLUX PROFESSIONAL 554053 665

ELECTROLUX PROFESSIONAL 702105 3665

Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 0515827 ELECTROLUX PROFESSIONAL 052127

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5035324 PILOT JET SIT \varnothing 0.18 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL

3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm



3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667

ELECTROLUX PROFESSIONAL 097712

ELECTROLUX PROFESSIONAL 554053

ELECTROLUX PROFESSIONAL 710573

ELECTROLUX PROFESSIONAL 711135

3020041 PILOT JET SIT \varnothing 0.41 mm



ELECTROLUX PROFESSIONAL 053670



Suitable for:

2106308 PILOT JET SIT \varnothing 0.45 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053669

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL




Suitable for:

3020187 PILOT JET SIT \varnothing 0.51 mm



ELECTROLUX PROFESSIONAL 053668

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

3020038 PILOT BURNER PRINTED SIT 3 FLAMES
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELECTROLUX PROFESSIONAL 058146

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200 ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002 ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 710579 60 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





Suitable for:

3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 000200 0700

ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665

ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001

ELECTROLUX PROFESSIONAL 554053 665

ELECTROLUX PROFESSIONAL 702105 3665

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5035324 PILOT JET SIT \varnothing 0.18 mm



3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 0515827

ELECTROLUX PROFESSIONAL 052127

3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm



3020557 PILOT JET SIT \varnothing 0.20 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667

ELECTROLUX PROFESSIONAL 097712

ELECTROLUX PROFESSIONAL 554053

ELECTROLUX PROFESSIONAL 710573

ELECTROLUX PROFESSIONAL 711135

3020041 PILOT JET SIT \varnothing 0.41 mm



ELECTROLUX PROFESSIONAL 053670



ELECTROLUX PROFESSIONAL



Suitable for:

2106308 PILOT JET SIT \varnothing 0.45 mm



Suitable for:

3020187 PILOT JET SIT \varnothing 0.51 mm




4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053668

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm




ELECTROLUX PROFESSIONAL 053669

ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 052125

ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3020237 PILOT BURNER PROTECTION 34x20x35 mm



ELECTROLUX PROFESSIONAL 003547



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3020151 PILOT BURNER SIT
supplied with sparking plug, head and gasket
with thermocouple fitting
with fitting and olive




ELECTROLUX PROFESSIONAL J23062 ELECTROLUX PROFESSIONAL 0H6338

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

3020153 PILOT GASKET 68x24x1.5 mm



3020152 PILOT HEAD



ELECTROLUX PROFESSIONAL 0H6050

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799 ELECTROLUX PROFESSIONAL 710G00
ELECTROLUX PROFESSIONAL 710G50 06 ELECTROLUX PROFESSIONAL 710567
ELECTROLUX PROFESSIONAL 702105 6799 ELECTROLUX PROFESSIONAL 712345

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701 ELECTROLUX PROFESSIONAL 0977051
ELECTROLUX PROFESSIONAL 500583 30007 ELECTROLUX PROFESSIONAL 5540583
ELECTROLUX PROFESSIONAL 710583 30 ELECTROLUX PROFESSIONAL 7021058

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 003327



ELECTROLUX PROFESSIONAL



Suitable for:

3500269 PILOT JET SIT \varnothing 0.45 mm



Suitable for:

5075989 PILOT JET SIT \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020106 PILOT WITH 0.25 mm \varnothing JET




3020107 PILOT WITH 0.35 mm \varnothing JET




ELECTROLUX PROFESSIONAL 052281

ELECTROLUX PROFESSIONAL 052686

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle \varnothing 0.35 mm
with 3 position bracket



3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT



ELECTROLUX PROFESSIONAL 033027 2001 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 050812 ELECTROLUX PROFESSIONAL 058329 ELECTROLUX PROFESSIONAL 7105081

3020103 BRACKET 3 POSITIONS FOR PILOT SIT



3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT



3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT



5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT






ELECTROLUX PROFESSIONAL



Suitable for:

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm




3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm




ELECTROLUX PROFESSIONAL 052834

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL 054336

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 190133 40 ELECTROLUX PROFESSIONAL 091502



ELECTROLUX PROFESSIONAL



Suitable for:

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm




ELECTROLUX PROFESSIONAL 057251

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799 ELECTROLUX PROFESSIONAL 710600
ELECTROLUX PROFESSIONAL 710G50 06 ELECTROLUX PROFESSIONAL 710567
ELECTROLUX PROFESSIONAL 702105 6799 ELECTROLUX PROFESSIONAL 712345

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm



5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 003327



ELECTROLUX PROFESSIONAL



Suitable for:

3500269 PILOT JET SIT \varnothing 0.45 mm



Suitable for:

5075989 PILOT JET SIT \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



ELECTROLUX PROFESSIONAL 052281

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm**



ELECTROLUX PROFESSIONAL 052686

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 7021057



Suitable for:

3020383 PILOT BURNER UPPER PART



ELECTROLUX PROFESSIONAL 0H6342

Suitable for:

3020173 PILOT DEFLECTOR SIT 3 FLAMES 45x44 mm



ELECTROLUX PROFESSIONAL 059301

3020116 PILOT DEFLECTOR SIT 3 FLAMES 53x47 mm



ELECTROLUX PROFESSIONAL 052280

3020240 PILOT DEFLECTOR SIT 3 FLAMES 65x50 mm



ELECTROLUX PROFESSIONAL 003328

3020188 PILOT DEFLECTOR SIT 3 FLAMES 75x55 mm



ELECTROLUX PROFESSIONAL 0A5441

3020183 PILOT DEFLECTOR SIT 3 FLAMES 90x55 mm



ELECTROLUX PROFESSIONAL 006128

3020152 PILOT HEAD



ELECTROLUX PROFESSIONAL 0H6050

**3020049 PILOT JET COPRECI \varnothing 0.28 mm
for pilot burner series CB 503**



ELECTROLUX PROFESSIONAL 050661

3020201 PILOT JET SIT \varnothing 0.14 mm



ELECTROLUX PROFESSIONAL 059216

3020044 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL 054037 ELECTROLUX PROFESSIONAL 054286

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 0002135
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799

3020056 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL 056578

ELECTROLUX PROFESSIONAL 710G008
ELECTROLUX PROFESSIONAL 7105679
ELECTROLUX PROFESSIONAL 7123450



ELECTROLUX PROFESSIONAL




Suitable for:

Suitable for:

3020156 PILOT JET SIT \varnothing 0.25 mm

3020157 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

ELECTROLUX PROFESSIONAL 054593

ELECTROLUX PROFESSIONAL 0977051
ELECTROLUX PROFESSIONAL 5540583
ELECTROLUX PROFESSIONAL 7021058

3020202 PILOT JET SIT \varnothing 0.27 mm

3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 059215

ELECTROLUX PROFESSIONAL 021442 9700
ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667
ELECTROLUX PROFESSIONAL 083082 3900
ELECTROLUX PROFESSIONAL 500536 67007
ELECTROLUX PROFESSIONAL 710536 67
ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667
ELECTROLUX PROFESSIONAL 097712
ELECTROLUX PROFESSIONAL 554053
ELECTROLUX PROFESSIONAL 710573
ELECTROLUX PROFESSIONAL 711135

3020057 PILOT JET SIT \varnothing 0.30 mm

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 056750

ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL

3020043 PILOT JET SIT \varnothing 0.36 mm

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 003626

ELECTROLUX PROFESSIONAL 003327



Suitable for:

3020041 PILOT JET SIT \varnothing 0.41 mm



ELECTROLUX PROFESSIONAL 053670

Suitable for:

3020045 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 054038

5022050 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 059356

3020187 PILOT JET SIT \varnothing 0.51 mm



ELECTROLUX PROFESSIONAL 053668

4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053669

3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020106 PILOT WITH 0.25 mm \varnothing JET




ELECTROLUX PROFESSIONAL 052281

**3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm**



ELECTROLUX PROFESSIONAL 052833

**3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm**




ELECTROLUX PROFESSIONAL 052834

3020107 PILOT WITH 0.35 mm \varnothing JET



ELECTROLUX PROFESSIONAL 052686

**3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm**



ELECTROLUX PROFESSIONAL 052833




ELECTROLUX PROFESSIONAL



Suitable for:


Suitable for:

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

3020441 PIPE FITTING \varnothing 7 mm
thread M11x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0C3646

3020484 SLEEVE LOWER FOR E PILOT
for tube \varnothing 4 mm



ELECTROLUX PROFESSIONAL 0G2373 ELECTROLUX PROFESSIONAL 0511S0 2Y00
ELECTROLUX PROFESSIONAL 077017 012720 ELECTROLUX PROFESSIONAL 101586
ELECTROLUX PROFESSIONAL 170127 20 ELECTROLUX PROFESSIONAL 7CHG17

40G2371 SUPPORT FOR THERMOCOUPLE \varnothing 5 mm
thread M12x1 mm



ELECTROLUX PROFESSIONAL 0G2371

3020146 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



ELECTROLUX PROFESSIONAL 005503

3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200 ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002 ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 710579 60 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

3020573 KIT OLIVE FOR PIPE \varnothing 4 mm - 5 PCS.



Suitable for:

**3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 002210 6900

ELECTROLUX PROFESSIONAL 059161 ELECTROLUX PROFESSIONAL 077000 727799

ELECTROLUX PROFESSIONAL 078005 9161

ELECTROLUX PROFESSIONAL 500591 61005

ELECTROLUX PROFESSIONAL 7CHG72 7799

ELECTROLUX PROFESSIONAL 702105 9161

ELECTROLUX PROFESSIONAL 051780

ELECTROLUX PROFESSIONAL 095700

ELECTROLUX PROFESSIONAL 554059

ELECTROLUX PROFESSIONAL 710591

ELECTROLUX PROFESSIONAL 727799

**3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL 052127

3020201 PILOT JET SIT \varnothing 0.14 mm



**3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 003863

3020042 PILOT JET SIT \varnothing 0.19 mm



ELECTROLUX PROFESSIONAL 059216

3020542 PILOT JET SIT \varnothing 0.20 mm




5047578 PILOT JET SIT \varnothing 0.24 mm



3020202 PILOT JET SIT \varnothing 0.27 mm



2102405 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 059215

3020043 PILOT JET SIT \varnothing 0.36 mm



3020543 PILOT JET SIT \varnothing 0.38 mm



ELECTROLUX PROFESSIONAL 003826



ELECTROLUX PROFESSIONAL



Suitable for:

5022050 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 059356

Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**




ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL 052125

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



**40C7102 TARGET PILOT BURNER SIT 1 FLAME
without sparking plug, gas nozzle and gasket**



ELECTROLUX PROFESSIONAL 0C7102

**3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm**



ELECTROLUX PROFESSIONAL 001818 5200 ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002 ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 710579 60 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



ELECTROLUX PROFESSIONAL 054336

**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

3020573 KIT OLIVE FOR PIPE \varnothing 4 mm - 5 PCS.



Suitable for:

**3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 002210 6900

ELECTROLUX PROFESSIONAL 059161 ELECTROLUX PROFESSIONAL 077000 727799

ELECTROLUX PROFESSIONAL 078005 9161

ELECTROLUX PROFESSIONAL 500591 61005

ELECTROLUX PROFESSIONAL 7CHG72 7799

ELECTROLUX PROFESSIONAL 702105 9161

ELECTROLUX PROFESSIONAL 051780

ELECTROLUX PROFESSIONAL 095700

ELECTROLUX PROFESSIONAL 554059

ELECTROLUX PROFESSIONAL 710591

ELECTROLUX PROFESSIONAL 727799

**3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL 052127

3020201 PILOT JET SIT \varnothing 0.14 mm



**3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 003863

3020042 PILOT JET SIT \varnothing 0.19 mm



ELECTROLUX PROFESSIONAL 059216

3020542 PILOT JET SIT \varnothing 0.20 mm




5047578 PILOT JET SIT \varnothing 0.24 mm



3020202 PILOT JET SIT \varnothing 0.27 mm



2102405 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 059215

3020043 PILOT JET SIT \varnothing 0.36 mm



3020543 PILOT JET SIT \varnothing 0.38 mm



ELECTROLUX PROFESSIONAL 003826



ELECTROLUX PROFESSIONAL



Suitable for:

5022050 PILOT JET SIT \varnothing 0.50 mm



ELECTROLUX PROFESSIONAL 059356

Suitable for:

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL 052125

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



ELECTROLUX PROFESSIONAL 059379

**3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm**



ELECTROLUX PROFESSIONAL 001818 5200 ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002 ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 710579 60 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727759




ELECTROLUX PROFESSIONAL



Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

Suitable for:

**3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm**



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851

**3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

**3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



**3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

3020573 KIT OLIVE FOR PIPE \varnothing 4 mm - 5 PCS.



Suitable for:

**3020113 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 002210 6900

ELECTROLUX PROFESSIONAL 059161 ELECTROLUX PROFESSIONAL 077000 727799

ELECTROLUX PROFESSIONAL 078005 9161

ELECTROLUX PROFESSIONAL 500591 61005

ELECTROLUX PROFESSIONAL 7CHG72 7799

ELECTROLUX PROFESSIONAL 702105 9161

ELECTROLUX PROFESSIONAL 051780

ELECTROLUX PROFESSIONAL 095700

ELECTROLUX PROFESSIONAL 554059

ELECTROLUX PROFESSIONAL 710591

ELECTROLUX PROFESSIONAL 727799

**3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL 052127

**3020086 PILOT GASKET SIT 71x32x1.5 mm
distance between holes 52 mm**



**3020114 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 003863

3020201 PILOT JET SIT \varnothing 0.14 mm



3020042 PILOT JET SIT \varnothing 0.19 mm




ELECTROLUX PROFESSIONAL 059216

3020542 PILOT JET SIT \varnothing 0.20 mm



5047578 PILOT JET SIT \varnothing 0.24 mm



3020202 PILOT JET SIT \varnothing 0.27 mm



ELECTROLUX PROFESSIONAL 059215




ELECTROLUX PROFESSIONAL



Suitable for:

2102405 PILOT JET SIT \varnothing 0.35 mm



Suitable for:

3020043 PILOT JET SIT \varnothing 0.36 mm



3020543 PILOT JET SIT \varnothing 0.38 mm



ELECTROLUX PROFESSIONAL 003626

5022050 PILOT JET SIT \varnothing 0.50 mm



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 059356

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824 ELECTROLUX PROFESSIONAL 052125
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**




**5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 7021057

**3020003 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket**



3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



ELECTROLUX PROFESSIONAL 004216 ELECTROLUX PROFESSIONAL 004962 ELECTROLUX PROFESSIONAL 020152 ELECTROLUX PROFESSIONAL 0G2926 ELECTROLUX PROFESSIONAL 052246



ELECTROLUX PROFESSIONAL



Suitable for:

3020100 BRACKET 2 POSITIONS SIT



ELECTROLUX PROFESSIONAL 0G2925 ELECTROLUX PROFESSIONAL 001923 7500
ELECTROLUX PROFESSIONAL 020699 3500
ELECTROLUX PROFESSIONAL 077000 727917
ELECTROLUX PROFESSIONAL 097802 ELECTROLUX PROFESSIONAL 500522 56000
ELECTROLUX PROFESSIONAL 554052 256
ELECTROLUX PROFESSIONAL 710522 56
ELECTROLUX PROFESSIONAL 727917

Suitable for:

3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT




3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT




5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT



**3020083 FITTING AND OLIVE ϕ 4 mm
thread M10x1 - h 24 mm**



**3020084 FITTING AND OLIVE ϕ 6 mm
thread M10x1 - h 10 mm**



ELECTROLUX PROFESSIONAL 052833

**3020513 FITTING AND OLIVE ϕ 6 mm
thread 10x1 - h 10 mm**



ELECTROLUX PROFESSIONAL 052834

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT**





ELECTROLUX PROFESSIONAL



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083087
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 091502
ELECTROLUX PROFESSIONAL 190133 40

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL 054336

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666



ELECTROLUX PROFESSIONAL



Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

Suitable for:

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G00
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799
ELECTROLUX PROFESSIONAL 710567
ELECTROLUX PROFESSIONAL 712345

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

3020055 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797 ELECTROLUX PROFESSIONAL 003327

5015516 PILOT JET SIT \varnothing 0.40 mm



3500269 PILOT JET SIT \varnothing 0.45 mm



5075989 PILOT JET SIT \varnothing 0.70 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 m mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020105 PILOT WITH 0.20 mm \varnothing JET





ELECTROLUX PROFESSIONAL



Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



ELECTROLUX PROFESSIONAL 052281

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M - h 20 mm



3020078 PIPE FITTING Ø 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821


ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 0022505

ELECTROLUX PROFESSIONAL 7021057

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet Ø 0.20 mm
with 3 positions bracket



ELECTROLUX PROFESSIONAL T19012 868

ELECTROLUX PROFESSIONAL Z05832 ELECTROLUX PROFESSIONAL 0C0494 ELECTROLUX PROFESSIONAL 0G0100

ELECTROLUX PROFESSIONAL 0G0302 ELECTROLUX PROFESSIONAL 0SL340 0100

ELECTROLUX PROFESSIONAL 0ZZS0 HF03

ELECTROLUX PROFESSIONAL 0002130

ELECTROLUX PROFESSIONAL 005783 ELECTROLUX PROFESSIONAL 010000 ELECTROLUX PROFESSIONAL 0100009

ELECTROLUX PROFESSIONAL 019008 ELECTROLUX PROFESSIONAL 019008 ELECTROLUX PROFESSIONAL 02V35

ELECTROLUX PROFESSIONAL 02V38 ELECTROLUX PROFESSIONAL 033027 1700

ELECTROLUX PROFESSIONAL 033027 2200

ELECTROLUX PROFESSIONAL 0330272

ELECTROLUX PROFESSIONAL 033027 3200

ELECTROLUX PROFESSIONAL 050813

ELECTROLUX PROFESSIONAL 051624 ELECTROLUX PROFESSIONAL 051976 ELECTROLUX PROFESSIONAL 054335

ELECTROLUX PROFESSIONAL 057737


Suitable for:

3020107 PILOT WITH 0.35 mm Ø JET



ELECTROLUX PROFESSIONAL 052686

3020077 PIPE FITTING Ø 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482

ELECTROLUX PROFESSIONAL 051482 4201

ELECTROLUX PROFESSIONAL 078004

ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56

ELECTROLUX PROFESSIONAL 554046 755

5014757 PIPE FITTING Ø 6 mm
thread M10x1 mm - h 11 mm



3020104 BRACKET CLAMP 3 POSITIONS FOR PILOT SIT





ELECTROLUX PROFESSIONAL



Suitable for:

3020103 BRACKET 3 POSITIONS FOR PILOT SIT



Suitable for:

3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT




3020110 DEFLECTOR 3 FLAMES FOR PILOT SIT




5048713 DEFLECTOR 3 FLAMES FOR PILOT SIT



3020083 FITTING AND OLIVE ϕ 4 mm
thread M10x1 - h 24 mm



3020084 FITTING AND OLIVE ϕ 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052833

3020513 FITTING AND OLIVE ϕ 6 mm
thread 10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT



3001003 IGNITION PLUG ROUND ϕ 7x44 mm
M faston M4x1 mm
overall length 65 mm



3020060 IGNITION PLUG ROUND ϕ 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
 ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
 ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
 ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
 ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
 ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
 ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
 ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
 ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5
 ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
 ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
 ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
 ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
 ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027
 ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
 ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
 ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
 ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
 ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
 ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083086
 ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 091502
 ELECTROLUX PROFESSIONAL 190133 40



ELECTROLUX PROFESSIONAL



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL 054336

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



Suitable for:

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666

3020054 PILOT JET SIT \varnothing 0.20 mm



5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200




3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 0002135
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799

ELECTROLUX PROFESSIONAL 710G008
ELECTROLUX PROFESSIONAL 7105679
ELECTROLUX PROFESSIONAL 7123450

ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30

ELECTROLUX PROFESSIONAL 097705
ELECTROLUX PROFESSIONAL 554058
ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL



Suitable for:

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 003327

5075989 PILOT JET SIT \varnothing 0.70 mm



Suitable for:

3020055 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797

3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25

3020105 PILOT WITH 0.20 mm \varnothing JET



3020106 PILOT WITH 0.25 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET




ELECTROLUX PROFESSIONAL 052281

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" M - h 20 mm**



ELECTROLUX PROFESSIONAL 052686

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



**5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8" M - h 11 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755



ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 7021057

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm




3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket




ELECTROLUX PROFESSIONAL 002783
ELECTROLUX PROFESSIONAL 083080 7100
ELECTROLUX PROFESSIONAL 554002 783
ELECTROLUX PROFESSIONAL 702100 2783

ELECTROLUX PROFESSIONAL 019060
ELECTROLUX PROFESSIONAL 0780002
ELECTROLUX PROFESSIONAL 5000278
ELECTROLUX PROFESSIONAL 7100278

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm




3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002
ELECTROLUX PROFESSIONAL 710579 60
ELECTROLUX PROFESSIONAL 727759

ELECTROLUX PROFESSIONAL 0214164
ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609
ELECTROLUX PROFESSIONAL 5540579
ELECTROLUX PROFESSIONAL 7021057

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1





ELECTROLUX PROFESSIONAL



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL M02E10	ELECTROLUX PROFESSIONAL Z05197	ELECTROLUX PROFESSIONAL Z056754	ELECTROLUX PROFESSIONAL Z05261	ELECTROLUX PROFESSIONAL Z05938	ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0500 4000	ELECTROLUX PROFESSIONAL 0A05004	ELECTROLUX PROFESSIONAL 0A05004	ELECTROLUX PROFESSIONAL 0A0558 1300	ELECTROLUX PROFESSIONAL 0A2473	ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 0C0488	ELECTROLUX PROFESSIONAL 0G0083	ELECTROLUX PROFESSIONAL 0002130	ELECTROLUX PROFESSIONAL 000212 0500	ELECTROLUX PROFESSIONAL 000212	ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 02E10	ELECTROLUX PROFESSIONAL 033027 3532	ELECTROLUX PROFESSIONAL 033027 4014	ELECTROLUX PROFESSIONAL 031003 500	ELECTROLUX PROFESSIONAL 033027	ELECTROLUX PROFESSIONAL 033027
ELECTROLUX PROFESSIONAL 033027 4014	ELECTROLUX PROFESSIONAL 051565	ELECTROLUX PROFESSIONAL 051977	ELECTROLUX PROFESSIONAL 033027 2600	ELECTROLUX PROFESSIONAL 052610	ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 051977	ELECTROLUX PROFESSIONAL 056754	ELECTROLUX PROFESSIONAL 0770190	ELECTROLUX PROFESSIONAL 056720	ELECTROLUX PROFESSIONAL 057410	ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 077752 040111	ELECTROLUX PROFESSIONAL 0780051	ELECTROLUX PROFESSIONAL 0780051	ELECTROLUX PROFESSIONAL 059988	ELECTROLUX PROFESSIONAL 077149 27	ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754	ELECTROLUX PROFESSIONAL 0830897	ELECTROLUX PROFESSIONAL 0830897	ELECTROLUX PROFESSIONAL 07800A 2473	ELECTROLUX PROFESSIONAL 078005 7410	ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 091505	ELECTROLUX PROFESSIONAL 091505 5	ELECTROLUX PROFESSIONAL 190127 24	ELECTROLUX PROFESSIONAL 078005 7410	ELECTROLUX PROFESSIONAL 078005 9988	ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 190127 24	ELECTROLUX PROFESSIONAL 437019	ELECTROLUX PROFESSIONAL 437075 2040111	ELECTROLUX PROFESSIONAL 078005 9988	ELECTROLUX PROFESSIONAL 083087 2200	ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 437075 2040111	ELECTROLUX PROFESSIONAL 4818515		ELECTROLUX PROFESSIONAL 083087 2200	ELECTROLUX PROFESSIONAL 190133 40	ELECTROLUX PROFESSIONAL 091502

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



ELECTROLUX PROFESSIONAL 054336

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



ELECTROLUX PROFESSIONAL 000200 0700	ELECTROLUX PROFESSIONAL 051582
ELECTROLUX PROFESSIONAL 053665	ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 095701	ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 554053 665	ELECTROLUX PROFESSIONAL 710536
ELECTROLUX PROFESSIONAL 702105 3665	ELECTROLUX PROFESSIONAL 727756

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5035324 PILOT JET SIT \varnothing 0.18 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



Suitable for:

3020157 PILOT JET SIT \varnothing 0.25 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 021442 9700

ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667

ELECTROLUX PROFESSIONAL 083082 3900

ELECTROLUX PROFESSIONAL 500536 67007

ELECTROLUX PROFESSIONAL 710536 67

ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667 ELECTROLUX PROFESSIONAL

ELECTROLUX PROFESSIONAL 0977122

ELECTROLUX PROFESSIONAL 5540536

ELECTROLUX PROFESSIONAL 7105738

ELECTROLUX PROFESSIONAL 7111350

3020041 PILOT JET SIT \varnothing 0.41 mm



2106308 PILOT JET SIT \varnothing 0.45 mm



ELECTROLUX PROFESSIONAL 053670

3020187 PILOT JET SIT \varnothing 0.51 mm




4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053668

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 053669

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824

ELECTROLUX PROFESSIONAL 051482 4201

ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56

ELECTROLUX PROFESSIONAL 554046 755

ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Suitable for:

3020238 THREE-FLAME ST. STEEL PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELECTROLUX PROFESSIONAL 0C0744


3020085 FITTING FOR SPARKING PLUG FIXING \varnothing 7 mm
thread M10x1 - h 11 mm



ELECTROLUX PROFESSIONAL 001818 5200
ELECTROLUX PROFESSIONAL 057960 ELECTROLUX PROFESSIONAL 078005 7960
ELECTROLUX PROFESSIONAL 097403 ELECTROLUX PROFESSIONAL 110612 30
ELECTROLUX PROFESSIONAL 500579 60002
ELECTROLUX PROFESSIONAL 710579 60
ELECTROLUX PROFESSIONAL 727759

ELECTROLUX PROFESSIONAL 021416
ELECTROLUX PROFESSIONAL 554057
ELECTROLUX PROFESSIONAL 702105

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELECTROLUX PROFESSIONAL 0C0121 ELECTROLUX PROFESSIONAL 003609

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z05675
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A0500
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 000213
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 077019
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 083089
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5_
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 437001
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 481851



ELECTROLUX PROFESSIONAL



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



Suitable for:

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z059988 ELECTROLUX PROFESSIONAL 054336
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 0002120
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 0330272
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 0780059
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 0830863
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 0915024
ELECTROLUX PROFESSIONAL 190133 40

3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020111 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 9.5 mm



3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 000200 0700 ELECTROLUX PROFESSIONAL 0515827 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 053665 ELECTROLUX PROFESSIONAL 078005 3665
ELECTROLUX PROFESSIONAL 095701 ELECTROLUX PROFESSIONAL 500536 65001
ELECTROLUX PROFESSIONAL 554053 665 ELECTROLUX PROFESSIONAL 7105366
ELECTROLUX PROFESSIONAL 702105 3665 ELECTROLUX PROFESSIONAL 727756

3020112 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 9 mm



5035324 PILOT JET SIT \varnothing 0.18 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3020557 PILOT JET SIT \varnothing 0.20 mm



Suitable for:

3020157 PILOT JET SIT \varnothing 0.25 mm



3020040 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 054593

3020541 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 021442 9700
ELECTROLUX PROFESSIONAL 057388 ELECTROLUX PROFESSIONAL 078005 3667
ELECTROLUX PROFESSIONAL 083082 3900
ELECTROLUX PROFESSIONAL 500536 67007
ELECTROLUX PROFESSIONAL 710536 67
ELECTROLUX PROFESSIONAL 702105 3667

ELECTROLUX PROFESSIONAL 053667 ELECTROLUX PROFESSIONAL
ELECTROLUX PROFESSIONAL 0977122
ELECTROLUX PROFESSIONAL 5540536
ELECTROLUX PROFESSIONAL 7105738
ELECTROLUX PROFESSIONAL 7111350

3020041 PILOT JET SIT \varnothing 0.41 mm



2106308 PILOT JET SIT \varnothing 0.45 mm



ELECTROLUX PROFESSIONAL 053670

3020187 PILOT JET SIT \varnothing 0.51 mm



4053669 PILOT JET SIT \varnothing 0.75 mm



ELECTROLUX PROFESSIONAL 053668

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm**



ELECTROLUX PROFESSIONAL 053669

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824 ELECTROLUX PROFESSIONAL 052125
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755



ELECTROLUX PROFESSIONAL



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21

Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 7021057

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



ELECTROLUX PROFESSIONAL 029776

3020101 BRACKET CLAMP 2 POSITIONS FOR PILOT SIT



ELECTROLUX PROFESSIONAL 0G2926 ELECTROLUX PROFESSIONAL 052246

3020100 BRACKET 2 POSITIONS SIT




3020109 DEFLECTOR 2 FLAMES FOR PILOT SIT




ELECTROLUX PROFESSIONAL 0G2925 ELECTROLUX PROFESSIONAL 001923 7500
ELECTROLUX PROFESSIONAL 020699 3500 ELECTROLUX PROFESSIONAL 052256
ELECTROLUX PROFESSIONAL 077000 727917 ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 097802 ELECTROLUX PROFESSIONAL 500522 56000
ELECTROLUX PROFESSIONAL 554052 256 ELECTROLUX PROFESSIONAL 7CHG727
ELECTROLUX PROFESSIONAL 710522 56 ELECTROLUX PROFESSIONAL 7021052
ELECTROLUX PROFESSIONAL 727917

3020083 FITTING AND OLIVE \varnothing 4 mm
thread M10x1 - h 24 mm



ELECTROLUX PROFESSIONAL 052833

3020084 FITTING AND OLIVE \varnothing 6 mm
thread M10x1 - h 10 mm



ELECTROLUX PROFESSIONAL 052834

3020513 FITTING AND OLIVE \varnothing 6 mm
thread 10x1 - h 10 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm
for PILOT BURNER SIT





ELECTROLUX PROFESSIONAL



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL M02E10	ELECTROLUX PROFESSIONAL Z05197	ELECTROLUX PROFESSIONAL Z056754	ELECTROLUX PROFESSIONAL Z05261	ELECTROLUX PROFESSIONAL Z05938	ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0500 4000	ELECTROLUX PROFESSIONAL 0A05004	ELECTROLUX PROFESSIONAL 0A05004	ELECTROLUX PROFESSIONAL 0A0558 1300	ELECTROLUX PROFESSIONAL 0A2473	ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 0C0488	ELECTROLUX PROFESSIONAL 0G0083	ELECTROLUX PROFESSIONAL 0002130	ELECTROLUX PROFESSIONAL 000212 0500	ELECTROLUX PROFESSIONAL 000212	ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 02E10	ELECTROLUX PROFESSIONAL 033027 3532	ELECTROLUX PROFESSIONAL 033027 4014	ELECTROLUX PROFESSIONAL 031003 500	ELECTROLUX PROFESSIONAL 033027	ELECTROLUX PROFESSIONAL 033027
ELECTROLUX PROFESSIONAL 033027 4014	ELECTROLUX PROFESSIONAL 051565	ELECTROLUX PROFESSIONAL 051977	ELECTROLUX PROFESSIONAL 033027 2600	ELECTROLUX PROFESSIONAL 052610	ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 051977	ELECTROLUX PROFESSIONAL 056754	ELECTROLUX PROFESSIONAL 0770190	ELECTROLUX PROFESSIONAL 056720	ELECTROLUX PROFESSIONAL 057410	ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 077752 040111	ELECTROLUX PROFESSIONAL 0780051	ELECTROLUX PROFESSIONAL 0780051	ELECTROLUX PROFESSIONAL 059988	ELECTROLUX PROFESSIONAL 077149 27	ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 6754	ELECTROLUX PROFESSIONAL 0830897	ELECTROLUX PROFESSIONAL 0830897	ELECTROLUX PROFESSIONAL 07800A 2473	ELECTROLUX PROFESSIONAL 078005 7410	ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 091505	ELECTROLUX PROFESSIONAL 091505 5	ELECTROLUX PROFESSIONAL 190127 24	ELECTROLUX PROFESSIONAL 078005 9988	ELECTROLUX PROFESSIONAL 078005 9988	ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 190127 24	ELECTROLUX PROFESSIONAL 437019	ELECTROLUX PROFESSIONAL 437075 2040111	ELECTROLUX PROFESSIONAL 083087 2200	ELECTROLUX PROFESSIONAL 083087 2200	ELECTROLUX PROFESSIONAL 091502
ELECTROLUX PROFESSIONAL 437075 2040111	ELECTROLUX PROFESSIONAL 4818515	ELECTROLUX PROFESSIONAL 190133 40	ELECTROLUX PROFESSIONAL 190133 40		

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020294 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



ELECTROLUX PROFESSIONAL 054336

3020365 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



5027953 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model COPRECI CAL3200



ELECTROLUX PROFESSIONAL 052127



ELECTROLUX PROFESSIONAL



Suitable for:

3020081 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 6.5 mm



ELECTROLUX PROFESSIONAL 053666

3020054 PILOT JET SIT \varnothing 0.20 mm



ELECTROLUX PROFESSIONAL Z05679 ELECTROLUX PROFESSIONAL 0A0544 7200
ELECTROLUX PROFESSIONAL 0G0082 ELECTROLUX PROFESSIONAL 0G5006 ELECTROLUX PROFESSIONAL 0002135
ELECTROLUX PROFESSIONAL 056799 ELECTROLUX PROFESSIONAL 078005 6799
ELECTROLUX PROFESSIONAL 097703 ELECTROLUX PROFESSIONAL 190229 95
ELECTROLUX PROFESSIONAL 554056 799
ELECTROLUX PROFESSIONAL 710G50 06
ELECTROLUX PROFESSIONAL 702105 6799

4058525 PILOT JET SIT \varnothing 0.30 mm



ELECTROLUX PROFESSIONAL 058525

5015516 PILOT JET SIT \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 003327

5075989 PILOT JET SIT \varnothing 0.70 mm



Suitable for:

3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



ELECTROLUX PROFESSIONAL 057251

3020156 PILOT JET SIT \varnothing 0.25 mm



ELECTROLUX PROFESSIONAL Z05833 ELECTROLUX PROFESSIONAL 005004 0000
ELECTROLUX PROFESSIONAL 058330 ELECTROLUX PROFESSIONAL 078005 8330
ELECTROLUX PROFESSIONAL 083086 0701
ELECTROLUX PROFESSIONAL 097705
ELECTROLUX PROFESSIONAL 500583 30007
ELECTROLUX PROFESSIONAL 710583 30
ELECTROLUX PROFESSIONAL 554058
ELECTROLUX PROFESSIONAL 702105

3020055 PILOT JET SIT \varnothing 0.35 mm



ELECTROLUX PROFESSIONAL 056656 ELECTROLUX PROFESSIONAL 056750 ELECTROLUX PROFESSIONAL 056797

3500269 PILOT JET SIT \varnothing 0.45 mm



3020308 PILOT WITH NOZZLE \varnothing 0.40 mm



ELECTROLUX PROFESSIONAL 006725 ELECTROLUX PROFESSIONAL 083585 4800
ELECTROLUX PROFESSIONAL 090140 ELECTROLUX PROFESSIONAL 710067 25



ELECTROLUX PROFESSIONAL



Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



ELECTROLUX PROFESSIONAL 052281

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" M - h 20 mm**



ELECTROLUX PROFESSIONAL 052686

**3020077 PIPE FITTING Ø 4 mm
thread M10x1 - h 10.5 mm**



**5033138 PIPE FITTING Ø 4 mm
thread Ø 1/8" M - h 11 mm**



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 0514824
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 0780046
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

**3020078 PIPE FITTING Ø 6 mm
thread M10x1 - h 10.5 mm**



**5014757 PIPE FITTING Ø 6 mm
thread M10x1 mm - h 11 mm**



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 0022505
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 7021057


Position switches

**40KU544 LIMIT MICROSWITCH COMEPIEP1G12ZU
1,5A 240V - with cable length 1000 mm**



ELECTROLUX PROFESSIONAL 0KU544

**3240155 LIMIT MICROSWITCH PIZZATO FR530-A
1NO-1NC 4A 250V**



ELECTROLUX PROFESSIONAL 046884



Suitable for:

Suitable for:

4059847 LIMIT MICROSWITCH PIZZATO FR531
3A 400V



ELECTROLUX PROFESSIONAL 059847

Potentiometers

40G0317 POTENTIOMETER
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0G0317

Pressure gauges

3054034 PRESSURE GAUGE \varnothing 62 mm
coupling \varnothing 1/8" M
range 0-1 bar



ELECTROLUX PROFESSIONAL 059515

3245022 PRESSURE GAUGE \varnothing 63 mm
coupling \varnothing 1/8" M
scale 0-1 bar



ELECTROLUX PROFESSIONAL 0C0712


Pressure regulators

3350001 PRESSURE REGULATOR BP1903VT
capacity 4 Kg/h
inlet \varnothing 1/4" F
outlet \varnothing 3/8" F
LPG low pressure regulator
outlet pressure 30mbar




ELECTROLUX PROFESSIONAL 0S0026

3350007 HOSE-END FITTING \varnothing 3/8" M



3350012 INJECTOR NUT \varnothing 1/4" M






Suitable for:

3350002 PRESSURE REGULATOR BP2205
 capacity 7 Kg/h
 inlet \varnothing 1/4"F
 outlet \varnothing 1/2"F
 LPG low pressure regulator
 outlet pressure 30mbar(25÷45mbar)




ELECTROLUX PROFESSIONAL 0S0027

3350012 INJECTOR NUT \varnothing 1/4" M



Suitable for:

3350008 HOSE-END FITTING \varnothing 1/2" M




3350003 REGULATOR BP2205
 capacity 10 Kg/h
 inlet \varnothing 1/4"F
 outlet \varnothing 1/2"F
 LPG low pressure regulator
 outlet pressure 30mbar(25÷45mbar)




ELECTROLUX PROFESSIONAL 0S0028

3350012 INJECTOR NUT \varnothing 1/4" M




3350008 HOSE-END FITTING \varnothing 1/2" M



Pressure switches

40C4143 EXPANSION CONT.PRESSURE SWITCH 70x60x30mm
 hose-end fittings \varnothing 12 mm



ELECTROLUX PROFESSIONAL 0C4143

3320199 PRESSURE SWITCH 1 LEVEL
 calibration 320/200 mm
 250V 16A
 max operating temperature 85°C



ELECTROLUX PROFESSIONAL 0C0872



Suitable for:

3320249 STEAM PRESSURE SWITCH 0.25-4.5 BAR
connection 1/4" F



ELECTROLUX PROFESSIONAL 0K1396

Suitable for:

3320133 STEAM PRESSURE SWITCH 0.3-0.8 BAR
connection 1/4" M - 10A 250V



ELECTROLUX PROFESSIONAL HB46A2 14

ELECTROLUX PROFESSIONAL 0A0563

ELECTROLUX PROFESSIONAL 0A2480 ELECTROLUX PROFESSIONAL 07800A 2480

ELECTROLUX PROFESSIONAL 554102 480

ELECTROLUX PROFESSIONAL 710A24

ELECTROLUX PROFESSIONAL 70210A 2480

40K8316 STEAM PRESSURE SWITCH 0.55/0.465 BAR
fitting 1/4" M - 250V



ELECTROLUX PROFESSIONAL 0K8316

40KU521 STEAM PRESSURE SWITCH 0,45/0,365 BAR
fitting 1/4" M - 250V



ELECTROLUX PROFESSIONAL 0KU521

40C4083 WATER PRESSURE SWITCH 0.50/0.30 BAR
fitting 1/4" M - 250V



ELECTROLUX PROFESSIONAL 0C4083

Probes

3397181 PROBE BUSH




ELECTROLUX PROFESSIONAL 033478

3445028 PROBE NTC PVC 4000 mm
temperature field -30+80°C
bulb \varnothing 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

2110738 PROBE PROTECTION \varnothing 12x39 mm
internal \varnothing 7/4 mm - thread M6x1



ELECTROLUX PROFESSIONAL 0G2155

40KE127 PROBE PROTECTOR \varnothing 12x59 mm
internal \varnothing 7/4 mm - thread M6x1



ELECTROLUX PROFESSIONAL 0KE127



ELECTROLUX PROFESSIONAL



Suitable for:

3445109 PROBE TCJ VETROTEX 3000 mm
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm 0.75\%$ below 0°C
response time 30 sec
bulb \varnothing 6x100 mm



ELECTROLUX PROFESSIONAL 004116

Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3397182 SCREW PROBE 55 mm
thread M8x1,25 mm



ELECTROLUX PROFESSIONAL 033477

3397181 PROBE BUSH



ELECTROLUX PROFESSIONAL 033478

3445144 TEMPERATURE PROBE NTC 1000 mm
2-wire probe with clamp
bulb \varnothing 4x40 mm



ELECTROLUX PROFESSIONAL 000520 0900
ELECTROLUX PROFESSIONAL 067583 7201

5108491 TEMPERATURE PROBE NTC 1000 mm
probe 2 wires with terminal block
bulb \varnothing 4x40 mm



ELECTROLUX PROFESSIONAL 006609 ELECTROLUX PROFESSIONAL 006609
ELECTROLUX PROFESSIONAL 7100660

40D5987 TEMPERATURE PROBE NTC 630 mm
2-wire probe with clamp
bulb \varnothing 4x40 mm



ELECTROLUX PROFESSIONAL 0D5987

4087959 TEMPERATURE PROBE NTC22K 1600 mm
2-wire probe with clamp
bulb \varnothing 6x19 mm



ELECTROLUX PROFESSIONAL 087959 ELECTROLUX PROFESSIONAL 093448

4087958 TEMPERATURE PROBE NTC22K 2500 mm
2-wire probe with clamp
bulb \varnothing 6x19 mm



ELECTROLUX PROFESSIONAL 087958 ELECTROLUX PROFESSIONAL 093450

3445145 TEMPERATURE PROBE PT100 1400 mm
2-wire probe
bulb \varnothing 4x40 mm



ELECTROLUX PROFESSIONAL 006155



Suitable for:

40G2398 TEMPERATURE PROBE PT1000 2650 mm
2-wire probe with faston
bulb \varnothing 4x130 mm - bayonet fixing



ELECTROLUX PROFESSIONAL 0G2398

Suitable for:

40G2404 TEMPERATURE PROBE 2000 mm
probe 2 wires with faston
bulb 6x10x22 mm



ELECTROLUX PROFESSIONAL 0G2404 ELECTROLUX PROFESSIONAL 0K4400

40K5154 TEMPERATURE PROBE 2000 mm
2-wire probe with faston
bulb 6x10x22 mm



ELECTROLUX PROFESSIONAL 0K5154

7102717 TEMPERATURE PROBE 2000 mm
probe 2 wires with faston - bulbo 6x5x35 mm




ELECTROLUX PROFESSIONAL 0K5157

40K5152 TEMPERATURE PROBE 2400 mm
2-wire probe with faston
bulb \varnothing 4x60 mm
with fastening fitting \varnothing 1/2" F




ELECTROLUX PROFESSIONAL 0K5152

40K5055 THERMOCOUPLE PROBE TCK 2500 mm
2-wire probe
bulb \varnothing 4x33 mm - bayonet fixing




ELECTROLUX PROFESSIONAL 0K5055

40K5058 THERMOCOUPLE PROBE TCK 2600 mm
2-wire probe
bulb \varnothing 4x70 mm - bayonet fixing



ELECTROLUX PROFESSIONAL 0K5058

40C7421 THERMOCOUPLE PROBE 1500 mm
2-wire probe with faston
bulb \varnothing 3x45 mm



ELECTROLUX PROFESSIONAL 0C7421

Protection plates

3244001 PROTECTION COVER ELETTROSIT
length 80 mm - width 60 mm



ELECTROLUX PROFESSIONAL 051280



Suitable for:

ELECTROLUX PROFESSIONAL



Suitable for:

Radiant heating elements

3311166 RADIANT HEATING ELEM. ø 200mm 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



ELECTROLUX PROFESSIONAL 0C0812 ELECTROLUX PROFESSIONAL 0C1809 ELECTROLUX PROFESSIONAL 0D6989 ELECTROLUX PROFESSIONAL 005008

3311088 RADIANT HEATING ELEM. ø 230mm 2100W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking hob




2110855 RADIANT HEATING ELEM. ø 230mm 2200W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking hob



ELECTROLUX PROFESSIONAL 0A5299

3455400 RADIANT HEATING ELEMENT OCTAGON. ø 200mm 1800W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic cooking top



ELECTROLUX PROFESSIONAL 00931 ELECTROLUX PROFESSIONAL 7TEC93 1

3311083 RADIANT HEATING ELEMENT OCTAGON. ø 250mm 2500W 230V
faston electrical connections - with cables
complete with power setting
for glass-ceramic hob



ELECTROLUX PROFESSIONAL 0C1978

3455404 RADIANT HEATING ELEMENT OCTAGON. ø 300mm 3400/1400W 230V
faston electrical connections - with cables
complete with power adjuster
for glass-ceramic cooking top




ELECTROLUX PROFESSIONAL 0C4077

3755564 RADIANT HEATING ELEMENT 2700W 230V
length 410 mm - width 170 mm
faston electrical connections



ELECTROLUX PROFESSIONAL 004755

3311105 RADIANT HEATING ELEMENT 3500W 240V
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooking hob
NO PAN DETECTION SENSOR



ELECTROLUX PROFESSIONAL 0C2128



Suitable for:


40C8477 RADIANT HEATING ELEMENT 3900W 230V
length 320 mm - width 455 mm
complete with cables



ELECTROLUX PROFESSIONAL 0C8477

Suitable for:

40C8476 RADIANT HEATING ELEMENT 4200W 230/400V
length 320 mm - width 455 mm
complete with cables




ELECTROLUX PROFESSIONAL 0C8476

3755266 RADIANT HEATING ELEMENT 5000W 230V
length 415 mm - width 280 mm
faston electrical connections




ELECTROLUX PROFESSIONAL 005942

40C7625 RADIANT HEATING ELEMENT 6000W 230V
length 405 mm - width 255 mm
with cables




ELECTROLUX PROFESSIONAL 0C7625

40C8351 RADIANT HEATING ELEMENT 6480W 230V
length 550 mm - width 320 mm
complete with cables




ELECTROLUX PROFESSIONAL 0C8351

5068805 RADIANT HEATING ELEMENT 8500W 230/400V
length 420 mm - width 550 mm
complete with cables



ELECTROLUX PROFESSIONAL 0C7411

3755575 RADIANT HEATING ELEMENT 9000W 400V
length 435 mm - width 340 mm
faston electrical connections



ELECTROLUX PROFESSIONAL 006158

Refractory tiles

4057730 CERAMIC RADIANT PLATE 163x103x25 mm



ELECTROLUX PROFESSIONAL 057730

3312086 GLASS-CERAMIC PLATE 545x290 mm



ELECTROLUX PROFESSIONAL 059045



Suitable for:

Suitable for:


Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles




ELECTROLUX PROFESSIONAL 053912

3351158 BASE UNDECAL FINDER 90.83.3
11 poles - 10A 400V



ELECTROLUX PROFESSIONAL 049236

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A




ELECTROLUX PROFESSIONAL 0E5849

3351004 POWER RELAY FINDER 56.32.8.230.0040
230V 50/60Hz
2 changeover contacts 12A



ELECTROLUX PROFESSIONAL 048438

3351005 POWER RELAY FINDER 56.34.8.230.0040
230V 50/60Hz
4 changeover contacts 12A



ELECTROLUX PROFESSIONAL 048611

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ELECTROLUX PROFESSIONAL 0D0013 ELECTROLUX PROFESSIONAL 058857 ELECTROLUX PROFESSIONAL 069882
ELECTROLUX PROFESSIONAL 083215

3351010 POWER RELAY FINDER 62.33.8.024.0000
24Vac 50/60Hz
3 changeover contacts 16A
for coupling on socket (faston 4.8 mm)



ELECTROLUX PROFESSIONAL 0E5170

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ELECTROLUX PROFESSIONAL 0PE302 ELECTROLUX PROFESSIONAL 064830 1900
ELECTROLUX PROFESSIONAL 628282 300000



Suitable for:

Suitable for:

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



5072234 POWER RELAY FINDER 62.83.8.230.0300
complete with bracket
230V 50/60Hz
3 changeover contacts 16A



ELECTROLUX PROFESSIONAL J26195 ELECTROLUX PROFESSIONAL 0A9596 ELECTROLUX PROFESSIONAL 0H26195 ELECTROLUX PROFESSIONAL 005033
ELECTROLUX PROFESSIONAL 0H2619 5700 ELECTROLUX PROFESSIONAL 005034 ELECTROLUX PROFESSIONAL 064871 5600
ELECTROLUX PROFESSIONAL 064872 5400 ELECTROLUX PROFESSIONAL 0700261
ELECTROLUX PROFESSIONAL 07800A 9596 ELECTROLUX PROFESSIONAL 0780005
ELECTROLUX PROFESSIONAL 078000 5034 ELECTROLUX PROFESSIONAL 088197
ELECTROLUX PROFESSIONAL 261957 ELECTROLUX PROFESSIONAL 289070 0261957
ELECTROLUX PROFESSIONAL 554005 033 ELECTROLUX PROFESSIONAL 6005034
ELECTROLUX PROFESSIONAL 628382 300300 ELECTROLUX PROFESSIONAL 7D26195
ELECTROLUX PROFESSIONAL 710A95 96 ELECTROLUX PROFESSIONAL 7100503
ELECTROLUX PROFESSIONAL 710050 34 ELECTROLUX PROFESSIONAL 7108819
ELECTROLUX PROFESSIONAL 700226 1957

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



40G5742 RELAY CRYDOM CWD4850P
input 4-32Vdc - output 50A 480V



ELECTROLUX PROFESSIONAL 0T3055 ELECTROLUX PROFESSIONAL 085647

ELECTROLUX PROFESSIONAL 0G5742

5025249 RELAY POWER FINDER 40.61.8.024.0000
24Vac - 50/60Hz - 1 changeover contact 16A



ELECTROLUX PROFESSIONAL 0E5172

4002787 RELAY POWER FINDER 6 55.34.8.230.5000
230V 50/60Hz
4 switch contacts 7A



ELECTROLUX PROFESSIONAL 002787

4002786 SOCKET WITH TERMINAL BLOCK FINDER 94.74
10A 250V



ELECTROLUX PROFESSIONAL 002786



Suitable for:

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



ELECTROLUX PROFESSIONAL BRE000 0023190
ELECTROLUX PROFESSIONAL 056466
ELECTROLUX PROFESSIONAL 23190
ELECTROLUX PROFESSIONAL 620237 02

Suitable for:

4002786 SOCKET WITH TERMINAL BLOCK FINDER 94.74
10A 250V



ELECTROLUX PROFESSIONAL 056446
ELECTROLUX PROFESSIONAL 085296
ELECTROLUX PROFESSIONAL 481853 561
ELECTROLUX PROFESSIONAL 7105644

Safety groups for pans and spare parts

3184012 DEPRESSION VALVE \varnothing 1/2" M
in chrome plated brass
for safety group \varnothing 1" 1/4



ELECTROLUX PROFESSIONAL 0K0081
ELECTROLUX PROFESSIONAL 0K1458
ELECTROLUX PROFESSIONAL 0K1463
ELECTROLUX PROFESSIONAL 0K1464
ELECTROLUX PROFESSIONAL 0K1466
ELECTROLUX PROFESSIONAL 059664

3184011 DEPRESSION VALVE \varnothing 1/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



ELECTROLUX PROFESSIONAL 010246

3184013 DEPRESSION VALVE \varnothing 3/4" M
in chrome plated brass
for safety group \varnothing 3/4"
for safety group \varnothing 1" 1/4



ELECTROLUX PROFESSIONAL 0S0140
ELECTROLUX PROFESSIONAL 010023
ELECTROLUX PROFESSIONAL 0150900

3184029 DEPRESSION VALVE \varnothing 3/8" M
in chrome plated brass
for security valve 3/4"



ELECTROLUX PROFESSIONAL 003536
ELECTROLUX PROFESSIONAL 008021
ELECTROLUX PROFESSIONAL 008098
ELECTROLUX PROFESSIONAL 015090 02
ELECTROLUX PROFESSIONAL 033523
ELECTROLUX PROFESSIONAL 051566
ELECTROLUX PROFESSIONAL 078005 1566
ELECTROLUX PROFESSIONAL 500515 66003
ELECTROLUX PROFESSIONAL 554051
ELECTROLUX PROFESSIONAL 710515 66
ELECTROLUX PROFESSIONAL 702105

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



ELECTROLUX PROFESSIONAL 008022
ELECTROLUX PROFESSIONAL 017055



Suitable for:

Suitable for:

3184003 SAFETY GROUP VERTICAL \varnothing 1"1/4
 elbow connection \varnothing 1"1/4
 calibration pressure 0.50bar \pm 10%
 system with spring opening device
 complete with safety valve, depression valve,
 tap for pressure gauge holder and pressure gauge
 for STEAM BOILING KETTLE



ELECTROLUX PROFESSIONAL 008019 ELECTROLUX PROFESSIONAL 008061 ELECTROLUX PROFESSIONAL 015050
 ELECTROLUX PROFESSIONAL 710080 19 ELECTROLUX PROFESSIONAL 7100806

3184013 DEPRESSION VALVE \varnothing 3/4" M
 in chrome plated brass
 for safety group \varnothing 3/4"
 for safety group \varnothing 1"1/4



ELECTROLUX PROFESSIONAL 0S0140 ELECTROLUX PROFESSIONAL 010023 ELECTROLUX PROFESSIONAL 015090

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



ELECTROLUX PROFESSIONAL 008022 ELECTROLUX PROFESSIONAL 017055

3184034 PRESSURE-GAUGE HOLDING TAP \varnothing 1/4"
 for security group 3/4"
 for security group 1"1/4



3184018 SAFETY VALVE \varnothing 1"1/4 M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPE SL approved



ELECTROLUX PROFESSIONAL 010298 ELECTROLUX PROFESSIONAL 056691 ELECTROLUX PROFESSIONAL 057493

3184016 SAFETY VALVE "FUMANA" \varnothing 1" M
 chrome plated brass
 for safety group 3/4"
 for safety group 1"1/4



ELECTROLUX PROFESSIONAL 0A0552 6000 ELECTROLUX PROFESSIONAL 0A2276
 ELECTROLUX PROFESSIONAL 008004 ELECTROLUX PROFESSIONAL 010233 ELECTROLUX PROFESSIONAL 015060
 ELECTROLUX PROFESSIONAL 015060 07 ELECTROLUX PROFESSIONAL 033523
 ELECTROLUX PROFESSIONAL 052623 ELECTROLUX PROFESSIONAL 078005 2623
 ELECTROLUX PROFESSIONAL 083580 1801 ELECTROLUX PROFESSIONAL 710A22
 ELECTROLUX PROFESSIONAL 710080 04 ELECTROLUX PROFESSIONAL 710102
 ELECTROLUX PROFESSIONAL 710526 23 ELECTROLUX PROFESSIONAL 702105

3184018 SAFETY VALVE \varnothing 1"1/4 M
 max pressure 0.5 atm
 for safety group 1"1/4
 ISPE SL approved



ELECTROLUX PROFESSIONAL 010298 ELECTROLUX PROFESSIONAL 056691 ELECTROLUX PROFESSIONAL 057493

3184017 SAFETY VALVE \varnothing 3/4" M
 max pressure 0.5 atm
 for safety group \varnothing 3/4"



ELECTROLUX PROFESSIONAL 054806



Suitable for:

Suitable for:

3184016 SAFETY VALVE "FUMANA" ø 1" M
chrome plated brass
for safety group 3/4"
for safety group 1"1/4

3184014 SIPHON FOR PRESSURE GAUGE HOLDER ø 3/8" M
made of chrome plated brass
for safety group 3/4"



ELECTROLUX PROFESSIONAL 0A0552 6000
ELECTROLUX PROFESSIONAL 008004
ELECTROLUX PROFESSIONAL 015060 07
ELECTROLUX PROFESSIONAL 052623
ELECTROLUX PROFESSIONAL 083580 1801
ELECTROLUX PROFESSIONAL 710080 04
ELECTROLUX PROFESSIONAL 710526 23

ELECTROLUX PROFESSIONAL 0A2276
ELECTROLUX PROFESSIONAL 010233
ELECTROLUX PROFESSIONAL 0335233
ELECTROLUX PROFESSIONAL 078005 2623
ELECTROLUX PROFESSIONAL 710A227
ELECTROLUX PROFESSIONAL 7101023
ELECTROLUX PROFESSIONAL 7021052

ELECTROLUX PROFESSIONAL 0A2122

3184019 TAP WITH FUNNEL ø 1/2" M
with cover





ELECTROLUX PROFESSIONAL 0A2120

Selector switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.

40C7415 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer and cables
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm





ELECTROLUX PROFESSIONAL 0A0541 4500
ELECTROLUX PROFESSIONAL 0KT779
ELECTROLUX PROFESSIONAL 000061 7079
ELECTROLUX PROFESSIONAL 006712
ELECTROLUX PROFESSIONAL 050684 2500
ELECTROLUX PROFESSIONAL 054376
ELECTROLUX PROFESSIONAL 078005 4376
ELECTROLUX PROFESSIONAL 500543 76004
ELECTROLUX PROFESSIONAL 554102 205
ELECTROLUX PROFESSIONAL 710A22 05
ELECTROLUX PROFESSIONAL 710543 76
ELECTROLUX PROFESSIONAL 702105 4376

ELECTROLUX PROFESSIONAL 0A2205
ELECTROLUX PROFESSIONAL 000061 7078
ELECTROLUX PROFESSIONAL 0023160
ELECTROLUX PROFESSIONAL 0504S4 LY00
ELECTROLUX PROFESSIONAL 0508897
ELECTROLUX PROFESSIONAL 07800A 2205
ELECTROLUX PROFESSIONAL 4370000
ELECTROLUX PROFESSIONAL 5540543
ELECTROLUX PROFESSIONAL 7CHG721
ELECTROLUX PROFESSIONAL 7100671
ELECTROLUX PROFESSIONAL 70210A2
ELECTROLUX PROFESSIONAL 721205

ELECTROLUX PROFESSIONAL 0C7415

40C9939 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer and cables
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm

40G3278 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0C9939

ELECTROLUX PROFESSIONAL 0G3278

Suitable for:

40K5063 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer and cables
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5063


Suitable for:

40K5090 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer and cables
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 0K5090

40K5118 KIT SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5118

40K5163 KIT SELECTOR SWITCH 0-1 POSITIONS
complete with potentiometer and cables
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K5163

40C0084 KIT SELECTOR SWITCH 0-9 POSITIONS
complete with indicator lamp, connectors
and cables - potentiometer
contact capacity 16A 250V




ELECTROLUX PROFESSIONAL 0C0084

40C9700 KIT SELECTOR SWITCH 0-9 POSITIONS
complete with indicator lamp, connectors
and cables - potentiometer
contact capacity 16A 250V




ELECTROLUX PROFESSIONAL 0C9700

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
back connection for thermostat



ELECTROLUX PROFESSIONAL 026945

3057018 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
back connection for thermostat




ELECTROLUX PROFESSIONAL 0A2036



Suitable for:


3057019 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A2227 ELECTROLUX PROFESSIONAL 003142


Suitable for:

3057026 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 031481 ELECTROLUX PROFESSIONAL 054375 ELECTROLUX PROFESSIONAL 058125
ELECTROLUX PROFESSIONAL 064130 0100 ELECTROLUX PROFESSIONAL 064180
ELECTROLUX PROFESSIONAL 078003 1481 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 8125 ELECTROLUX PROFESSIONAL 481852
ELECTROLUX PROFESSIONAL 492101 5600 ELECTROLUX PROFESSIONAL 500543
ELECTROLUX PROFESSIONAL 554031 481 ELECTROLUX PROFESSIONAL 554054
ELECTROLUX PROFESSIONAL 554058 125 ELECTROLUX PROFESSIONAL 603001
ELECTROLUX PROFESSIONAL 710314 81 ELECTROLUX PROFESSIONAL 710543
ELECTROLUX PROFESSIONAL 710581 25 ELECTROLUX PROFESSIONAL 702103
ELECTROLUX PROFESSIONAL 702105 4375

3057140 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 006649

3057177 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 0A2134 ELECTROLUX PROFESSIONAL 0H6605 ELECTROLUX PROFESSIONAL 00070
ELECTROLUX PROFESSIONAL 004908 ELECTROLUX PROFESSIONAL 070024 5599
ELECTROLUX PROFESSIONAL 078000 4908 ELECTROLUX PROFESSIONAL 289070
ELECTROLUX PROFESSIONAL 554004 908 ELECTROLUX PROFESSIONAL 7D2455
ELECTROLUX PROFESSIONAL 7D70 ELECTROLUX PROFESSIONAL 7TEC00 070
ELECTROLUX PROFESSIONAL 700224 5599

3057178 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



ELECTROLUX PROFESSIONAL 032677


3057255 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL T18005 012


ELECTROLUX PROFESSIONAL 0H6688

5036256 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0G2759

3057013 **SELECTOR SWITCH 0-1 0-1 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL Z05085 ELECTROLUX PROFESSIONAL 044104 1200
ELECTROLUX PROFESSIONAL 050857 ELECTROLUX PROFESSIONAL 078005 0857
ELECTROLUX PROFESSIONAL 434203 2700 ELECTROLUX PROFESSIONAL 481851
ELECTROLUX PROFESSIONAL 500508 57007 ELECTROLUX PROFESSIONAL 710508
ELECTROLUX PROFESSIONAL 702105 0857



Suitable for:


Suitable for:

3057017 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm




ELECTROLUX PROFESSIONAL 0A0540 2700
 ELECTROLUX PROFESSIONAL 000519 1400
 ELECTROLUX PROFESSIONAL 492201 5723
 ELECTROLUX PROFESSIONAL 710A21 62

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm




ELECTROLUX PROFESSIONAL 0A2162
 ELECTROLUX PROFESSIONAL 07800A2
 ELECTROLUX PROFESSIONAL 5541021
 ELECTROLUX PROFESSIONAL 70210A2

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL T18005 065
 ELECTROLUX PROFESSIONAL 0K4921
 ELECTROLUX PROFESSIONAL 077018 015351
 ELECTROLUX PROFESSIONAL 180153 51
 ELECTROLUX PROFESSIONAL 300021
 ELECTROLUX PROFESSIONAL 477902 205
 ELECTROLUX PROFESSIONAL 7CHG18 005065
 ELECTROLUX PROFESSIONAL 7D1800 5065
 ELECTROLUX PROFESSIONAL 710025 89

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm




ELECTROLUX PROFESSIONAL T180153
 ELECTROLUX PROFESSIONAL 002589
 ELECTROLUX PROFESSIONAL 1800506
 ELECTROLUX PROFESSIONAL 2500180
 ELECTROLUX PROFESSIONAL 437001 8015351
 ELECTROLUX PROFESSIONAL 4942015
 ELECTROLUX PROFESSIONAL 7CHG180
 ELECTROLUX PROFESSIONAL 7D18015
 ELECTROLUX PROFESSIONAL 724

ELECTROLUX PROFESSIONAL 0H6682
 ELECTROLUX PROFESSIONAL 0K0472
 ELECTROLUX PROFESSIONAL 0K1379
 ELECTROLUX PROFESSIONAL 070021 2269
 ELECTROLUX PROFESSIONAL 070024 7200
 ELECTROLUX PROFESSIONAL 434203 2000
 ELECTROLUX PROFESSIONAL 7D2314 22
 ELECTROLUX PROFESSIONAL 700224 7200


ELECTROLUX PROFESSIONAL 0K1379
 ELECTROLUX PROFESSIONAL 070023
 ELECTROLUX PROFESSIONAL 247200
 ELECTROLUX PROFESSIONAL 7D2122
 ELECTROLUX PROFESSIONAL 7D2472

3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 003565
 ELECTROLUX PROFESSIONAL 078002 8390
 ELECTROLUX PROFESSIONAL 492201 5000
 ELECTROLUX PROFESSIONAL 554003 565
 ELECTROLUX PROFESSIONAL 710283 90


40KK036 SELECTOR SWITCH 0-1-2 POSITIONS
 contact capacity 16A 250V
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 028390
 ELECTROLUX PROFESSIONAL 0441020
 ELECTROLUX PROFESSIONAL 4818513
 ELECTROLUX PROFESSIONAL 5002839
 ELECTROLUX PROFESSIONAL 7100356
 ELECTROLUX PROFESSIONAL 7021028


ELECTROLUX PROFESSIONAL 0KK036

3057001 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6598
 ELECTROLUX PROFESSIONAL 029147

3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6683
 ELECTROLUX PROFESSIONAL 028590




ELECTROLUX PROFESSIONAL



Suitable for:


3057064 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 059544


Suitable for:

3057093 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6602

3057142 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 0C7965 ELECTROLUX PROFESSIONAL 053866

3057164 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 140°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 0C0320 ELECTROLUX PROFESSIONAL 0C9725

40KV044 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
Halbmondachse \varnothing 6x4,6 mm




ELECTROLUX PROFESSIONAL 0KV044

4032857 **SELECTOR SWITCH 0-3 POSITIONS**
contact flow rate 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A3012 ELECTROLUX PROFESSIONAL 032857

4048719 **SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 048719

3057004 **SELECTOR SWITCH 0-4 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 051647

3057006 **SELECTOR SWITCH 0-4 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 025300

3057031 **SELECTOR SWITCH 0-4 POSITIONS**
contact capacity 32A 250V-25A 400V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A2285





Suitable for:

Suitable for:

3057141 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm

40C7353 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4,6 mm





ELECTROLUX PROFESSIONAL 0C9080 ELECTROLUX PROFESSIONAL 004268

ELECTROLUX PROFESSIONAL 0C7353

5002051 SELECTOR SWITCH 0-4 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm

2101204 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm





ELECTROLUX PROFESSIONAL 052749

ELECTROLUX PROFESSIONAL 0A2021 ELECTROLUX PROFESSIONAL 0G0649 ELECTROLUX PROFESSIONAL 0KM938

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL T18005 083

ELECTROLUX PROFESSIONAL 0A05049

ELECTROLUX PROFESSIONAL 0A2021

ELECTROLUX PROFESSIONAL 0A2022 ELECTROLUX PROFESSIONAL 0H9805 ELECTROLUX PROFESSIONAL 0K4922

ELECTROLUX PROFESSIONAL 01C32 ELECTROLUX PROFESSIONAL 0640S0 2902

ELECTROLUX PROFESSIONAL 077018 005083

ELECTROLUX PROFESSIONAL 0774716

ELECTROLUX PROFESSIONAL 07800A 2022

ELECTROLUX PROFESSIONAL 1800503

ELECTROLUX PROFESSIONAL 180050 83

ELECTROLUX PROFESSIONAL 180514

ELECTROLUX PROFESSIONAL 432723 2000

ELECTROLUX PROFESSIONAL 4327232

ELECTROLUX PROFESSIONAL 437001 8005037

ELECTROLUX PROFESSIONAL 4716882

ELECTROLUX PROFESSIONAL 539050 0322

ELECTROLUX PROFESSIONAL 7CHG180

ELECTROLUX PROFESSIONAL 7CHG71 2344120

ELECTROLUX PROFESSIONAL 7D18005

ELECTROLUX PROFESSIONAL 7D4716 88216


ELECTROLUX PROFESSIONAL 710A202

ELECTROLUX PROFESSIONAL 710H98 05

ELECTROLUX PROFESSIONAL 70210A2

3057076 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm

3057089 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 059238

ELECTROLUX PROFESSIONAL 004741




ELECTROLUX PROFESSIONAL



Suitable for:


3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 0H6685 ELECTROLUX PROFESSIONAL 004915 ELECTROLUX PROFESSIONAL 053408 ELECTROLUX PROFESSIONAL 0K8614

Suitable for:

40K8614 SELECTOR SWITCH 1-2-3 POSITIONS
contact capacity 16A 250V
D-shaped pin \varnothing 6x4.6 mm




40K1631 SELECTOR SWITCH 10 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0K1631

3057116 SELECTOR SWITCH 4 POSITIONS
14 cams - contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6101

Solenoid valves

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120138 COIL FOR GAS SOLENOID VALVE \varnothing 1/2"FF 230V
50/60Hz 20VA



ELECTROLUX PROFESSIONAL 005548

3120042 COIL SIRAI Z610A 230V 50/60Hz 6W
width 25 mm - height 33 mm
length 33 mm



ELECTROLUX PROFESSIONAL 0KG317 ELECTROLUX PROFESSIONAL 067609

3120064 GAS SOLENOID VALVE \varnothing 1/2"FF 230V
with rate flow regulator
50/60Hz 20VA - max 500 mbar



ELECTROLUX PROFESSIONAL 059509

3120138 COIL FOR GAS SOLENOID VALVE \varnothing 1/2"FF 230V
50/60Hz 20VA



ELECTROLUX PROFESSIONAL 005548



Suitable for:

Suitable for:

3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%




ELECTROLUX PROFESSIONAL 0W2908

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL Z00261 ELECTROLUX PROFESSIONAL Z05535 ELECTROLUX PROFESSIONAL 0A05166
ELECTROLUX PROFESSIONAL 0A2064 ELECTROLUX PROFESSIONAL 0KM766 ELECTROLUX PROFESSIONAL 0S1650
ELECTROLUX PROFESSIONAL 002613 ELECTROLUX PROFESSIONAL 047531 ELECTROLUX PROFESSIONAL 055350
ELECTROLUX PROFESSIONAL 069660 8900 ELECTROLUX PROFESSIONAL 0696800
ELECTROLUX PROFESSIONAL 069680 2500 ELECTROLUX PROFESSIONAL 0780002
ELECTROLUX PROFESSIONAL 078005 5350 ELECTROLUX PROFESSIONAL 4778972
ELECTROLUX PROFESSIONAL 500026 13003 ELECTROLUX PROFESSIONAL 5540026
ELECTROLUX PROFESSIONAL 554055 350 ELECTROLUX PROFESSIONAL 6005029
ELECTROLUX PROFESSIONAL 620213 00 ELECTROLUX PROFESSIONAL 710A206
ELECTROLUX PROFESSIONAL 710026 13 ELECTROLUX PROFESSIONAL 7104753
ELECTROLUX PROFESSIONAL 710553 50 ELECTROLUX PROFESSIONAL 7SC0620

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

ELECTROLUX PROFESSIONAL 0L0167



ELECTROLUX PROFESSIONAL



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL J05513 ELECTROLUX PROFESSIONAL 0L3335 ELECTROLUX PROFESSIONAL 047756
 ELECTROLUX PROFESSIONAL 048894 ELECTROLUX PROFESSIONAL 055132 ELECTROLUX PROFESSIONAL 0696609
 ELECTROLUX PROFESSIONAL 069661 1800 ELECTROLUX PROFESSIONAL 0696801
 ELECTROLUX PROFESSIONAL 069680 1001 ELECTROLUX PROFESSIONAL 0780047
 ELECTROLUX PROFESSIONAL 078004 8894 ELECTROLUX PROFESSIONAL 0780055
 ELECTROLUX PROFESSIONAL 078008 6014 ELECTROLUX PROFESSIONAL 086014
 ELECTROLUX PROFESSIONAL 300009 85 ELECTROLUX PROFESSIONAL 4819551
 ELECTROLUX PROFESSIONAL 500477 56007 ELECTROLUX PROFESSIONAL 5005513
 ELECTROLUX PROFESSIONAL 554047 756 ELECTROLUX PROFESSIONAL 5540488
 ELECTROLUX PROFESSIONAL 554055 132 ELECTROLUX PROFESSIONAL 6501050
 ELECTROLUX PROFESSIONAL 710477 56 ELECTROLUX PROFESSIONAL 7104889
 ELECTROLUX PROFESSIONAL 710551 32

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%





ELECTROLUX PROFESSIONAL



Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120505 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 058996



Suitable for:

ELECTROLUX PROFESSIONAL



3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908



Suitable for:

Suitable for:

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL Z05687 ELECTROLUX PROFESSIONAL 056872 ELECTROLUX PROFESSIONAL 0696801
ELECTROLUX PROFESSIONAL 078005 6872 ELECTROLUX PROFESSIONAL 5005687
ELECTROLUX PROFESSIONAL 554056 872 ELECTROLUX PROFESSIONAL 7105687
ELECTROLUX PROFESSIONAL 702105 6872

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

ELECTROLUX PROFESSIONAL 0L0167

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120007 **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



- ELECTROLUX PROFESSIONAL T19003 298
- ELECTROLUX PROFESSIONAL 0L3028
- ELECTROLUX PROFESSIONAL 045631
- ELECTROLUX PROFESSIONAL 069463
- ELECTROLUX PROFESSIONAL 069660 8200
- ELECTROLUX PROFESSIONAL 078004 7536
- ELECTROLUX PROFESSIONAL 120002
- ELECTROLUX PROFESSIONAL 190032 98
- ELECTROLUX PROFESSIONAL 250019 0032984
- ELECTROLUX PROFESSIONAL 500694 63003
- ELECTROLUX PROFESSIONAL 7CHG12 7291
- ELECTROLUX PROFESSIONAL 710464 27
- ELECTROLUX PROFESSIONAL 0K5389
- ELECTROLUX PROFESSIONAL 0ZZS0 DK00
- ELECTROLUX PROFESSIONAL 046427
- ELECTROLUX PROFESSIONAL 047536
- ELECTROLUX PROFESSIONAL 069660 4601
- ELECTROLUX PROFESSIONAL 0770190
- ELECTROLUX PROFESSIONAL 0780069
- ELECTROLUX PROFESSIONAL 120020
- ELECTROLUX PROFESSIONAL 127291
- ELECTROLUX PROFESSIONAL 240003
- ELECTROLUX PROFESSIONAL 4777291
- ELECTROLUX PROFESSIONAL 5540694
- ELECTROLUX PROFESSIONAL 7D19003

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

ELECTROLUX PROFESSIONAL 0L0167



ELECTROLUX PROFESSIONAL



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120008 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL Z04817 ELECTROLUX PROFESSIONAL 002215 2200
 ELECTROLUX PROFESSIONAL 047529 ELECTROLUX PROFESSIONAL 047532 ELECTROLUX PROFESSIONAL 048178
 ELECTROLUX PROFESSIONAL 048898 ELECTROLUX PROFESSIONAL 069179 ELECTROLUX PROFESSIONAL 0696603
 ELECTROLUX PROFESSIONAL 069660 4201 ELECTROLUX PROFESSIONAL 0696604
 ELECTROLUX PROFESSIONAL 069660 8000 ELECTROLUX PROFESSIONAL 0696609
 ELECTROLUX PROFESSIONAL 069661 1900 ELECTROLUX PROFESSIONAL 0780047
 ELECTROLUX PROFESSIONAL 078004 8178 ELECTROLUX PROFESSIONAL 0780048
 ELECTROLUX PROFESSIONAL 319536 ELECTROLUX PROFESSIONAL 500481 78003
 ELECTROLUX PROFESSIONAL 501056 80 ELECTROLUX PROFESSIONAL 5540475
 ELECTROLUX PROFESSIONAL 554048 178 ELECTROLUX PROFESSIONAL 5540488
 ELECTROLUX PROFESSIONAL 710475 29 ELECTROLUX PROFESSIONAL 7104753
 ELECTROLUX PROFESSIONAL 710481 78

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%





ELECTROLUX PROFESSIONAL



Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 0H2513 ELECTROLUX PROFESSIONAL 0L0175



ELECTROLUX PROFESSIONAL



Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908



ELECTROLUX PROFESSIONAL



Suitable for:

3120009 SOLEN. VALVE ELBI TYPE 351 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ELECTROLUX PROFESSIONAL 072282 ELECTROLUX PROFESSIONAL 471669 292
ELECTROLUX PROFESSIONAL 710722 82

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166
3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167
3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120204 **OUTLET ADJUSTER ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 25%




ELECTROLUX PROFESSIONAL 0W2908

3120512 **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



3120019 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 0E5070

3120021 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



3120022 **ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120201 **ADJUSTER FOR OUTLET ELBI GREY**
flow rate 4.7 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%





ELECTROLUX PROFESSIONAL



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120010 SOLEN. VALVE ELBI TYPE 352 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 049056 ELECTROLUX PROFESSIONAL 069661 2301

ELECTROLUX PROFESSIONAL 078004 9056

ELECTROLUX PROFESSIONAL 5540490

ELECTROLUX PROFESSIONAL 710490 56

ELECTROLUX PROFESSIONAL 7021049

ELECTROLUX PROFESSIONAL 805024 14

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%





ELECTROLUX PROFESSIONAL



Suitable for:

3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120011 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



ELECTROLUX PROFESSIONAL 069262 ELECTROLUX PROFESSIONAL 072364 ELECTROLUX PROFESSIONAL 4718235
ELECTROLUX PROFESSIONAL 710723 64

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167


3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%





ELECTROLUX PROFESSIONAL



Suitable for:

3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120514 SOLEN. VALVE ELBI TYPE 353 2 WAY 180°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 13.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 046796 ELECTROLUX PROFESSIONAL 048180



ELECTROLUX PROFESSIONAL



Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120405 SOLEN. VALVE T&P 1 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 070312

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min





ELECTROLUX PROFESSIONAL



Suitable for:

D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



Suitable for:

D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120092 COIL T&P 12Vdc
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120255 SOLEN. VALVE T&P 2 WAY 180°
 220/240V 50/60Hz - max. temperature 90°C
 inlet 3/4" - two outlets ø 10.5 mm
 1 outlet with red adjuster 0.25 L/min



3120421 ADJUSTER FOR OUTLET T&P BLACK
 flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 047579

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
 flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
 flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
 flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
 flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
 flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
 flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
 flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
 flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
 flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
 flowrate 6 L/min





ELECTROLUX PROFESSIONAL



Suitable for:

D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



Suitable for:

D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%




3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120092 COIL T&P 12Vdc
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120407 SOLEN. VALVE T&P 2 WAY 180°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 0M2265

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min





ELECTROLUX PROFESSIONAL



Suitable for:

D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



Suitable for:

D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%




3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120092 COIL T&P 12Vdc
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120406 SOLEN. VALVE T&P 2 WAY 90°
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 0H6403 ELECTROLUX PROFESSIONAL 069295

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min





ELECTROLUX PROFESSIONAL



Suitable for:

D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



Suitable for:

D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120092 COIL T&P 12Vdc
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3120013 SOLENOID VALVE ELBI TYPE 359 3-WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL Z04907 ELECTROLUX PROFESSIONAL 047539 ELECTROLUX PROFESSIONAL 047540
ELECTROLUX PROFESSIONAL 049077 ELECTROLUX PROFESSIONAL 069296 ELECTROLUX PROFESSIONAL 0696608
ELECTROLUX PROFESSIONAL 069660 9000 ELECTROLUX PROFESSIONAL 0696612
ELECTROLUX PROFESSIONAL 078004 9077 ELECTROLUX PROFESSIONAL 5004907
ELECTROLUX PROFESSIONAL 554049 077 ELECTROLUX PROFESSIONAL 7104753
ELECTROLUX PROFESSIONAL 710475 40 ELECTROLUX PROFESSIONAL 7104907
ELECTROLUX PROFESSIONAL 702104 9077

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0167

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%





ELECTROLUX PROFESSIONAL



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

3120014 SOLENOID VALVE ELBI TYPE 369 3-WAY 180°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL 0E0330 ELECTROLUX PROFESSIONAL 047538 ELECTROLUX PROFESSIONAL 0696608
ELECTROLUX PROFESSIONAL 078004 7538 ELECTROLUX PROFESSIONAL 4716855
ELECTROLUX PROFESSIONAL 710E03 30

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GREY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0L0166

ELECTROLUX PROFESSIONAL 0L0167



ELECTROLUX PROFESSIONAL



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



ELECTROLUX PROFESSIONAL 0W2908

40K5119 SOLENOID VALVE INVENSYS 2 WAY 90°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with blue adjuster



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%




ELECTROLUX PROFESSIONAL 0K5119

3120373 SOLENOID VALVE L621B03 230V 50Hz
for water
2 ways - connections G1/2"-G1/4"FF
coil model EMZA34AA 230V 50Hz



3120567 COIL SIRAI ZA34A 230V 14VA 50Hz
length 30 mm - height 40 mm
width 41 mm



ELECTROLUX PROFESSIONAL 0C0561 ELECTROLUX PROFESSIONAL 0C2390



Suitable for:

Suitable for:

3120261 SOLENOID VALVE MÜLLER 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL 0G2196

3120274 COIL MÜLLER 220/240V 50/60Hz
max. temperature 90°C
with cable length 2000 mm



3120271 COIL MÜLLER 220/240V 50/60Hz
max temperature 90°C



3120273 COIL MÜLLER 230V 60Hz
temperature 90°C - for dispenser



3120325 COIL MÜLLER 24Vac 50/60Hz
max temperature 90°C



5023165 FILTER INLET FOR SOLENOID VALVE MÜLLER
ø 19 mm



3120399 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
12V 50/60Hz - max temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL


3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%





Suitable for:

ELECTROLUX PROFESSIONAL



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 35%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

Suitable for:

3120550 SOLENOID VALVE ROBERTSHAW 1 WAY 180°
240V 50/60Hz 6W - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ELECTROLUX PROFESSIONAL OC3254

3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%




3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%



3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%





Suitable for:

ELECTROLUX PROFESSIONAL



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%



3120485 OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN
flow rate 1.3 L/min - tolerance +/- 25%



3120486 OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN
flow rate 2 L/min - tolerance +/- 25%



3120625 OUTLET REDUCER ROBERTSHAW GRIGIO
flow rate 0.35 L/min - tolerance +/- 10%



3120400 SOLENOID VALVE ROBERTSHAW 1-WAY 90°
12Vac/dc 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm
operating pressure from 0.2 to 10 bar
flow rate 1.2 m3/h



3120473 ADJUSTER FOR INLET ROBERTSHAW BROWN
flow rate 5 L/min - tolerance +/- 15%



ELECTROLUX PROFESSIONAL

3120474 ADJUSTER FOR INLET ROBERTSHAW DARK BLUE
flow rate 6 L/min - tolerance +/- 15%



3120478 ADJUSTER FOR INLET ROBERTSHAW GREEN
flow rate 11 L/min - tolerance +/- 15%






ELECTROLUX PROFESSIONAL



Suitable for:

3120479 ADJUSTER FOR INLET ROBERTSHAW GREY
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120476 ADJUSTER FOR INLET ROBERTSHAW LIGHT BLUE
flow rate 9 L/min - tolerance +/- 15%



3120475 ADJUSTER FOR INLET ROBERTSHAW ORANGE
flow rate 8 L/min - tolerance +/- 15%



3120472 ADJUSTER FOR INLET ROBERTSHAW PURPLE
flow rate 4 L/min - tolerance +/- 15%



3120477 ADJUSTER FOR INLET ROBERTSHAW WHITE
flow rate 10 L/min - tolerance +/- 15%



3120481 ADJUSTER FOR INLET ROBERTSHAW YELLOW
flow rate 14.5 L/min - tolerance +/- 15%



3120499 ADJUSTER FOR OUTLET ROBERTSHAW BLU
flow rate 1.2 L/min - tolerance +/- 25%



3120484 ADJUSTER FOR OUTLET ROBERTSHAW GREEN
flow rate 0.8 L/min - tolerance +/- 25%



3120488 ADJUSTER FOR OUTLET ROBERTSHAW PINK
flow rate 3.3 L/min - tolerance +/- 20%



3120482 ADJUSTER FOR OUTLET ROBERTSHAW WHITE
flow rate 0.25 L/min - tolerance +/- 10%



3120483 ADJUSTER FOR OUTLET ROBERTSHAW YELLOW
flow rate 0.5 L/min - tolerance +/- 15%



3120487 OUTLET ADJUSTER ROBERTSHAW DARK BROWN
flow rate 2.5 L/min - tolerance +/- 20%





ELECTROLUX PROFESSIONAL



Suitable for: **3120485** **OUTLET ADJUSTER ROBERTSHAW LIGHT BROWN** flow rate 1.3 L/min - tolerance +/- 25%

Suitable for: **3120486** **OUTLET ADJUSTER ROBERTSHAW LIGHT GREEN** flow rate 2 L/min - tolerance +/- 25%



3120625 **OUTLET REDUCER ROBERTSHAW GRIGIO** flow rate 0.35 L/min - tolerance +/- 10%



3120404 **SOLENOID VALVE T&P 1 WAY 90°**
230V 50/60Hz - max. temperature 90°C
inlet 3/4" con riduttore di portata 10 L/min
outlet ø 10.5 mm



3120421 **ADJUSTER FOR OUTLET T&P BLACK**
flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 0C0688 ELECTROLUX PROFESSIONAL 056350 ELECTROLUX PROFESSIONAL 0696804
ELECTROLUX PROFESSIONAL 7PDN69 6804600

3120608 **ADJUSTER FOR OUTLET T&P DARK BROWN**
flow rate 1.2 L/min - tolerance +/- 25%



3120568 **ADJUSTER FOR OUTLET T&P GREEN**
flow rate 3 L/min - tolerance +/- 25%



3120391 **ADJUSTER FOR OUTLET T&P LIGHT BLUE**
flow rate 1 L/min - tolerance +/- 25%



3120387 **ADJUSTER FOR OUTLET T&P LIGHT BROWN**
flow rate 1.5 L/min - tolerance +/- 25%



3120423 **ADJUSTER FOR OUTLET T&P ORANGE**
flow rate 0.5 L/min - tolerance +/- 25%



3120424 **ADJUSTER FOR OUTLET T&P RED**
flow rate 0.25 L/min - tolerance +/- 25%





ELECTROLUX PROFESSIONAL



Suitable for:

3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



Suitable for:

3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/- 25%



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120092 COIL T&P 12Vdc
for solenoid valves T&P






ELECTROLUX PROFESSIONAL



Suitable for:

D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



Suitable for:

3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



3120668 SOLENOID VALVE T&P 2 WAYS 90°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlet ø 10,5 mm
1 outlet with blue reducer 1 L/min



ELECTROLUX PROFESSIONAL Z05544 ELECTROLUX PROFESSIONAL 002215 3600

ELECTROLUX PROFESSIONAL 055444 ELECTROLUX PROFESSIONAL 057055 0400

ELECTROLUX PROFESSIONAL 069680 1500

ELECTROLUX PROFESSIONAL 0780055

ELECTROLUX PROFESSIONAL 500554 44009

ELECTROLUX PROFESSIONAL 5540554

ELECTROLUX PROFESSIONAL 710554 44

ELECTROLUX PROFESSIONAL 7021055

4056894 SOLENOID VALVE T&P 2-WAY 90°
220/240V 50/60Hz - max temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with light blue adapter 1 L/min
1 outlet with blue adapter 8 L/min



ELECTROLUX PROFESSIONAL 056894

3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%





ELECTROLUX PROFESSIONAL



Suitable for:

3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



Suitable for:

3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min



D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min



D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min





Suitable for:


D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



4002712 SOLENOID VALVE T&P 3-WAY 90°
230V 50/60Hz - max temperature 90°C
inlet 3/4" - three outlets ø 10.5 mm
1 outlet with light blue adapter 1 L/min
1 outlet with red adapter 0.25 L/min



ELECTROLUX PROFESSIONAL 002712 ELECTROLUX PROFESSIONAL 069680 2800
ELECTROLUX PROFESSIONAL 078000 2712
ELECTROLUX PROFESSIONAL 503000 10
ELECTROLUX PROFESSIONAL 600502 92
ELECTROLUX PROFESSIONAL 702100 2712

ELECTROLUX PROFESSIONAL



Suitable for:

D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



3120421 ADJUSTER FOR OUTLET T&P BLACK
flow rate 5 L/min - tolerance +/- 20%



ELECTROLUX PROFESSIONAL 5000271
ELECTROLUX PROFESSIONAL 5540027
ELECTROLUX PROFESSIONAL 7100271



ELECTROLUX PROFESSIONAL



Suitable for:

3120608 ADJUSTER FOR OUTLET T&P DARK BROWN
flow rate 1.2 L/min - tolerance +/- 25%



Suitable for:

3120568 ADJUSTER FOR OUTLET T&P GREEN
flow rate 3 L/min - tolerance +/- 25%



3120391 ADJUSTER FOR OUTLET T&P LIGHT BLUE
flow rate 1 L/min - tolerance +/- 25%



3120387 ADJUSTER FOR OUTLET T&P LIGHT BROWN
flow rate 1.5 L/min - tolerance +/- 25%



3120423 ADJUSTER FOR OUTLET T&P ORANGE
flow rate 0.5 L/min - tolerance +/- 25%



3120424 ADJUSTER FOR OUTLET T&P RED
flow rate 0.25 L/min - tolerance +/- 25%



3120386 ADJUSTER FOR OUTLET T&P WHITE
flow rate 0.8 L/min - tolerance +/- 25%



3120422 ADJUSTER FOR OUTLET T&P YELLOW
flow rate 2.5 L/min - tolerance +/- 25%



D120056 ADJUSTER INLET T&P BRONZE
flowrate 12 L/min



D120054 ADJUSTER INLET T&P GREY
flowrate 6 L/min



D120057 ADJUSTER INLET T&P LIGHT BROWN
flowrate 16 L/min



D120058 ADJUSTER INLET T&P ORANGE
flowrate 20 L/min





Suitable for:

D120052 ADJUSTER INLET T&P RED
flowrate 3 L/min




D120053 ADJUSTER INLET T&P YELLOW
flowrate 5.5 L/min



3120431 COIL T&P 12Vac 50/60Hz
for solenoid valves T&P



D120090 COIL T&P 120V 60Hz 8VA
for solenoid valves T&P



3120432 COIL T&P 24Vac 50/60Hz
for solenoid valves T&P



ELECTROLUX PROFESSIONAL



Suitable for:

D120055 ADJUSTER INLET T&P WHITE
flowrate 10 L/min



D120059 ADJUSTER OUTLET T&P BLUE
flow rate 8 L/min - tolerance +/-25%



D120092 COIL T&P 12Vdc
for solenoid valves T&P



3120433 COIL T&P 220V 50/60Hz
for solenoid valves T&P



D120093 COIL T&P 24Vdc
for solenoid valves T&P



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



ELECTROLUX PROFESSIONAL Z05188 ELECTROLUX PROFESSIONAL Z05364 ELECTROLUX PROFESSIONAL 0A05004
ELECTROLUX PROFESSIONAL 0A2073 ELECTROLUX PROFESSIONAL 000513 0100
ELECTROLUX PROFESSIONAL 002297 ELECTROLUX PROFESSIONAL 003376 ELECTROLUX PROFESSIONAL 004240
ELECTROLUX PROFESSIONAL 032002 41 ELECTROLUX PROFESSIONAL 0424875
ELECTROLUX PROFESSIONAL 042487 5225 ELECTROLUX PROFESSIONAL 051884
ELECTROLUX PROFESSIONAL 053647 ELECTROLUX PROFESSIONAL 062480 0300
ELECTROLUX PROFESSIONAL 062480 3800 ELECTROLUX PROFESSIONAL 0624804
ELECTROLUX PROFESSIONAL 07800A 2073 ELECTROLUX PROFESSIONAL 0780003
ELECTROLUX PROFESSIONAL 078000 4240 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 3647 ELECTROLUX PROFESSIONAL 4818520
ELECTROLUX PROFESSIONAL 500033 76006 ELECTROLUX PROFESSIONAL 5005188
ELECTROLUX PROFESSIONAL 500536 47009

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ELECTROLUX PROFESSIONAL 0A2097 ELECTROLUX PROFESSIONAL 0K9979 ELECTROLUX PROFESSIONAL 0M0476
ELECTROLUX PROFESSIONAL 003214 ELECTROLUX PROFESSIONAL 004248 ELECTROLUX PROFESSIONAL 054134

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ELECTROLUX PROFESSIONAL 003552 ELECTROLUX PROFESSIONAL 004251 ELECTROLUX PROFESSIONAL 054141


Sparking and detection plugs

7100425 DETECTION AND IGNITION PLUG KIT
2 plugs \varnothing 10.5x63 mm - total length 92/100mm
plate 45x48x40 mm



ELECTROLUX PROFESSIONAL 0G3143

40C7418 DETECTION PLUG ROUND \varnothing 9,5x54 mm
with silicone cable length 1200 mm
total length with cable 1300 mm



ELECTROLUX PROFESSIONAL 0C7418



ELECTROLUX PROFESSIONAL



Suitable for:

3001003 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M4x1 mm
overall length 65 mm



ELECTROLUX PROFESSIONAL M02E10 ELECTROLUX PROFESSIONAL Z05197 ELECTROLUX PROFESSIONAL Z056754
ELECTROLUX PROFESSIONAL 0A0500 4000 ELECTROLUX PROFESSIONAL 0A05004
ELECTROLUX PROFESSIONAL 0C0488 ELECTROLUX PROFESSIONAL 0G0083 ELECTROLUX PROFESSIONAL 0002130
ELECTROLUX PROFESSIONAL 02E10 ELECTROLUX PROFESSIONAL 033027 3532
ELECTROLUX PROFESSIONAL 033027 4014 ELECTROLUX PROFESSIONAL 051565
ELECTROLUX PROFESSIONAL 051977 ELECTROLUX PROFESSIONAL 056754 ELECTROLUX PROFESSIONAL 0770190
ELECTROLUX PROFESSIONAL 077752 040111 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 6754 ELECTROLUX PROFESSIONAL 0830897
ELECTROLUX PROFESSIONAL 091505 ELECTROLUX PROFESSIONAL 091505 5
ELECTROLUX PROFESSIONAL 190127 24 ELECTROLUX PROFESSIONAL 4370019
ELECTROLUX PROFESSIONAL 437075 2040111 ELECTROLUX PROFESSIONAL 4818515

Suitable for:

3020060 IGNITION PLUG ROUND \varnothing 7x44 mm
M faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELECTROLUX PROFESSIONAL Z05261 ELECTROLUX PROFESSIONAL Z05938 ELECTROLUX PROFESSIONAL Z05998
ELECTROLUX PROFESSIONAL 0A0558 1300 ELECTROLUX PROFESSIONAL 0A2473
ELECTROLUX PROFESSIONAL 000212 0500 ELECTROLUX PROFESSIONAL 000212
ELECTROLUX PROFESSIONAL 031003 500 ELECTROLUX PROFESSIONAL 033027
ELECTROLUX PROFESSIONAL 033027 2600 ELECTROLUX PROFESSIONAL 052610
ELECTROLUX PROFESSIONAL 056720 ELECTROLUX PROFESSIONAL 057410 ELECTROLUX PROFESSIONAL 059380
ELECTROLUX PROFESSIONAL 059988 ELECTROLUX PROFESSIONAL 077149 27
ELECTROLUX PROFESSIONAL 07800A 2473 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 7410 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 078005 9988 ELECTROLUX PROFESSIONAL 083086
ELECTROLUX PROFESSIONAL 083087 2200 ELECTROLUX PROFESSIONAL 091502
ELECTROLUX PROFESSIONAL 190133 40

3020124 IGNITION PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELECTROLUX PROFESSIONAL 054336

3020074 ROUND IGNITION PLUG \varnothing 5/8x52 mm
model 2/B
connection F 2.8x0.8 mm
total length 66 mm



ELECTROLUX PROFESSIONAL 054099

3020128 ROUND IGNITION PLUG \varnothing 6x32 mm
connection \varnothing 2.4 mm
with silicone lead 770 mm
overall length with cable 800 mm




ELECTROLUX PROFESSIONAL 004970

3020073 ROUND IGNITION PLUG \varnothing 7/10x52 mm
model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm




ELECTROLUX PROFESSIONAL 0A2164

40C7419 ROUND IGNITION PLUG \varnothing 9.5x54 mm
with silicone cable length 500 mm
total length with cable 570 mm



ELECTROLUX PROFESSIONAL 0C7419

3020208 ROUND IGNITION PLUG \varnothing 9x60 mm
with silicone lead 900 mm
overall length 1010 mm
for BRATT PAN series HD900



ELECTROLUX PROFESSIONAL 0A5169



Suitable for:

3020306 **ROUND IGNITION PLUG** \varnothing 9x60 mm
overall length 117 mm



Suitable for:

3806038 **IGNITION PLUG ROUND** \varnothing 9x60 mm
overall length 117 mm



ELECTROLUX PROFESSIONAL 0A5168 ELECTROLUX PROFESSIONAL 003556

3020067 **SQUARE IGNITION PLUG** 6/7x53 mm
total length 85 mm



ELECTROLUX PROFESSIONAL 026847


Springs

3250098 **DOOR HINGE SPRING** \varnothing 36x240 mm
for BRATT PAN series HD900




ELECTROLUX PROFESSIONAL 0A5150

3225009 **LEVER FOR LID** 59x30x12 mm



ELECTROLUX PROFESSIONAL 0A5148

3391059 **HINGE BUSHING RIGHT-LEFT HINGE** \varnothing 30x7 mm
internal \varnothing 20 mm



ELECTROLUX PROFESSIONAL 0A5151

3391059 **HINGE BUSHING RIGHT-LEFT HINGE** \varnothing 30x7 mm
internal \varnothing 20 mm




ELECTROLUX PROFESSIONAL 0A5151

3250099 **SPRING SCREW**
for BRATT PAN series HD900



ELECTROLUX PROFESSIONAL 0A2551

3225009 **LEVER FOR LID** 59x30x12 mm



ELECTROLUX PROFESSIONAL 0A5148



ELECTROLUX PROFESSIONAL



Suitable for:

3250134 LID SPRING \varnothing 28x115 mm
for BOILING PAN series N700
for WASHER-EXTRACTOR LVA100



ELECTROLUX PROFESSIONAL 004850

Suitable for:

3250135 LID SPRING \varnothing 38x250 mm
for BOILING PAN series H900



ELECTROLUX PROFESSIONAL 051527

3250081 LID SPRING \varnothing 38x375 mm
for BOILING PAN series HD900-N900



ELECTROLUX PROFESSIONAL 059518

3250096 LID SPRING \varnothing 39x375 mm
for BOILING PAN series N900-HD900
for PASTA COOKER CR15G-CR15E-CR15V-CR20G-CR20GI



ELECTROLUX PROFESSIONAL 002981

3250026 LID SPRING \varnothing 40x300 mm
for BRATT PAN series HD900
for BOILING PAN H900/HD900
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ELECTROLUX PROFESSIONAL 051268

3250141 SPRING \varnothing 21x75 mm
for SANDWICH PLATE DPG/RCE



ELECTROLUX PROFESSIONAL 0C1836

7108017 SPRING FOR HINGE \varnothing 70x360 mm



ELECTROLUX PROFESSIONAL 0C0671

3250099 SPRING SCREW
for BRATT PAN series HD900



ELECTROLUX PROFESSIONAL 0A2551

40C0666 SPRING FOR LID \varnothing 29x310 mm



ELECTROLUX PROFESSIONAL 0C0666

3250097 SPRING FOR TAP MICROSWITCH \varnothing 10x14 mm
for SOLID TOP RANGE series PR700




ELECTROLUX PROFESSIONAL 004243



Suitable for:

Suitable for:

3250136 SPRING KIT LIFTING \varnothing 17x165 mm - 4 PCS
this kit includes 4 pieces



ELECTROLUX PROFESSIONAL 031370

3250029 SPRING LH \varnothing 22x40 mm
for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



ELECTROLUX PROFESSIONAL 0PR054

3250028 SPRING RH \varnothing 20x40 mm
for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



ELECTROLUX PROFESSIONAL IGS540 99

ELECTROLUX PROFESSIONAL 7SIRIG S54099

ELECTROLUX PROFESSIONAL 0SI073

5096337 BOCCOLA FLANGIATA PER MOLLE
per PIASTRA PS24-36-PD50
per SIRMAN PIASTRA ELETTRICA PD R/L/M/x dal 99
per SIRMAN PIASTRA ELETTRICA ELIO L/R/X dal 99
per SIRMAN PIASTRA ELETTRICA PD ECO dal 99
per SIRMAN PIASTRA ELETTRICA ELIO ECO dal 99
per SIRMAN PIASTRA ELETTRICA PD POWER dal 99



5096337 BOCCOLA FLANGIATA PER MOLLE
per PIASTRA PS24-36-PD50
per SIRMAN PIASTRA ELETTRICA PD R/L/M/x dal 99
per SIRMAN PIASTRA ELETTRICA ELIO L/R/X dal 99
per SIRMAN PIASTRA ELETTRICA PD ECO dal 99
per SIRMAN PIASTRA ELETTRICA ELIO ECO dal 99
per SIRMAN PIASTRA ELETTRICA PD POWER dal 99



3250099 SPRING SCREW
for BRATT PAN series HD900



ELECTROLUX PROFESSIONAL 0A2551

5069743 TRACTION SPRING "GREEN" \varnothing 16x160 mm 2Kg



ELECTROLUX PROFESSIONAL 031376



Suitable for:

Suitable for:

Steam valves

3524006 "REX" STEAM VALVE \varnothing 1"MM
partially chromed steam valve "REX"
square connection \varnothing 1" MM



ELECTROLUX PROFESSIONAL 0S0142 ELECTROLUX PROFESSIONAL 038020

3524004 KORALIT VALVE GASKET
for valve \varnothing 3/4" and "REX" \varnothing 1"



3524007 VALVE KNOB
hole 7x7 mm
for valve "REX" \varnothing 1"1/4



ELECTROLUX PROFESSIONAL 017052 ELECTROLUX PROFESSIONAL 017053

3524003 STEAM VALVE \varnothing 1"FF



ELECTROLUX PROFESSIONAL 0KD952

3525013 VALVE \varnothing 1"1/4 FF



ELECTROLUX PROFESSIONAL 0S0143

3524005 KORALIT VALVE GASKET
for valve \varnothing 1" 1/4




3524007 VALVE KNOB
hole 7x7 mm
for valve "REX" \varnothing 1"1/4



ELECTROLUX PROFESSIONAL 017052 ELECTROLUX PROFESSIONAL 017053

3524009 VALVE KNOB
hole 9x9 mm
for valve \varnothing 3/4" - 1"1/4



ELECTROLUX PROFESSIONAL 0A2148

Supports

40A5165 SUPPORT FOR LEVER 80x50x15 mm
hole \varnothing 30 mm



ELECTROLUX PROFESSIONAL 0A5165

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole \varnothing 25 mm



ELECTROLUX PROFESSIONAL SP6014 C118C52
ELECTROLUX PROFESSIONAL 053978
ELECTROLUX PROFESSIONAL 064080 2500
ELECTROLUX PROFESSIONAL 078005 8274
ELECTROLUX PROFESSIONAL 500539 78008
ELECTROLUX PROFESSIONAL 554058 274
ELECTROLUX PROFESSIONAL 710582 74
ELECTROLUX PROFESSIONAL 702105 8274

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ELECTROLUX PROFESSIONAL Z053978
ELECTROLUX PROFESSIONAL 0640801
ELECTROLUX PROFESSIONAL 0780053
ELECTROLUX PROFESSIONAL 4818522
ELECTROLUX PROFESSIONAL 5005827
ELECTROLUX PROFESSIONAL 7105397
ELECTROLUX PROFESSIONAL 7021053
ELECTROLUX PROFESSIONAL 727946

ELECTROLUX PROFESSIONAL Z053979
ELECTROLUX PROFESSIONAL 053979
ELECTROLUX PROFESSIONAL 078005 3979
ELECTROLUX PROFESSIONAL 500539 79006
ELECTROLUX PROFESSIONAL 710539 79
ELECTROLUX PROFESSIONAL 727947

ELECTROLUX PROFESSIONAL 054880
ELECTROLUX PROFESSIONAL 481852
ELECTROLUX PROFESSIONAL 600502
ELECTROLUX PROFESSIONAL 702105

1319202 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 2500V - with indicator light
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056703
ELECTROLUX PROFESSIONAL 064070 0700
ELECTROLUX PROFESSIONAL 078005 6703
ELECTROLUX PROFESSIONAL 081680
ELECTROLUX PROFESSIONAL 554056 703
ELECTROLUX PROFESSIONAL 554081 680
ELECTROLUX PROFESSIONAL 710816 80
ELECTROLUX PROFESSIONAL 702108 1680

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 0780081
ELECTROLUX PROFESSIONAL 7105670
ELECTROLUX PROFESSIONAL 7021056
ELECTROLUX PROFESSIONAL 7450012

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 053810

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319013 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm - silk screen print I - II



3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 053837

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319928 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole \varnothing 25 mm



3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ELECTROLUX PROFESSIONAL 054518 ELECTROLUX PROFESSIONAL 082337

ELECTROLUX PROFESSIONAL Z05397 ELECTROLUX PROFESSIONAL 053979 ELECTROLUX PROFESSIONAL 054880
ELECTROLUX PROFESSIONAL 078005 3979 ELECTROLUX PROFESSIONAL 481852
ELECTROLUX PROFESSIONAL 500539 79006 ELECTROLUX PROFESSIONAL 600502
ELECTROLUX PROFESSIONAL 710539 79 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727947

3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 056703

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3319088 BIPOLAR SWITCH ORANGE 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light and push-button cap
mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 056878 ELECTROLUX PROFESSIONAL 056879 ELECTROLUX PROFESSIONAL 056880

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319256 BIPOLAR SWITCH WHITE 16A 250V
16(4)A 250V - max. temperature 120°C
silk screen printing 0 - I
mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm





Suitable for:

Suitable for:

3319931 BIPOLAR SWITCH WHITE 16A 250V
 16(4)A 250V - with indicator light
 silk-screen printing 0-1
 max. temperature 120°C
 mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL Z08239 ELECTROLUX PROFESSIONAL 064070 0400

ELECTROLUX PROFESSIONAL 064070 1800

ELECTROLUX PROFESSIONAL 078008 2390

ELECTROLUX PROFESSIONAL 082390 ELECTROLUX PROFESSIONAL 481852 310

ELECTROLUX PROFESSIONAL 500816 79008

ELECTROLUX PROFESSIONAL 554082 390

ELECTROLUX PROFESSIONAL 710823 90

ELECTROLUX PROFESSIONAL 702108 2390

ELECTROLUX PROFESSIONAL 0780081

ELECTROLUX PROFESSIONAL 081679

ELECTROLUX PROFESSIONAL 5008239

ELECTROLUX PROFESSIONAL 7108167

ELECTROLUX PROFESSIONAL 7021081

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm

3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



40C2129 BLACK SINGLE-POLE PUSH-BUTTON 16A 250V
 with push-button cap
 mounting hole \varnothing 24 mm



ELECTROLUX PROFESSIONAL 0C2129



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

4058808 CHANGE-OVER 2-POLE SWITCH GREEN 16A 250V
 16(4)A 250V
 with indicator light and push-button cover
 silk screen printing I - II
 max. temperature 120°C
 mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 058808

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm

3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319932 CHANGE-OVER SWITCH 1 POLE GREY 16A 250V
 16(4)A 250V
 silk-screen printing I - II
 max. temperature 120°C
 mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 082473

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V
1 contact NO



ELECTROLUX PROFESSIONAL 0L0616

3319749 EMERGENCY BUTTON



ELECTROLUX PROFESSIONAL 0E5305 ELECTROLUX PROFESSIONAL 0K8450

40K9113 FLUSH PUSH-BUTTON GREEN COMPLETE 3A 240V
SCHNEIDER - 2 contacts NO
with indicator lamp - mounting hole \varnothing 22 mm



ELECTROLUX PROFESSIONAL 0K9113

3454077 CONTACT SCHNEIDER ZBE-101
NO contact 10A



3319014 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V
with indicator light and switch cover
"fan" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 054552

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319972 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
ON - OFF silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 082873

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



4059843 MUSHROOM PUSH-BUTTON RED W/BLOCK
MOELLER-EATON - 1 contact NC
red mushroom \varnothing 38 mm -mounting hole \varnothing 22 mm



5047253 CONTACT SUPPORT MOELLER-EATON M22-A



ELECTROLUX PROFESSIONAL 0A2196 ELECTROLUX PROFESSIONAL 059843

5047267 ROD NC MOELLER-EATON M22-K01





Suitable for:

Suitable for:

3319160 PUSH-BUTTON BIPOLAR GREEN 16A 250V
 16(4)A 250V - with indicator light
 "ignition" silk-screen printing
 max temperature 120°C
 mounting hole 22x30 mm


3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 056717

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm

3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



3319011 PUSH-BUTTON BIPOLAR RED 16A 250V
 16(4)A 250V - max. temperature 120°C
 NC
 with indicator light and push-button cap
 mounting hole 22x30 mm

3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 054547 ELECTROLUX PROFESSIONAL 055014

3319779 BLOCK CONNECTIONS BLACK 22x30 mm

3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm





ELECTROLUX PROFESSIONAL



Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319015 PUSH-BUTTON BIPOLAR RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - silk screen printing 0 - I
mounting hole 22x30 mm




3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 005899

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319270 PUSH-BUTTON 1-POLE RED 3A 250V
with protection cap
mounting hole \varnothing 17 mm



3319316 PUSH-BUTTON PROTECTION W/FRAME \varnothing 23 mm
for \varnothing 17 mm mounting hole buttons



ELECTROLUX PROFESSIONAL 002418



Suitable for:

Suitable for:

3319151 SWITCH PROTECTION CAP
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



ELECTROLUX PROFESSIONAL Z05397 ELECTROLUX PROFESSIONAL 053979 ELECTROLUX PROFESSIONAL 0548801
 ELECTROLUX PROFESSIONAL 078005 3979 ELECTROLUX PROFESSIONAL 4818522
 ELECTROLUX PROFESSIONAL 500539 79006 ELECTROLUX PROFESSIONAL 6005020
 ELECTROLUX PROFESSIONAL 710539 79 ELECTROLUX PROFESSIONAL 7021053
 ELECTROLUX PROFESSIONAL 727947

3319468 SWITCH 1-POLE BLACK 16A 250V
 16(4)A 250V
 silk-screen printing 0 - I
 max. temperature 120°C
 mounting hole 11x30 mm



ELECTROLUX PROFESSIONAL E46412 9209 ELECTROLUX PROFESSIONAL 0K6805
 ELECTROLUX PROFESSIONAL 077464 129209 ELECTROLUX PROFESSIONAL 2011200
 ELECTROLUX PROFESSIONAL 301014 ELECTROLUX PROFESSIONAL 464129 209
 ELECTROLUX PROFESSIONAL 7D4641 29209 ELECTROLUX PROFESSIONAL 8050012

3319780 BLOCK CONNECTION WHITE 22x30 mm



3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319781 CONNECTION BLOCK BLACK 11x30 mm



1319936 PROTECTIVE SWITCH COVER
 external dimensions 36x18 mm
 for switch with mounting hole 11x30 mm



3319967 SWITCH 1-POLE GREEN 16A 250V
 16(4)A 250V - with indicator light
 max. temperature 120°C
 mounting hole 11x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



ELECTROLUX PROFESSIONAL 004110



ELECTROLUX PROFESSIONAL



Suitable for:

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



Suitable for:

3319781 CONNECTION BLOCK BLACK 11x30 mm



1319936 PROTECTIVE SWITCH COVER
external dimensions 36x18 mm
for switch with mounting hole 11x30 mm



Tangential and radial motor fans

3526150 TANGENTIAL FAN 180 mm LH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan



ELECTROLUX PROFESSIONAL 0A2272 ELECTROLUX PROFESSIONAL 0A3008

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm




2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm



ELECTROLUX PROFESSIONAL 0K4812

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm



ELECTROLUX PROFESSIONAL 0K4812



Suitable for:

3526165 TANGENTIAL FAN 180x180 mm
45W 230V 50/60Hz - ø 60 mm DOUBLE
operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 0K3707

Suitable for:

3526966 TANGENTIAL FAN 300 mm LH
26W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL Z08373 ELECTROLUX PROFESSIONAL 068270 5300

ELECTROLUX PROFESSIONAL 078008 3737

ELECTROLUX PROFESSIONAL 500837 37002

ELECTROLUX PROFESSIONAL 710837 37

ELECTROLUX PROFESSIONAL 083737

ELECTROLUX PROFESSIONAL 554083

5060512 TANGENTIAL VENTILATOR QLN65 240 mm RH
230V 50Hz - fan ø 65 mm



ELECTROLUX PROFESSIONAL 0K5059

Taps for tank refilling

3525017 CAP FOR BALLCOCK VALVE ø 25x22 mm
hole ø 10x7 mm



ELECTROLUX PROFESSIONAL 0A2563

3525019 EXTENSION FOR BALLCOCK VALVE ø 10x8 mm



ELECTROLUX PROFESSIONAL 0A2135

3525005 LEFT-HAND WATER INLET TAP ø 1/2"FF
square pin 7x7 mm
brass valve for hot water
max flow rate 4 bar 24 l/min
with external fixing thread ø 27x19 mm



ELECTROLUX PROFESSIONAL 026537

3241108 KNOB CAP



ELECTROLUX PROFESSIONAL 025255 ELECTROLUX PROFESSIONAL 054367

2111534 NUT HEXAGONAL BRASS 27x6 mm



3241107 TAP KNOB - BLACK ø 50 mm
square hole 7x7 mm



ELECTROLUX PROFESSIONAL 025260 ELECTROLUX PROFESSIONAL 054254




ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3183050 NUT 1/2"



ELECTROLUX PROFESSIONAL 004373

3183045 SPOUT
outlet spout \varnothing 18 mm




ELECTROLUX PROFESSIONAL 004372

3183051 NUT M20x1.5



3183050 NUT 1/2"



ELECTROLUX PROFESSIONAL 004373

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3183009 SPOUT CONNECTION \varnothing 1/2"
ext. sizes 44x33x32 mm



ELECTROLUX PROFESSIONAL 051521

3183028 SPOUT CONNECTION \varnothing 16 mm



ELECTROLUX PROFESSIONAL 004537

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



ELECTROLUX PROFESSIONAL 004376

4051568 TAP WATER INLET \varnothing 1/4"M



ELECTROLUX PROFESSIONAL 0C1450 ELECTROLUX PROFESSIONAL 051568



Suitable for:

3525001 WATER BALL VALVE \varnothing 3/8"FF
complete with pin. nut. bracket



ELECTROLUX PROFESSIONAL 0C9656 ELECTROLUX PROFESSIONAL 0C9658 ELECTROLUX PROFESSIONAL 005902 ELECTROLUX PROFESSIONAL 0A2563
ELECTROLUX PROFESSIONAL 078000 5902 ELECTROLUX PROFESSIONAL 0835848
ELECTROLUX PROFESSIONAL 710059 02

Suitable for:

3525017 CAP FOR BALLCOCK VALVE \varnothing 25x22 mm
hole \varnothing 10x7 mm




3525019 EXTENSION FOR BALLCOCK VALVE \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0A2135

3359120 WATER INLET TAP \varnothing 1/2"FF
D shaft 9x8 mm



ELECTROLUX PROFESSIONAL 004375

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm




ELECTROLUX PROFESSIONAL 004376

3359142 WATER INLET TAP \varnothing 1/2" M
swivel spout \varnothing 18 mm



ELECTROLUX PROFESSIONAL 002322

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



3186665 PTFE FLAT GASKET \varnothing 35x21x2 mm



ELECTROLUX PROFESSIONAL 002448



ELECTROLUX PROFESSIONAL



Suitable for:

3358003 WATER INLET TAP \varnothing 1/2"MM
square shaft 7x7 mm



ELECTROLUX PROFESSIONAL 056616

Suitable for:

3241108 KNOB CAP



ELECTROLUX PROFESSIONAL 025255 ELECTROLUX PROFESSIONAL 054367

3241107 TAP KNOB - BLACK \varnothing 50 mm
square hole 7x7 mm



ELECTROLUX PROFESSIONAL 025260 ELECTROLUX PROFESSIONAL 054254

3525004 WATER INLET TAP DX \varnothing 1/2"FF
square shaft 7x7 mm
brass valve for cold water
max. flow rate 4 bar 24L/min
with external fastening thread \varnothing 27x19 mm




ELECTROLUX PROFESSIONAL 025733 ELECTROLUX PROFESSIONAL 053703

3241108 KNOB CAP



ELECTROLUX PROFESSIONAL 025255 ELECTROLUX PROFESSIONAL 054367

2111534 NUT HEXAGONAL BRASS 27x6 mm



3241107 TAP KNOB - BLACK \varnothing 50 mm
square hole 7x7 mm




ELECTROLUX PROFESSIONAL 025260 ELECTROLUX PROFESSIONAL 054254

3525031 WATER INLET TAP DX \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 0C6750

3241199 KNOB BLACK \varnothing 70 mm COLD WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059531



Suitable for:

3525040 WATER INLET TAP DX \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 003516

Suitable for:

3186667 GASKET FOR TAP PROTECTION \varnothing 58 mm
inner \varnothing hole 29 mm - height 17 mm




ELECTROLUX PROFESSIONAL 003209

3241199 KNOB BLACK \varnothing 70 mm COLD WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059531

3358010 WATER INLET TAP KIT



ELECTROLUX PROFESSIONAL 005873

3525036 WATER INLET TAP LH \varnothing 1/2"FF
D-shaped pin \varnothing 10x8 mm




ELECTROLUX PROFESSIONAL 004870

3241055 FIXING CLIP
for knob with hole \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 025245

3186342 GASKET FOR PIN \varnothing 14x4x3 mm



ELECTROLUX PROFESSIONAL 053816

40C2234 KNOB BLUE \varnothing 60 mm SCREEN PRINTED
D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 0C2234

3241196 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



ELECTROLUX PROFESSIONAL 0C0192

3241445 KNOB RING NUT \varnothing 84 mm SILK-SCREEN PRINTE



ELECTROLUX PROFESSIONAL 0C0711



ELECTROLUX PROFESSIONAL



Suitable for:

40C2007 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



ELECTROLUX PROFESSIONAL 0C2007

Suitable for:

40C2017 RINGNUT BLUE SCREEN PRINTED FOR KNOB
external dimensions 86x68 mm



ELECTROLUX PROFESSIONAL 0C2017

3525041 WATER INLET TAP LH $\frac{1}{2}$ "FF
D-shaped pin \varnothing 10x8 mm




ELECTROLUX PROFESSIONAL 003517

3241419 BLACK KNOB \varnothing 70 mm HOT WATER
D-shaped hole 10x8 mm




ELECTROLUX PROFESSIONAL 0G2258 ELECTROLUX PROFESSIONAL 059538

3241438 BLACK KNOB \varnothing 70 mm HOT WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059516

3241199 KNOB BLACK \varnothing 70 mm COLD WATER
D-shaped hole 10x8 mm



ELECTROLUX PROFESSIONAL 059531

Telethermometers

3441021 TELE-THERMOMETER BLACK \varnothing 52 mm 50-250°C
metal body
capillary length 1500 mm
bulb \varnothing 6x43 mm



ELECTROLUX PROFESSIONAL 053687

3441024 TELE-THERMOMETER BLACK \varnothing 52 mm 50-350°C
metal body
covered capillary length 1500 mm
bulb \varnothing 6x20 mm




ELECTROLUX PROFESSIONAL 053808 ELECTROLUX PROFESSIONAL 056383

3441026 TELE-THERMOMETER BLACK \varnothing 60 mm 50-350°C
metal body
capillary length 1500 mm
bulb \varnothing 4x104 mm



ELECTROLUX PROFESSIONAL 057622 ELECTROLUX PROFESSIONAL 058081


3441006 TELE-THERMOMETER WHITE \varnothing 52 mm 0-120°C
metal case
PVC covered capillary 1500 mm
spring bulb \varnothing 8x32 mm
bulb fitting M10x1



ELECTROLUX PROFESSIONAL 032085 ELECTROLUX PROFESSIONAL 034075



<p>Suitable for:</p> <p>4032863 TELE-THERMOMETER WHITE \varnothing 52 mm 0-120°C casing made of plastic material covered capillary length PVC 1500 mm bulb \varnothing 6x35 mm</p>	<p>Suitable for:</p> <p>3441025 TELE-THERMOMETER WHITE \varnothing 52 mm 50-350°C metal body capillary length 1500 mm bulb \varnothing 4x120 mm</p>
---	--




ELECTROLUX PROFESSIONAL 032863

ELECTROLUX PROFESSIONAL 052987

Terminal blocks

<p>40F0112 JUNCTION BOX 5-POLES ON DIN 110 mm GUIDE nominal section 1.5-16 mm²</p>	<p>4058875 JUNCTION BOX 5-POLES ON DIN 110 mm GUIDE nominal section 1-10 mm²</p>
---	---



ELECTROLUX PROFESSIONAL 0F0112 ELECTROLUX PROFESSIONAL 0W0050 7501

ELECTROLUX PROFESSIONAL 058875

ELECTROLUX PROFESSIONAL 000520 3400

ELECTROLUX PROFESSIONAL 002691

ELECTROLUX PROFESSIONAL 063980 8600

ELECTROLUX PROFESSIONAL 5203400

ELECTROLUX PROFESSIONAL 552222 901

ELECTROLUX PROFESSIONAL 710F011


<p>3247015 TERMINAL BLOCK 12-POLES OF PLASTIC for cable max 4 mm² operating temperature 150°C nominal voltage 450V</p>	<p>3247018 TERMINAL BLOCK 2-POLES FV77 20A 600V for cable max 4 mm² operating temperature 150°C nominal voltage 450 V</p>
---	--



ELECTROLUX PROFESSIONAL 0W3543

ELECTROLUX PROFESSIONAL 009052 ELECTROLUX PROFESSIONAL 058873

<p>3247006 TERMINAL BLOCK 2-POLES OF CERAMIC for cable max 10 mm² operating temperature 300°C nominal voltage 450V dimensions 24x21x20 mm</p>	<p>7100443 TERMINAL BLOCK 3-POLES FV110 40A 450V for cable max 6 mm² operating temperature 150°C</p>
---	--



ELECTROLUX PROFESSIONAL 053805 ELECTROLUX PROFESSIONAL 0639F0 1500

ELECTROLUX PROFESSIONAL 0KE877 ELECTROLUX PROFESSIONAL 046357



Suitable for:

3247016 TERMINAL BLOCK 3-POLES FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 046357


Suitable for:

3247005 TERMINAL BLOCK 4-POLES OF CERAMIC
for cable max 4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX PROFESSIONAL 054042

4058608 TERMINAL BLOCK 5-P. DIN SLIDEWAY 110mm
with fuse
nominal section 1.5-16 mm²



ELECTROLUX PROFESSIONAL 058608 ELECTROLUX PROFESSIONAL 063980 5301

ELECTROLUX PROFESSIONAL 078005 8608


ELECTROLUX PROFESSIONAL 500586 08006

ELECTROLUX PROFESSIONAL 710586 08

ELECTROLUX PROFESSIONAL 2238003

ELECTROLUX PROFESSIONAL 5540586

4059794 TERMINAL BLOCK 5-POLES DIN SLIDEWAY 90mm
with fuse
nominal section 6 mm²



ELECTROLUX PROFESSIONAL 059794

3247011 TERMINAL BLOCK 6-POLES FV122 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 046347

3247009 TERMINAL BLOCK 6-POLES FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 0E0994 ELECTROLUX PROFESSIONAL 005420 ELECTROLUX PROFESSIONAL 032669

ELECTROLUX PROFESSIONAL 046347 ELECTROLUX PROFESSIONAL 058613 ELECTROLUX PROFESSIONAL 088165

Terminals and electrical connectors

3051010 FASTON 100 PCS PACKING UNIT
nickel-plated metal made
flat faston 6.3 mm
for cable section from \varnothing 1 to 2.5 mm
max temperature +300°C



ELECTROLUX PROFESSIONAL 0K3332 ELECTROLUX PROFESSIONAL 070055 7494

ELECTROLUX PROFESSIONAL 216030 44

3051058 TUBE TERMINAL BARE 2.5x10 mm 500 PCS



ELECTROLUX PROFESSIONAL 0K4532

ELECTROLUX PROFESSIONAL 7D55749



Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



ELECTROLUX PROFESSIONAL 0C3197 ELECTROLUX PROFESSIONAL 002784 ELECTROLUX PROFESSIONAL 003528 ELECTROLUX PROFESSIONAL 051635
ELECTROLUX PROFESSIONAL 056914

3440145 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



3440185 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 70 cm



ELECTROLUX PROFESSIONAL Z05405 ELECTROLUX PROFESSIONAL 0C3162 ELECTROLUX PROFESSIONAL 0K2898 ELECTROLUX PROFESSIONAL 0C7716
ELECTROLUX PROFESSIONAL 0K2954 ELECTROLUX PROFESSIONAL 0K5790 ELECTROLUX PROFESSIONAL 051932
ELECTROLUX PROFESSIONAL 054055 ELECTROLUX PROFESSIONAL 056573 ELECTROLUX PROFESSIONAL 058387

40C7716 CUT-OFF THERMOCOUPLE M9x1 120 cm
cut-off contact with cables 70 cm



3440019 EXTENSION FOR THERMOCOUPLE M9x1 60 cm.
female nut M9x1




ELECTROLUX PROFESSIONAL 055032

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



ELECTROLUX PROFESSIONAL 027040 ELECTROLUX PROFESSIONAL 044431 3400
ELECTROLUX PROFESSIONAL 044431 3401 ELECTROLUX PROFESSIONAL 056574
ELECTROLUX PROFESSIONAL 710565 74

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



ELECTROLUX PROFESSIONAL 058503

3440076 INTERRUPTION CONNECTOR M10x1




ELECTROLUX PROFESSIONAL 0H6263

3440014 INTERRUPTION CONNECTOR M8x1



ELECTROLUX PROFESSIONAL 004982

3440015 INTERRUPTION CONNECTOR M9x1



ELECTROLUX PROFESSIONAL 005687



ELECTROLUX PROFESSIONAL



Suitable for:


3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

Suitable for:

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX PROFESSIONAL 0M0893

3440045 THERMOCOUPLE ASA SIT 150 cm



ELECTROLUX PROFESSIONAL 056715

3440042 THERMOCOUPLE ASA SIT 85 cm




ELECTROLUX PROFESSIONAL 057343

3440022 THERMOCOUPLE JUNKERS M8x1 75 cm




ELECTROLUX PROFESSIONAL 0K0686

40KI368 THERMOCOUPLE M8x1 32 cm with milled fitting M8x1



ELECTROLUX PROFESSIONAL 0KI368

40KI369 THERMOCOUPLE M8x1 75 cm




ELECTROLUX PROFESSIONAL 0KI369

3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



ELECTROLUX PROFESSIONAL 00367 ELECTROLUX PROFESSIONAL 004955

3440047 THERMOCOUPLE M8X1 75 cm HEAD ALUMINIZED



ELECTROLUX PROFESSIONAL 054102 ELECTROLUX PROFESSIONAL 054103 ELECTROLUX PROFESSIONAL 054104 ELECTROLUX PROFESSIONAL 058332

3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS ALUMINIZED HEAD



ELECTROLUX PROFESSIONAL 054102 ELECTROLUX PROFESSIONAL 054103 ELECTROLUX PROFESSIONAL 054104 ELECTROLUX PROFESSIONAL 058332

3440133 THERMOCOUPLE SIT M10x1 100 cm



ELECTROLUX PROFESSIONAL 0A2161

3440135 THERMOCOUPLE SIT M10x1 150 cm



ELECTROLUX PROFESSIONAL 0H6252



ELECTROLUX PROFESSIONAL



Suitable for:


3440126 THERMOCOUPLE SIT M10x1 75 cm



ELECTROLUX PROFESSIONAL 0H6251 ELECTROLUX PROFESSIONAL 0H6253

Suitable for:

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 0U2960

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 0U2960

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
CONNECTOR M8x1**




ELECTROLUX PROFESSIONAL 0U2960

3440031 THERMOCOUPLE SIT M8x1 120 cm



ELECTROLUX PROFESSIONAL 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K5730

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS




ELECTROLUX PROFESSIONAL 0K5730

3440032 THERMOCOUPLE SIT M8x1 150 cm



ELECTROLUX PROFESSIONAL 0G2023

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2023




ELECTROLUX PROFESSIONAL



Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2023

Suitable for:

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 050235

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 050235

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 050235

2100968 THERMOCOUPLE SIT M8x1 45 cm




ELECTROLUX PROFESSIONAL 0G1120

3440028 THERMOCOUPLE SIT M8x1 60 cm



ELECTROLUX PROFESSIONAL 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL 050856

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL 050856

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 0K5688 ELECTROLUX PROFESSIONAL 055106



ELECTROLUX PROFESSIONAL



Suitable for:

3440157 THERMOCOUPLE SIT M8x1 60 cm COUPL. M8x1

Suitable for:

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055106

ELECTROLUX PROFESSIONAL 055033


3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 0G0075 ELECTROLUX PROFESSIONAL 0K5688 ELECTROLUX PROFESSIONAL 0200044 ELECTROLUX PROFESSIONAL 055033
ELECTROLUX PROFESSIONAL 077019 012635 ELECTROLUX PROFESSIONAL 1901263
ELECTROLUX PROFESSIONAL 250019 0126356 ELECTROLUX PROFESSIONAL 4818529
ELECTROLUX PROFESSIONAL 7CHG71 2344997 ELECTROLUX PROFESSIONAL 7D19012
ELECTROLUX PROFESSIONAL 710G00 75 ELECTROLUX PROFESSIONAL 7123449

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS CONNECTOR M8x1



ELECTROLUX PROFESSIONAL 0K5688 ELECTROLUX PROFESSIONAL 055106


3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS ALUMINIZED HEAD



ELECTROLUX PROFESSIONAL 054102 ELECTROLUX PROFESSIONAL 054103 ELECTROLUX PROFESSIONAL 054104
ELECTROLUX PROFESSIONAL 058332

3440029 THERMOCOUPLE SIT M8x1 85 cm

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2906 ELECTROLUX PROFESSIONAL 020012 ELECTROLUX PROFESSIONAL 7CHG72 ELECTROLUX PROFESSIONAL 0G2906
ELECTROLUX PROFESSIONAL 712344 97202




ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0G2906

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 0K0652

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
CONNECTOR M8x1**



3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
CONNECTOR M8x1**




ELECTROLUX PROFESSIONAL 052163

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350 ELECTROLUX PROFESSIONAL 053043

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL LF-344 0061

3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1



ELECTROLUX PROFESSIONAL

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL LF-344 0061

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ELECTROLUX PROFESSIONAL S44431 1800
ELECTROLUX PROFESSIONAL 0SL351 0101
ELECTROLUX PROFESSIONAL 000212.5800
ELECTROLUX PROFESSIONAL 020000 9_
ELECTROLUX PROFESSIONAL 020001 ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350
ELECTROLUX PROFESSIONAL 053043 ELECTROLUX PROFESSIONAL 078002 7350
ELECTROLUX PROFESSIONAL 078005 3043
ELECTROLUX PROFESSIONAL 481851 309
ELECTROLUX PROFESSIONAL 500273 50003
ELECTROLUX PROFESSIONAL 710273 50
ELECTROLUX PROFESSIONAL 702102 7350

ELECTROLUX PROFESSIONAL Z027350
ELECTROLUX PROFESSIONAL 0002125
ELECTROLUX PROFESSIONAL 006588
ELECTROLUX PROFESSIONAL 0200013
ELECTROLUX PROFESSIONAL 027036 ELECTROLUX PROFESSIONAL 027350
ELECTROLUX PROFESSIONAL 4443115
ELECTROLUX PROFESSIONAL 4818513
ELECTROLUX PROFESSIONAL 7102703
ELECTROLUX PROFESSIONAL 7105304

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



3440038 THERMOCOUPLE SIT M9x1 120 cm



ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0K3464 ELECTROLUX PROFESSIONAL 020094

3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1



ELECTROLUX PROFESSIONAL

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033



ELECTROLUX PROFESSIONAL



Suitable for:

3440039 THERMOCOUPLE SIT M9x1 150 cm



ELECTROLUX PROFESSIONAL 059064

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 059064

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELECTROLUX PROFESSIONAL 059064

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 020756

3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1




ELECTROLUX PROFESSIONAL 020756

3440064 NUT FOR THERMOCOUPLE M8x1




ELECTROLUX PROFESSIONAL 055033

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 020756

**40C1634 THERMOCOUPLE SIT M9x1 180 cm
ALUMINIZED HEAD**



ELECTROLUX PROFESSIONAL 0C1634



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELECTROLUX PROFESSIONAL S44431 1600
ELECTROLUX PROFESSIONAL 020000 ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317
ELECTROLUX PROFESSIONAL 044431 0710
ELECTROLUX PROFESSIONAL 481851 169
ELECTROLUX PROFESSIONAL 710252 04
ELECTROLUX PROFESSIONAL 702102 7317

ELECTROLUX PROFESSIONAL Z027317 ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317
ELECTROLUX PROFESSIONAL 0780027
ELECTROLUX PROFESSIONAL 5540273
ELECTROLUX PROFESSIONAL 7102731

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS CONNECTOR M8x1



ELECTROLUX PROFESSIONAL 025204 ELECTROLUX PROFESSIONAL 027317

ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

ELECTROLUX PROFESSIONAL 055033

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS CONNECTOR M8x1



ELECTROLUX PROFESSIONAL 025677 ELECTROLUX PROFESSIONAL 026273

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL 000212 5300
ELECTROLUX PROFESSIONAL 025031 ELECTROLUX PROFESSIONAL 078002 5031
ELECTROLUX PROFESSIONAL 083085 2201
ELECTROLUX PROFESSIONAL 500250 31001
ELECTROLUX PROFESSIONAL 702102 5031

ELECTROLUX PROFESSIONAL 0200185
ELECTROLUX PROFESSIONAL 481851
ELECTROLUX PROFESSIONAL 7102503



ELECTROLUX PROFESSIONAL



Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



ELECTROLUX PROFESSIONAL 028982

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 028982

3440036 THERMOCOUPLE SIT M9x1 85 cm.



ELECTROLUX PROFESSIONAL 0SL350 9900
ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386
ELECTROLUX PROFESSIONAL 083085 2900
ELECTROLUX PROFESSIONAL 481851 664
ELECTROLUX PROFESSIONAL 7CHG72 7861
ELECTROLUX PROFESSIONAL 710583 86
ELECTROLUX PROFESSIONAL 727861

Suitable for:

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 028982

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELECTROLUX PROFESSIONAL 0290172 ELECTROLUX PROFESSIONAL 052814 ELECTROLUX PROFESSIONAL 058386
ELECTROLUX PROFESSIONAL 0780052
ELECTROLUX PROFESSIONAL 4370000
ELECTROLUX PROFESSIONAL 5005281
ELECTROLUX PROFESSIONAL 7105281
ELECTROLUX PROFESSIONAL 7021052

3440009 THERMOCOUPLE SIT M9X1 100 cm M8x1



ELECTROLUX PROFESSIONAL 052163

3440064 NUT FOR THERMOCOUPLE M8x1



ELECTROLUX PROFESSIONAL 055033




ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS
CONNECTOR M8x1**



ELECTROLUX PROFESSIONAL 052163

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



ELECTROLUX PROFESSIONAL Z05111 ELECTROLUX PROFESSIONAL 051119

**3440075 THERMOCOUPLE SIT QUICK M8x1 75 cm
ALUMINIZED HEAD**



**3440875 THERMOCOUPLE SIT QUICK M8x1 75 cm - 10 P
ALUMINIZED HEAD**




ELECTROLUX PROFESSIONAL 0C0202

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



ELECTROLUX PROFESSIONAL M02T01 ELECTROLUX PROFESSIONAL 0M0893

ELECTROLUX PROFESSIONAL 0M0893

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



ELECTROLUX PROFESSIONAL 004942

3440092 THERMOCOUPLE SIT QUICK M9x1 60 cm



3440892 THERMOCOUP.SIT QUICK M9x1 60 cm - 10 PCS



ELECTROLUX PROFESSIONAL Z05778 ELECTROLUX PROFESSIONAL 029001 ELECTROLUX PROFESSIONAL 0444313

ELECTROLUX PROFESSIONAL 057781 ELECTROLUX PROFESSIONAL 078005 7781

ELECTROLUX PROFESSIONAL 481851 758

ELECTROLUX PROFESSIONAL 7105778

ELECTROLUX PROFESSIONAL 702105 7781



Suitable for:

3440277 THERMOCOUPLE UNIV. M9x1 120 cm M6x0.75
kit with 5 milled components



ELECTROLUX PROFESSIONAL 0S0056

Suitable for:

3440077 THERMOCOUPLE UNIV. M9x1 90 cm M6x0.75
kit with 5 milled components



ELECTROLUX PROFESSIONAL G17240 02

ELECTROLUX PROFESSIONAL 07800S 0055

ELECTROLUX PROFESSIONAL 0S0055

ELECTROLUX PROFESSIONAL 710S00

Thermoregulators


3442005 THERMOREGULATOR \varnothing 60 mm 0-250°C
metal body
white dial
capillary length 1500 mm
bulb \varnothing 6x60 mm
contact capacity 16(4)A 250V
lead connector 6,35x0,8 mm
mounting hole \varnothing 61 mm



ELECTROLUX PROFESSIONAL 054433

Thermostatic gas valves

3345038 KIT THERMOSTATIC TAP 25ST
REPLACES EGA TAP
supplied with accessories
temperature range 150-290°C
connections M16x1.5 mm
thermocouple connection M8x1mm
bulb \varnothing 6x90 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



ELECTROLUX PROFESSIONAL 0C0006

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979



ELECTROLUX PROFESSIONAL



Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

Suitable for:

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 0A0500 0200

ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124

ELECTROLUX PROFESSIONAL 500521 24000

ELECTROLUX PROFESSIONAL 710521 24

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 021464

ELECTROLUX PROFESSIONAL 5540521

ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482

ELECTROLUX PROFESSIONAL 051482 4201

ELECTROLUX PROFESSIONAL 078004

ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56

ELECTROLUX PROFESSIONAL 554046 755

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 002250

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Suitable for:

3345006 THERMOSTATIC TAP 24ST
adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



ELECTROLUX PROFESSIONAL 058369

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200

ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124

ELECTROLUX PROFESSIONAL 500521 24000

ELECTROLUX PROFESSIONAL 710521 24

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A



ELECTROLUX PROFESSIONAL



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600

ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400

ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821

ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59

ELECTROLUX PROFESSIONAL 710578 21

ELECTROLUX PROFESSIONAL 0022505

Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25




ELECTROLUX PROFESSIONAL 052125

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



3345016 THERMOSTATIC TAP 24STS
adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm




ELECTROLUX PROFESSIONAL 026335

3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 052128

3348068 FITTING \varnothing 10 mm LH
thread \varnothing 3/8" M



3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 060325



Suitable for:

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682 ELECTROLUX PROFESSIONAL 052127
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 020992

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301
ELECTROLUX PROFESSIONAL 07800A 2125
ELECTROLUX PROFESSIONAL 500121 25006
ELECTROLUX PROFESSIONAL 710A21 25

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

ELECTROLUX PROFESSIONAL




Suitable for:

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25




ELECTROLUX PROFESSIONAL 0A0500 0200
ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124
ELECTROLUX PROFESSIONAL 500521 24000
ELECTROLUX PROFESSIONAL 710521 24

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21
ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 702105



ELECTROLUX PROFESSIONAL




Suitable for:

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Suitable for:

3345005 THERMOSTATIC TAP 25ST
adjustment temperature 140-300°C
connections M16x1.5 mm
thermocouple connection M8x1
bulb \varnothing 6x120 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



3348038 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 14 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 006597

3348044 OLIVE FOR PIPE \varnothing 10 mm
 \varnothing ext. 12 mm - h 5 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 052128

3020082 OLIVE FOR PIPE \varnothing 12 mm
 \varnothing ext. 14 mm - h 6 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 060325

3348036 OLIVE FOR PIPE \varnothing 4 mm
 \varnothing ext. 8 mm - h 8 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 004374 ELECTROLUX PROFESSIONAL 027478 ELECTROLUX PROFESSIONAL 050682
ELECTROLUX PROFESSIONAL 054979

3348037 OLIVE FOR PIPE \varnothing 6 mm
 \varnothing ext. 8 mm - h 7 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052127

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 020992

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5 mm - h 14 mm
for model PEL 20-21-24-25



ELECTROLUX PROFESSIONAL 0A0500 0200

ELECTROLUX PROFESSIONAL 052124 ELECTROLUX PROFESSIONAL 078005 2124

ELECTROLUX PROFESSIONAL 500521 24000

ELECTROLUX PROFESSIONAL 710521 24

ELECTROLUX PROFESSIONAL 0214164

ELECTROLUX PROFESSIONAL 5540521

ELECTROLUX PROFESSIONAL 0A2125 ELECTROLUX PROFESSIONAL 051482 9301

ELECTROLUX PROFESSIONAL 07800A 2125

ELECTROLUX PROFESSIONAL 500121 25006

ELECTROLUX PROFESSIONAL 710A21 25

ELECTROLUX PROFESSIONAL 09076

ELECTROLUX PROFESSIONAL 554102

ELECTROLUX PROFESSIONAL 70210A



ELECTROLUX PROFESSIONAL



Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5 mm - h 15 mm
for model PEL 22-24-25



ELECTROLUX PROFESSIONAL 050670

Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL Z04675 ELECTROLUX PROFESSIONAL 046755 ELECTROLUX PROFESSIONAL 051482
ELECTROLUX PROFESSIONAL 051482 4201 ELECTROLUX PROFESSIONAL 078004
ELECTROLUX PROFESSIONAL 095801 ELECTROLUX PROFESSIONAL 190129 56
ELECTROLUX PROFESSIONAL 554046 755

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1 mm - h 11 mm
for model PEL 21-22-24-25



ELECTROLUX PROFESSIONAL 052125

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1 - h 10.5 mm



ELECTROLUX PROFESSIONAL 0A0558 1600 ELECTROLUX PROFESSIONAL 002250
ELECTROLUX PROFESSIONAL 003859 ELECTROLUX PROFESSIONAL 021416 1400
ELECTROLUX PROFESSIONAL 057821 ELECTROLUX PROFESSIONAL 078005 7821
ELECTROLUX PROFESSIONAL 09031 ELECTROLUX PROFESSIONAL 710038 59
ELECTROLUX PROFESSIONAL 710578 21 ELECTROLUX PROFESSIONAL 702105

5014757 PIPE FITTING \varnothing 6 mm
thread M10x1 mm - h 11 mm



Thermostats

3444279 BULB HOLDING CLIP
for heating element thermostat
for pipe \varnothing 9 mm - for bulb \varnothing 6 mm



ELECTROLUX PROFESSIONAL 066823

3744084 BULB HOLDING CLIP
for heating element thermostat
for pipe \varnothing 17x6 mm - for bulb \varnothing 6 mm



ELECTROLUX PROFESSIONAL 0H6907



Suitable for:


3444579 BULB HOLDING CLIP \varnothing 8.5 mm
for heating element thermostat



ELECTROLUX PROFESSIONAL 052262

Suitable for:

4056330 CLIP FOR BULB FIXING
for heating element thermostat
for \varnothing hose 8.5 mm - for \varnothing bulb 6 mm



ELECTROLUX PROFESSIONAL 0K9608 ELECTROLUX PROFESSIONAL 056330

4006098 GASKET STUFFING GLAND \varnothing 8 mm
height 8 mm for thermostat EGO



ELECTROLUX PROFESSIONAL 006098

3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO



ELECTROLUX PROFESSIONAL 0A2187

3444538 SINGLE-PHASE THERMOSTAT 0-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2200 mm
bulb \varnothing 6x135 mm



ELECTROLUX PROFESSIONAL 0KA778

3444784 SINGLE-PHASE THERMOSTAT 100-175°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1470 mm - 16A 230V
bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 006749

3744061 SINGLE-PHASE THERMOSTAT 125°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3x150 mm



ELECTROLUX PROFESSIONAL 0K0673

3444352 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm



ELECTROLUX PROFESSIONAL 004912

3444476 SINGLE-PHASE THERMOSTAT 170°C
2 contacts
covered capillary length 560 mm - 16A 250V
bulb \varnothing 3x160 mm



ELECTROLUX PROFESSIONAL 031482

3444670 SINGLE-PHASE THERMOSTAT 190°C
with manual reset
capillary length 350 mm - 16A 250V
bulb \varnothing 3.1x178 mm - with adapter nipple bland M9x1



ELECTROLUX PROFESSIONAL 0H6142



ELECTROLUX PROFESSIONAL



Suitable for:


3444554 SINGLE-PHASE THERMOSTAT 216°C
with automatic reset
covered capillary length 1250 mm
bulb \varnothing 6x80 mm



ELECTROLUX PROFESSIONAL 0C1000

Suitable for:

3444026 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm




ELECTROLUX PROFESSIONAL 057347

3444080 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
covered capillary length 2020 mm - 16A 250V
bulb \varnothing 6x133 mm




ELECTROLUX PROFESSIONAL 0A2011

3444483 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 900 mm - 0.5A 12V
bulb \varnothing 6x87 mm



ELECTROLUX PROFESSIONAL 0C4279

3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 6x80 mm - with adapter nipple bland M10x1




ELECTROLUX PROFESSIONAL 003121

3744065 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
double bulb
covered capillary length 2000 mm
bulb \varnothing 6x135 mm




ELECTROLUX PROFESSIONAL 059559

3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO




ELECTROLUX PROFESSIONAL 0A2187

3444684 SINGLE-PHASE THERMOSTAT 250°C
with manual reset
covered capillary length 900 mm
bulb \varnothing 6x90 mm



ELECTROLUX PROFESSIONAL 005931

40C0999 SINGLE-PHASE THERMOSTAT 268°C
with automatic reset
capillary length covered 1250 mm
bulb \varnothing 6x78 mm




ELECTROLUX PROFESSIONAL 0C0999



Suitable for:

3444489 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb \varnothing 6x125 mm




ELECTROLUX PROFESSIONAL 0A2018

Suitable for:

3444019 SINGLE-PHASE THERMOSTAT 30-90°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 003262 ELECTROLUX PROFESSIONAL 051920

4031247 SINGLE-PHASE THERMOSTAT 30-92°C


complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm
bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 031247

3444673 SINGLE-PHASE THERMOSTAT 330°C

with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3.1x140 mm



ELECTROLUX PROFESSIONAL 0H6243

3444266 SINGLE-PHASE THERMOSTAT 338°C


with manual reset
covered capillary length 830 mm - 16A 250V
button bulb \varnothing 14x10 mm



ELECTROLUX PROFESSIONAL 002730

3444312 SINGLE-PHASE THERMOSTAT 360°C


with manual reset
capillary length covered 1500 mm - 16A 250V
bulb \varnothing 4x110 mm



ELECTROLUX PROFESSIONAL 003594 ELECTROLUX PROFESSIONAL 053980 ELECTROLUX PROFESSIONAL 057442

40H9835 SINGLE-PHASE THERMOSTAT 360°C


with manual reset
capillary length covered 1430 mm
bulb \varnothing 4x111 mm



ELECTROLUX PROFESSIONAL 0H9835

3444391 SINGLE-PHASE THERMOSTAT 45-170°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm
bulb \varnothing 3x220 mm



ELECTROLUX PROFESSIONAL 031480




ELECTROLUX PROFESSIONAL



Suitable for:

3444477 SINGLE-PHASE THERMOSTAT 50-260°C
complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1270 mm - 16A 250V
bulb \varnothing 4x120 mm



ELECTROLUX PROFESSIONAL 002109

Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm




ELECTROLUX PROFESSIONAL 029918 ELECTROLUX PROFESSIONAL 057937

3444176 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 4x120 mm



ELECTROLUX PROFESSIONAL 051360

40K6908 SINGLE-PHASE THERMOSTAT 54-324°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 870 mm
bulb \varnothing 3x145 mm



ELECTROLUX PROFESSIONAL 0K6908

3444438 SINGLE-PHASE THERMOSTAT 90-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 0.5A 12V
bulb \varnothing 4x230 mm



ELECTROLUX PROFESSIONAL 0G2351 ELECTROLUX PROFESSIONAL 002602

3444031 SINGLE-PHASE THERMOSTAT 90-185°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2500 mm - 16A 250V
bulb \varnothing 4x230 mm




ELECTROLUX PROFESSIONAL 003049 ELECTROLUX PROFESSIONAL 052300 ELECTROLUX PROFESSIONAL 052330
ELECTROLUX PROFESSIONAL 064680 7300 ELECTROLUX PROFESSIONAL 551063
ELECTROLUX PROFESSIONAL 551963 9030 ELECTROLUX PROFESSIONAL 554003
ELECTROLUX PROFESSIONAL 710030 49 ELECTROLUX PROFESSIONAL 702100
ELECTROLUX PROFESSIONAL 727963

3444032 SINGLE-PHASE THERMOSTAT 90-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 4x230 mm



ELECTROLUX PROFESSIONAL 050412

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



ELECTROLUX PROFESSIONAL 058163 ELECTROLUX PROFESSIONAL 078005 8163
ELECTROLUX PROFESSIONAL 510291 8320 ELECTROLUX PROFESSIONAL 554058
ELECTROLUX PROFESSIONAL 601000 ELECTROLUX PROFESSIONAL 710581 63



Suitable for:


4059295 STUFF. GLAND THERMOSTAT M12x1
 ø hole 4 mm



ELECTROLUX PROFESSIONAL 059295

Suitable for:

3444121 STUFFING GLAND F/THERMOSTAT MILLED M9x1




ELECTROLUX PROFESSIONAL 027061

3444215 STUFFING GLAND FOR THERMOSTAT M12x1
 hole ø 6.3 mm



ELECTROLUX PROFESSIONAL 067899

5057542 TERMOSTATO THREE-PHASE 235°C
 with manual reset
 covered capillary length 1800 mm - 10A 400V
 bulb ø 6x88 mm - with stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1




ELECTROLUX PROFESSIONAL 0KJ144

3744140 TERMOSTATO THREE-PHASE 360°C
 manual reset
 covered capillary length 1490 mm
 bulb ø 3x190 mm




ELECTROLUX PROFESSIONAL

3444348 THERMOSTAT SINGLE-PHASE TR2 235°C
 with manual reset
 capillary length 1000 mm - 15A 250V
 bulb ø 5x100 mm




ELECTROLUX PROFESSIONAL 053012

40K0662 THERMOSTAT SINGLE-PHASE 100-470°C
 complete with selector switch
 D-shaped pin ø 6x4.6 mm
 capillary length covered 1100 mm
 bulb ø 4x225 mm



ELECTROLUX PROFESSIONAL 0K0662

40K8105 THERMOSTAT SINGLE-PHASE 145°C
 with manual reset
 capillary length 900 mm - 16A 250V
 bulb ø 6x78 mm - with stuffing gland fitting M9x1
 with tank sealing coupling complete M12x1



ELECTROLUX PROFESSIONAL 0K8105

3444239 THERMOSTAT SINGLE-PHASE 240°C
 with manual reset
 covered capillary length 860 mm - 16A 250V
 bulb ø 6x77 mm - with stuffing gland fitting M10x1
 with M9x1 thermocouple interruption fitting



ELECTROLUX PROFESSIONAL 058164

3444018 THERMOSTAT SINGLE-PHASE 30-90°C
 complete with auxiliary selector switch
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1000 mm - 16A 250V
 bulb ø 6x175 mm



ELECTROLUX PROFESSIONAL 051142



ELECTROLUX PROFESSIONAL



Suitable for:


3444560 THERMOSTAT SINGLE-PHASE 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered length capillary 1450 mm - 23A 400V
bulb \varnothing 6x90 mm



ELECTROLUX PROFESSIONAL 033716

Suitable for:

3444361 THERMOSTAT SINGLE-PHASE 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary 950 mm - 16A 250V
bulb \varnothing 3x160 mm



ELECTROLUX PROFESSIONAL 0H2049 ELECTROLUX PROFESSIONAL 375011 ELECTROLUX PROFESSIONAL 467801
ELECTROLUX PROFESSIONAL 551306 2010 ELECTROLUX PROFESSIONAL 710H20

4031379 THERMOSTAT SINGLE-PHASE 55°C
with automatic reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x135 mm




ELECTROLUX PROFESSIONAL 031379

3444305 THERMOSTAT SINGLE-PHASE 75-500°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x230 mm




ELECTROLUX PROFESSIONAL 056701

40KW841 THERMOSTAT THREE-PHASE 109-190°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1800 mm - 16A 400V
bulb \varnothing 4x160 mm



ELECTROLUX PROFESSIONAL 0KW841

40M2160 THERMOSTAT THREE-PHASE 120-206°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1780 mm - 10A 400V
bulb \varnothing 4x160 mm




ELECTROLUX PROFESSIONAL 0KL450 ELECTROLUX PROFESSIONAL 0M2160

3444221 THERMOSTAT THREE-PHASE 140°C
with manual reset
covered capillary length 1000 mm - 10A 400V
bulb \varnothing 6x175 mm



ELECTROLUX PROFESSIONAL 051644

3444331 THERMOSTAT THREE-PHASE 140°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x88 mm
for boiler



ELECTROLUX PROFESSIONAL 004862 ELECTROLUX PROFESSIONAL 059079



Suitable for:

40C2983 THERMOSTAT THREE-PHASE 140°C
with manual reset
capillary length covered 890 mm - 20A 380V
bulb \varnothing 6x87 mm



ELECTROLUX PROFESSIONAL 0C2983


Suitable for:

40K5117 THERMOSTAT THREE-PHASE 275°C
with manual reset
capillary length covered 940 mm
bulb \varnothing 6x158 mm




ELECTROLUX PROFESSIONAL 0K5117

3744150 THERMOSTAT THREE-PHASE 282°C
with manual reset
capillary length covered 1750 mm
bulb \varnothing 4x160 mm



40K1686 THERMOSTAT THREE-PHASE 295°C
with manual reset
capillary length covered 1770 mm - 10A 400V
bulb \varnothing 4x128 mm



ELECTROLUX PROFESSIONAL 0KL448 ELECTROLUX PROFESSIONAL 0M2159

ELECTROLUX PROFESSIONAL 0K1686

2105238 THERMOSTAT THREE-PHASE 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 3000 mm - 10A 400V
bulb \varnothing 6x140 mm



40K5022 THERMOSTAT THREE-PHASE 50-300°C
complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 2260 mm - 10A 400V
bulb \varnothing 4x292 mm



ELECTROLUX PROFESSIONAL 0M0723

ELECTROLUX PROFESSIONAL 0K5022

40G2760 THERMOSTAT THREE-PHASE 60-185°C
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1200 mm - 10A 400V
bulb \varnothing 4x235 mm - with stuffing gland fitting M9x1



3444251 THERMOSTAT 3-PHASE 100-292°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm



ELECTROLUX PROFESSIONAL 0G2760

ELECTROLUX PROFESSIONAL Z05923 ELECTROLUX PROFESSIONAL 00285 ELECTROLUX PROFESSIONAL 004917
ELECTROLUX PROFESSIONAL 059235 ELECTROLUX PROFESSIONAL 064680 5300
ELECTROLUX PROFESSIONAL 064680 5302 ELECTROLUX PROFESSIONAL 0653S0
ELECTROLUX PROFESSIONAL 078000 4917 ELECTROLUX PROFESSIONAL 078005
ELECTROLUX PROFESSIONAL 375587 ELECTROLUX PROFESSIONAL 500592 35007
ELECTROLUX PROFESSIONAL 553405 9801 ELECTROLUX PROFESSIONAL 553405
ELECTROLUX PROFESSIONAL 554004 917 ELECTROLUX PROFESSIONAL 554059
ELECTROLUX PROFESSIONAL 710049 17 ELECTROLUX PROFESSIONAL 710592
ELECTROLUX PROFESSIONAL 7TEC00 285 ELECTROLUX PROFESSIONAL 702105
ELECTROLUX PROFESSIONAL 727992



ELECTROLUX PROFESSIONAL



Suitable for:

3444052 THERMOSTAT 3-PHASE 60-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



ELECTROLUX PROFESSIONAL 0A2206 ELECTROLUX PROFESSIONAL 0A2236


Suitable for:

3444078 THREE-PHASE THERMOSTAT 100-175°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb \varnothing 6x130 mm




ELECTROLUX PROFESSIONAL 0A2003

3444040 THREE-PHASE THERMOSTAT 100-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 6x80 mm




ELECTROLUX PROFESSIONAL 052916

3744062 THREE-PHASE THERMOSTAT 100-350°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1470 mm - 16A 400V
bulb \varnothing 6x75 mm



ELECTROLUX PROFESSIONAL 0M0725

40G2529 THREE-PHASE THERMOSTAT 100-470°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1120 mm
bulb \varnothing 4x228 mm



ELECTROLUX PROFESSIONAL 0G2529

3444028 THREE-PHASE THERMOSTAT 105-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2800 mm - 10A 400V
bulb \varnothing 4x235 mm




ELECTROLUX PROFESSIONAL 004925 ELECTROLUX PROFESSIONAL 051361 ELECTROLUX PROFESSIONAL 054931

3444443 THREE-PHASE THERMOSTAT 115-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 10A 400V
bulb \varnothing 3x144 mm



ELECTROLUX PROFESSIONAL 004363

40K4856 THREE-PHASE THERMOSTAT 130°C
with manual reset
capillary length covered 900 mm
bulb \varnothing 6x74 mm



ELECTROLUX PROFESSIONAL 0K4856

3444567 THREE-PHASE THERMOSTAT 145°C
with manual reset
capillary length 1750 mm - 16A 230V
bulb \varnothing 3.1x180 mm - with adapter nipple band M9x1



ELECTROLUX PROFESSIONAL 0H6219

3444024 THREE-PHASE THERMOSTAT 160°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x175 mm



ELECTROLUX PROFESSIONAL 051637



Suitable for:

Suitable for:

3444442 THREE-PHASE THERMOSTAT 170°C
with manual reset
covered capillary 880 mm
bulb \varnothing 6x78 mm

3444556 THREE-PHASE THERMOSTAT 170°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x87 mm




ELECTROLUX PROFESSIONAL 005295

ELECTROLUX PROFESSIONAL 004742

40K5143 THREE-PHASE THERMOSTAT 180°C
with manual reset
capillary length 1200 mm
bulb \varnothing 4x165 mm

3444079 THREE-PHASE THERMOSTAT 220°C
with manual reset
covered capillary length 1790 mm - 10A 400V
bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 0K5143

ELECTROLUX PROFESSIONAL 0A2204

3444323 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 950 mm - 20A 380V
bulb \varnothing 6x155 mm

3444035 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 2600 mm - 10A 400V
bulb \varnothing 6x240 mm




ELECTROLUX PROFESSIONAL 059552

ELECTROLUX PROFESSIONAL 051369

3444143 THREE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1600 mm - 10A 400V
bulb \varnothing 6x85 mm

3444036 THREE-PHASE THERMOSTAT 245°C
with manual reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x160 mm



ELECTROLUX PROFESSIONAL 0A5435 ELECTROLUX PROFESSIONAL 064680 8700

ELECTROLUX PROFESSIONAL 052331

ELECTROLUX PROFESSIONAL 07800A 5435

ELECTROLUX PROFESSIONAL 5001543

ELECTROLUX PROFESSIONAL 553254 9816

ELECTROLUX PROFESSIONAL 5541054

ELECTROLUX PROFESSIONAL 710A54 35

ELECTROLUX PROFESSIONAL 70210A5




ELECTROLUX PROFESSIONAL



Suitable for:


3444368 **THREE-PHASE THERMOSTAT 245°C**
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm



ELECTROLUX PROFESSIONAL 004951


Suitable for:

3444436 **THREE-PHASE THERMOSTAT 245°C**
with manual reset
covered capillary length 2700 mm - 20A 400V
bulb \varnothing 6x90 mm



ELECTROLUX PROFESSIONAL 004472

3444439 **THREE-PHASE THERMOSTAT 245°C**
with manual reset
covered capillary length 900 mm
bulb \varnothing 6x80 mm




ELECTROLUX PROFESSIONAL 006282

3444437 **THREE-PHASE THERMOSTAT 250°C**
with manual reset
covered capillary length 2500 mm - 20A 380V
bulb \varnothing 6x240 mm



ELECTROLUX PROFESSIONAL 054932

3444444 **THREE-PHASE THERMOSTAT 250°C**
with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 6x90 mm




ELECTROLUX PROFESSIONAL 005941

3444557 **THREE-PHASE THERMOSTAT 270°C**
with manual reset
covered capillary length 870 mm - 20A 400V
bulb \varnothing 6x78 mm



ELECTROLUX PROFESSIONAL 006307

40K4964 **THREE-PHASE THERMOSTAT 275°C**
with manual reset
covered capillary length 1470 mm
bulb 4x157 mm - with stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



ELECTROLUX PROFESSIONAL 0K4964

3444575 **THREE-PHASE THERMOSTAT 285°C**
with manual reset
covered capillary 940 mm - 20A 380V
bulb \varnothing 6x157 mm




ELECTROLUX PROFESSIONAL 053183




Suitable for:

3444351 THREE-PHASE THERMOSTAT 295°C
 with manual reset
 covered capillary 1800 mm - 10A 400V
 bulb \varnothing 4x125 mm - 10A 400V
 for TECNOINOX OVEN
 for EMMEPI OVEN 900-750-700-650 - FRY TOP 900-750




ELECTROLUX PROFESSIONAL 004921

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 0A2237 ELECTROLUX PROFESSIONAL 0H6220 ELECTROLUX PROFESSIONAL 0H6228 ELECTROLUX PROFESSIONAL 004911
 ELECTROLUX PROFESSIONAL 025468 ELECTROLUX PROFESSIONAL 032858

3444067 THREE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 10A 400V
 bulb \varnothing 6x130 mm



ELECTROLUX PROFESSIONAL 052000 ELECTROLUX PROFESSIONAL 057237


3444707 THREE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 1450 mm - 10A 400V
 bulb \varnothing 6x176 mm - with stuffing gland fitting M9x1



ELECTROLUX PROFESSIONAL 0H6136


Suitable for:

40G2825 THREE-PHASE THERMOSTAT 295°C
 with manual reset
 capillary length covered 900 mm
 bulb \varnothing 6x78 mm - with stuffing gland fitting M9x1




ELECTROLUX PROFESSIONAL 0G2825

3444088 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x140 mm - with stuffing gland fitting M9x1



3444703 THREE-PHASE THERMOSTAT 315°C
 with manual reset
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1



ELECTROLUX PROFESSIONAL 0H6215

7113944 THREE-PHASE THERMOSTAT 330°C
 with manual reset
 capillary length covered 880 mm
 bulb \varnothing 6x78 mm



ELECTROLUX PROFESSIONAL 0C8686



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3444025 **THREE-PHASE THERMOSTAT 350°C**
with manual reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x160 mm

3444354 **THREE-PHASE THERMOSTAT 350°C**
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



ELECTROLUX PROFESSIONAL Z05145 ELECTROLUX PROFESSIONAL 044657 8024


ELECTROLUX PROFESSIONAL 0H6134 ELECTROLUX PROFESSIONAL 004919

ELECTROLUX PROFESSIONAL 044657 8025
ELECTROLUX PROFESSIONAL 051454 ELECTROLUX PROFESSIONAL 051643 ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 078005 1643
ELECTROLUX PROFESSIONAL 500514 54002
ELECTROLUX PROFESSIONAL 553156 9010
ELECTROLUX PROFESSIONAL 710514 54
ELECTROLUX PROFESSIONAL 702105 1454

ELECTROLUX PROFESSIONAL 0446578
ELECTROLUX PROFESSIONAL 0780051
ELECTROLUX PROFESSIONAL 4818515
ELECTROLUX PROFESSIONAL 5005164
ELECTROLUX PROFESSIONAL 5540516
ELECTROLUX PROFESSIONAL 7105164
ELECTROLUX PROFESSIONAL 7021051

3444445 **THREE-PHASE THERMOSTAT 350°C**
with automatic reset
capillary length covered 900 mm - 16A 380V
bulb \varnothing 3x190 mm

3444306 **THREE-PHASE THERMOSTAT 360°C**
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x120 mm




ELECTROLUX PROFESSIONAL 0C0270

ELECTROLUX PROFESSIONAL 004269

3444574 **THREE-PHASE THERMOSTAT 360°C**
with manual reset
covered capillary length 1200 mm - 20A 400V
bulb \varnothing 6x79 mm

3444435 **THREE-PHASE THERMOSTAT 50-300°C**
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1150 mm - 16A 380V
bulb \varnothing 2.5x330 mm



ELECTROLUX PROFESSIONAL 004600

ELECTROLUX PROFESSIONAL 055996

3444561 **THREE-PHASE THERMOSTAT 50-300°C**
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1740 mm - 16A 230V
bulb \varnothing 6x80 mm

3444033 **THREE-PHASE THERMOSTAT 60-165°C**
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 8x115 mm - with stuffing gland fitting M14x



ELECTROLUX PROFESSIONAL 0H6217

ELECTROLUX PROFESSIONAL 026860



ELECTROLUX PROFESSIONAL



Suitable for:

3444559 THREE-PHASE THERMOSTAT 60-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 16A 250V
bulb \varnothing 4x229 mm



ELECTROLUX PROFESSIONAL 005940


Suitable for:

3444044 THREE-PHASE THERMOSTAT 60-260°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm




ELECTROLUX PROFESSIONAL 051362

3444038 THREE-PHASE THERMOSTAT 60-320°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 10A 400V
bulb \varnothing 4x130 mm




ELECTROLUX PROFESSIONAL 052099

40K5034 THREE-PHASE THERMOSTAT 60-350°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 880 mm
bulb \varnothing 4x128 mm



ELECTROLUX PROFESSIONAL 0K5034

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



ELECTROLUX PROFESSIONAL 0A0541 4500

ELECTROLUX PROFESSIONAL 0KT779 ELECTROLUX PROFESSIONAL 000061 7078

ELECTROLUX PROFESSIONAL 000061 7079

ELECTROLUX PROFESSIONAL 006712 ELECTROLUX PROFESSIONAL 0504S4 LY00

ELECTROLUX PROFESSIONAL 050684 2500

ELECTROLUX PROFESSIONAL 054376 ELECTROLUX PROFESSIONAL 07800A 2205

ELECTROLUX PROFESSIONAL 078005 4376

ELECTROLUX PROFESSIONAL 500543 76004

ELECTROLUX PROFESSIONAL 554102 205

ELECTROLUX PROFESSIONAL 710A22 05

ELECTROLUX PROFESSIONAL 710543 76

ELECTROLUX PROFESSIONAL 702105 4376

ELECTROLUX PROFESSIONAL 0A2205

ELECTROLUX PROFESSIONAL 002316

ELECTROLUX PROFESSIONAL 050889

ELECTROLUX PROFESSIONAL 437000

ELECTROLUX PROFESSIONAL 554054


ELECTROLUX PROFESSIONAL 7CHG72

ELECTROLUX PROFESSIONAL 710067

ELECTROLUX PROFESSIONAL 70210A

ELECTROLUX PROFESSIONAL 721205

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A2134 ELECTROLUX PROFESSIONAL 0H6605 ELECTROLUX PROFESSIONAL 00070

ELECTROLUX PROFESSIONAL 004908 ELECTROLUX PROFESSIONAL 070024 5599

ELECTROLUX PROFESSIONAL 078000 4908

ELECTROLUX PROFESSIONAL 2890700

ELECTROLUX PROFESSIONAL 554004 908

ELECTROLUX PROFESSIONAL 7D24559

ELECTROLUX PROFESSIONAL 7D70 ELECTROLUX PROFESSIONAL 7TEC00 070

ELECTROLUX PROFESSIONAL 700224 5599

3444752 THREE-PHASE THERMOSTAT 30-350°C
D-shaped pin 6x4.6 mm
covered capillary length 880 mm - 16A 230V
bulb \varnothing 4x128 mm



ELECTROLUX PROFESSIONAL 0A2134 ELECTROLUX PROFESSIONAL 0H6605 ELECTROLUX PROFESSIONAL 00070

ELECTROLUX PROFESSIONAL 004908 ELECTROLUX PROFESSIONAL 070024 5599

ELECTROLUX PROFESSIONAL 078000 4908

ELECTROLUX PROFESSIONAL 2890700

ELECTROLUX PROFESSIONAL 554004 908

ELECTROLUX PROFESSIONAL 7D24559


ELECTROLUX PROFESSIONAL 7D70 ELECTROLUX PROFESSIONAL 7TEC00 070

ELECTROLUX PROFESSIONAL 700224 5599



Suitable for:

5069818 THREE-PHASE THERMOSTAT 62-550°C
complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1120 mm
bulb \varnothing 4x228 mm



ELECTROLUX PROFESSIONAL 0C4278


Suitable for:

3444166 THREE-PHASE THERMOSTAT 95-180°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
with complete tank coupling M12x1



ELECTROLUX PROFESSIONAL 0H6127 ELECTROLUX PROFESSIONAL 0H6233

3444570 THREE-PHASE THERMOSTAT 95-230°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1250 mm
bulb \varnothing 4x128 mm




3444621 WASHER FOR CAPILLARY THERMOSTAT - 10 PCS
 \varnothing 7.7 mm



ELECTROLUX PROFESSIONAL 0C7528 ELECTROLUX PROFESSIONAL 002402

ELECTROLUX PROFESSIONAL 0KL815

3444695 3-PHASE THERMOSTAT 160°C
with manual reset
covered capillary length 900 mm - 20A 380V
bulb \varnothing 6x89 mm - with stuffing gland fitting M10x1



ELECTROLUX PROFESSIONAL 005815

Timers

4002476 TIMER OMRON H3CR-A8 48Vac
programmable time scale from 1,2s to 300h




ELECTROLUX PROFESSIONAL 002476

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 003432 ELECTROLUX PROFESSIONAL 029920 ELECTROLUX PROFESSIONAL 053817
ELECTROLUX PROFESSIONAL 057936


3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 003431 ELECTROLUX PROFESSIONAL 064080 3500
ELECTROLUX PROFESSIONAL 078000 3431 ELECTROLUX PROFESSIONAL 5540034
ELECTROLUX PROFESSIONAL 710034 31 ELECTROLUX PROFESSIONAL 7021003

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer



3446104 TIMER 60 MINUTES M2

manually set mechanical timer
manually set cycle 60 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0H6684

3241161 BLACK KNOB \varnothing 40 mm

D-shaped hole 6x4.6 mm



3241173 BLACK KNOB \varnothing 44 mm

D-shaped hole 6x4.6 mm



3241174 BLACK KNOB \varnothing 44 mm

D-shaped hole 6x4.6 mm





Suitable for:

3446146 DIAL FOR TIMER
0-60 minutes

Suitable for:



Tools

3394038 GROOVED FRY TOP SCRAPER

3394408 SCRAPER BLADE 102 mm - 10 PCS



ELECTROLUX PROFESSIONAL 0CB172 ELECTROLUX PROFESSIONAL 056940

ELECTROLUX PROFESSIONAL 0C2519 ELECTROLUX PROFESSIONAL 056347

3394406 SCRAPER FRY TOP AND BRATT PAN
with 1 blade 102 mm

3394408 SCRAPER BLADE 102 mm - 10 PCS



ELECTROLUX PROFESSIONAL 055995

ELECTROLUX PROFESSIONAL 0C2519 ELECTROLUX PROFESSIONAL 056347

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833

Tubing and hoses

3450124 DRAIN PIPE 720 mm
external \varnothing 40 mm - internal \varnothing 30 mm



ELECTROLUX PROFESSIONAL 056888

Washing showers

3359610 BLACK SHOWER HEAD ECO \varnothing 1/2" M
with coupling 3/8" Mx1/2" M



ELECTROLUX PROFESSIONAL Z00317 ELECTROLUX PROFESSIONAL OPP043 0000
 ELECTROLUX PROFESSIONAL 003175 ELECTROLUX PROFESSIONAL 078000 3175
 ELECTROLUX PROFESSIONAL 500031 75002 ELECTROLUX PROFESSIONAL 5540031
 ELECTROLUX PROFESSIONAL 710031 75 ELECTROLUX PROFESSIONAL 7021003
 ELECTROLUX PROFESSIONAL 903030 ELECTROLUX PROFESSIONAL 903030 2

Wheels and accessories

3522015 ARTICULATION FOR SCREW 82x74 mm



ELECTROLUX PROFESSIONAL 051294

40C4332 BEARING SUPPORT \varnothing 60x15 mm



ELECTROLUX PROFESSIONAL 0C4332

40C7408 BUSHING FOR SCREW SUPPORT \varnothing 22/18x9 mm




ELECTROLUX PROFESSIONAL 0C7408

4006841 CLASP KIT \varnothing 4x24 mm - 25 PCS




ELECTROLUX PROFESSIONAL 0Q0013 ELECTROLUX PROFESSIONAL 006841

40C8518 DUCT PULLEY \varnothing 45/36x27 mm



ELECTROLUX PROFESSIONAL 0C8518

40C1438 EXTENSION FOR HANDLE AND HANDWHEEL
dimensions \varnothing 25/16x120 mm



ELECTROLUX PROFESSIONAL 0C1438

3522030 EXTENSION FOR PAN \varnothing 20/16x120 mm



ELECTROLUX PROFESSIONAL 002355

40C7563 EXTENSION FOR PAN \varnothing 20/16x55 mm



ELECTROLUX PROFESSIONAL 0C7563



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3522029 HANDWHEEL
pin hole \varnothing 16 mm - length 80 mm
with BAKELITE handle



ELECTROLUX PROFESSIONAL 002276

40C1438 EXTENSION FOR HANDLE AND HANDWHEEL
dimensions \varnothing 25/16x120 mm



ELECTROLUX PROFESSIONAL 0C1438

3522006 HANDWHEEL \varnothing 158 mm
central hole \varnothing 16 mm
complete with folding handle




ELECTROLUX PROFESSIONAL 0A5164 ELECTROLUX PROFESSIONAL 0CA760

3522015 ARTICULATION FOR SCREW 82x74 mm




ELECTROLUX PROFESSIONAL 051294

5024457 BEARING SUPPORT
dimensions 69x70 mm - \varnothing pin 14 mm



40C4332 BEARING SUPPORT \varnothing 60x15 mm



ELECTROLUX PROFESSIONAL 0C4332

1063911 BEARING 6202 ZZ NSK
external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm



ELECTROLUX PROFESSIONAL 056820

1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



ELECTROLUX PROFESSIONAL DS0304 ELECTROLUX PROFESSIONAL 0KQ395 ELECTROLUX PROFESSIONAL 033566
ELECTROLUX PROFESSIONAL 033566 1600 ELECTROLUX PROFESSIONAL 045726
ELECTROLUX PROFESSIONAL 065048 ELECTROLUX PROFESSIONAL 078004 5726
ELECTROLUX PROFESSIONAL 078006 5048 ELECTROLUX PROFESSIONAL 3042
ELECTROLUX PROFESSIONAL 481851 778 ELECTROLUX PROFESSIONAL 500457
ELECTROLUX PROFESSIONAL 554045 726 ELECTROLUX PROFESSIONAL 570000
ELECTROLUX PROFESSIONAL 62022Z ELECTROLUX PROFESSIONAL 62022Z RC3
ELECTROLUX PROFESSIONAL 7DSM30 42 ELECTROLUX PROFESSIONAL 710457
ELECTROLUX PROFESSIONAL 710650 48 ELECTROLUX PROFESSIONAL 702104
ELECTROLUX PROFESSIONAL 702106 5048

40C7408 BUSHING FOR SCREW SUPPORT \varnothing 22/18x9 mm



ELECTROLUX PROFESSIONAL 0C7408

40C2170 CLASP \varnothing 4x36 mm



ELECTROLUX PROFESSIONAL 0C2170



ELECTROLUX PROFESSIONAL



Suitable for:

4006841 CLASP KIT \varnothing 4x24 mm - 25 PCS



ELECTROLUX PROFESSIONAL 0Q0013 ELECTROLUX PROFESSIONAL 006841

5013368 ELASTIC CLASP \varnothing 5x30 mm



3522030 EXTENSION FOR PAN \varnothing 20/16x120 mm



ELECTROLUX PROFESSIONAL 002355

**40C3800 HANDWHEEL \varnothing 23x65 mm
thread M6**



ELECTROLUX PROFESSIONAL 0C3800

3522019 RING FOR SCREW \varnothing 27x32 mm



ELECTROLUX PROFESSIONAL 051277


**3522010 SCREW BEARING 6004 LD1
extern. \varnothing 42 mm - intern. \varnothing 20 mm - thickn. 12 mm**



ELECTROLUX PROFESSIONAL 051298

Suitable for:

40C8518 DUCT PULLEY \varnothing 45/36x27 mm



ELECTROLUX PROFESSIONAL 0C8518

**40C1438 EXTENSION FOR HANDLE AND HANDWHEEL
dimensions \varnothing 25/16x120 mm**



ELECTROLUX PROFESSIONAL 0C1438

40C7563 EXTENSION FOR PAN \varnothing 20/16x55 mm



ELECTROLUX PROFESSIONAL 0C7563

3522018 PIN FOR TILTING SCREW \varnothing 9.5x24.5 mm



ELECTROLUX PROFESSIONAL 051365

3522020 RING NUT FOR SCREW \varnothing 27x20x15 mm



ELECTROLUX PROFESSIONAL 051276

**3522028 SCREW FOR PAN \varnothing 12x20 mm
thread M8**



ELECTROLUX PROFESSIONAL 0A5163



ELECTROLUX PROFESSIONAL



Suitable for:

3522012 SCREW NO HEAD WITH HEXAGON SOCKET M8x10
burnished iron alloy - cone end
UNI 5927 - DIN 914 - ISO 4027



Suitable for:

5015525 SCREW NUT FOR BRATT PAN
dimensions 40x40x39 mm - right hand thread
thread M20x2.5 mm - ø pin 20 mm



4004362 SCREW NUT FOR BRATT PAN ø 40x40 mm



3522049 SCREW NUT FOR BRATT PAN ø 40x60 mm




ELECTROLUX PROFESSIONAL 004362

3522024 SCREW NUT FOR BRATT PAN ø 40x66 mm




ELECTROLUX PROFESSIONAL 0C0675

5015528 SCREW NUT FOR BRATT PAN VALVE
dimensions 40x40x39 mm - left thread
thread M20x2.5 mm - ø pin 20 mm



ELECTROLUX PROFESSIONAL 0A5155

40C0672 SCREW NUT SUPPORT ø 60x21 mm



40C2169 SCREW NUT SUPPORT ø 60x21 mm



ELECTROLUX PROFESSIONAL 0C0672

3522014 SCREW SUPPORT ø 58x33 mm



ELECTROLUX PROFESSIONAL 0C2169

40C7798 SCREW SUPPORT ø 60/43x36 mm



ELECTROLUX PROFESSIONAL 051265

ELECTROLUX PROFESSIONAL 0C7798




ELECTROLUX PROFESSIONAL



Suitable for:

3522021 SCROLL FOR SCREW \varnothing 40x40 mm



ELECTROLUX PROFESSIONAL 051264

Suitable for:


3002009 SEEGER RING J-35
in zinc plated iron alloy - \varnothing extern 37.8 mm
UNI 7437 - DIN 472



ELECTROLUX PROFESSIONAL 0A0516 6500
ELECTROLUX PROFESSIONAL 07800A 2592
ELECTROLUX PROFESSIONAL 710A25 92

ELECTROLUX PROFESSIONAL 0A2592
ELECTROLUX PROFESSIONAL 554102
ELECTROLUX PROFESSIONAL 70210A

4006241 SUPPORT SCREW NUT \varnothing 60x18 mm



ELECTROLUX PROFESSIONAL 006241

3522023 THRUST BEARING 51102
external \varnothing 28 mm - internal \varnothing 15 mm - thickn.9 mm



ELECTROLUX PROFESSIONAL 056821

5013366 THRUST BEARING 51203
 \varnothing external 35 mm - \varnothing internal 17 mm - depth 12 mm



3522035 TILTING SCREW \varnothing 20 mm
overall length 615 mm



ELECTROLUX PROFESSIONAL 002314 ELECTROLUX PROFESSIONAL 002731

3522009 TILTING SCREW \varnothing 20 mm
total length 885 mm



40C0674 TILTING SCREW \varnothing 20 mm
overall length 525 mm



ELECTROLUX PROFESSIONAL 002136

40C1641 TILTING SCREW \varnothing 20 mm
overall length 512 mm



ELECTROLUX PROFESSIONAL 0C0674

40C7891 TILTING SCREW \varnothing 20 mm
overall length 368 mm



ELECTROLUX PROFESSIONAL 0C1641

ELECTROLUX PROFESSIONAL 0C7891



ELECTROLUX PROFESSIONAL



Suitable for:


4004361 TILTING SCREW \varnothing 20 mm
overall length 632 mm



ELECTROLUX PROFESSIONAL 004361

Suitable for:

40C0673 WASHER OF PTFE \varnothing 20x11x2 mm



ELECTROLUX PROFESSIONAL 0C0673

3522041 HANDWHEEL \varnothing 160 mm
middle hole \varnothing 14 mm
complete with folding handle



ELECTROLUX PROFESSIONAL

3522003 HANDWHEEL \varnothing 178 mm
central hole \varnothing 20 mm



ELECTROLUX PROFESSIONAL 052392

3522004 HANDWHEEL \varnothing 28x110 mm
thread M6



ELECTROLUX PROFESSIONAL 052393

3522011 HANDWHEEL \varnothing 200 mm
central hole \varnothing 20 mm
with side hole threaded
with folding handle



ELECTROLUX PROFESSIONAL 0H6471

5025636 CYLINDER HEAD SCREW M6x40
stainless steel - with hexagon socket
UNI 5931 - DIN 912 - ISO 4762



3522004 HANDWHEEL \varnothing 28x110 mm
thread M6



ELECTROLUX PROFESSIONAL 052393

9528001 HEXAGON HEAD SCREW M10x25
stainless steel - UNI 5739 - DIN 933 - ISO 4017





ELECTROLUX PROFESSIONAL



Suitable for:

3528111 **HEXAGONAL HEAD SCREW M6x10**
st./steel - UNI 5739 - DIN 933 - ISO 4017



Suitable for:

5023881 **HINGE BUSH \varnothing 20x15x10 mm**



1528030 **MID HEXAGONAL NUT M6**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



3522034 **PAN SHAFT BUSHING \varnothing 35/28x20 mm**



ELECTROLUX PROFESSIONAL 0K4516


5023879 **RING FOR SCREW \varnothing 30x45 mm**



5023880 **ROTATORY SUPPORT FOR SHAFT**
external dimensions 40x40x35 mm
pin \varnothing 14 mm



5023883 **ROTATORY SUPPORT FOR SHAFT**
dimensions 85x60x30 mm
internal hole \varnothing 33 mm



3522012 **SCREW NO HEAD WITH HEXAGON SOCKET M8x10**
burnished iron alloy - cone end
UNI 5927 - DIN 914 - ISO 4027



5015525 **SCREW NUT FOR BRATT PAN**
dimensions 40x40x39 mm - right hand thread
thread M20x2.5 mm - \varnothing pin 20 mm



5015528 **SCREW NUT FOR BRATT PAN VALVE**
dimensions 40x40x39 mm - left thread
thread M20x2.5 mm - \varnothing pin 20 mm



3522033 **SCREW NUT FOR VITON BRATT PAN**
dimensions 40x40x39 mm - right thread
thread TR20x4 mm - \varnothing pin 20 mm



5079973 **SHAFT FOR HANDWHEEL \varnothing 40/32/20x278 mm**





ELECTROLUX PROFESSIONAL



Suitable for:

5032679 SHAFT FOR HANDWHEEL \varnothing 35/20x205 mm




Suitable for:

1186444 SPIRAL WASHER ELASTIC M6
internal/external \varnothing 6.4/11.4 mm - thickness 3.2 mm
in zinc plated iron alloy - UNI 1751 - DIN 127 B



5016107 SUPPORT SLEEVE FOR TILTING SHAFT
external \varnothing 34 mm - internal \varnothing 28 mm
base 90x85 mm - overall height 90 mm



3063032 THRUST BEARING 51204
 \varnothing external 40 mm - \varnothing internal 20 mm - depth 14 mm



3522031 TILTING SCREW
made of chrome-plated iron
overall length 915 mm
threaded part length 330 mm
with articulation



3522008 TILTING SCREW \varnothing 24 mm
total length 915 mm



5049194 TILTING SCREW \varnothing 26 mm
overall length 625 mm



40C3800 HANDWHEEL \varnothing 23x65 mm
thread M6



3522004 HANDWHEEL \varnothing 28x110 mm
thread M6



ELECTROLUX PROFESSIONAL 0C3800

ELECTROLUX PROFESSIONAL 052393

3522018 PIN FOR TILTING SCREW \varnothing 9.5x24.5mm



3522019 RING FOR SCREW \varnothing 27x32 mm



ELECTROLUX PROFESSIONAL 051365

ELECTROLUX PROFESSIONAL 051277



Suitable for:

3522020 RING NUT FOR SCREW \varnothing 27x20x15 mm



ELECTROLUX PROFESSIONAL 051276

Suitable for:

3522010 SCREW BEARING 6004 LD1
extern. \varnothing 42 mm - intern. \varnothing 20 mm - thickn. 12 mm




ELECTROLUX PROFESSIONAL 051298

3522028 SCREW FOR PAN \varnothing 12x20 mm
thread M8



ELECTROLUX PROFESSIONAL 0A5163

4004362 SCREW NUT FOR BRATT PAN \varnothing 40x40 mm



ELECTROLUX PROFESSIONAL 004362

3522049 SCREW NUT FOR BRATT PAN \varnothing 40x60 mm




ELECTROLUX PROFESSIONAL 0C0675

3522024 SCREW NUT FOR BRATT PAN \varnothing 40x66 mm



ELECTROLUX PROFESSIONAL 0A5155

40C0672 SCREW NUT SUPPORT \varnothing 60x21 mm



ELECTROLUX PROFESSIONAL 0C0672

40C2169 SCREW NUT SUPPORT \varnothing 60x21 mm




ELECTROLUX PROFESSIONAL 0C2169

3522014 SCREW SUPPORT \varnothing 58x33 mm



ELECTROLUX PROFESSIONAL 051265

40C7798 SCREW SUPPORT \varnothing 60/43x36 mm



ELECTROLUX PROFESSIONAL 0C7798

3522021 SCROLL FOR SCREW \varnothing 40x40 mm



ELECTROLUX PROFESSIONAL 051264

3002009 SEEGER RING J-35
in zinc plated iron alloy - \varnothing extern 37.8 mm
UNI 7437 - DIN 472



ELECTROLUX PROFESSIONAL 0A0516 6500
ELECTROLUX PROFESSIONAL 07800A 2592
ELECTROLUX PROFESSIONAL 710A25 92

ELECTROLUX PROFESSIONAL 0A2592
ELECTROLUX PROFESSIONAL 554102
ELECTROLUX PROFESSIONAL 70210A




ELECTROLUX PROFESSIONAL



Suitable for:

4006241 SUPPORT SCREW NUT \varnothing 60x18 mm



ELECTROLUX PROFESSIONAL 006241

Suitable for:

3522035 TILTING SCREW \varnothing 20 mm
overall length 615 mm



ELECTROLUX PROFESSIONAL 002314 ELECTROLUX PROFESSIONAL 002731

3522009 TILTING SCREW \varnothing 20 mm
total length 885 mm



ELECTROLUX PROFESSIONAL 002136

40C0674 TILTING SCREW \varnothing 20 mm
overall length 525 mm



ELECTROLUX PROFESSIONAL 0C0674

40C1641 TILTING SCREW \varnothing 20 mm
overall length 512 mm



ELECTROLUX PROFESSIONAL 0C1641

40C7891 TILTING SCREW \varnothing 20 mm
overall length 368 mm



ELECTROLUX PROFESSIONAL 0C7891

4004361 TILTING SCREW \varnothing 20 mm
overall length 632 mm



ELECTROLUX PROFESSIONAL 004361

40C0673 WASHER OF PTFE \varnothing 20x11x2 mm



ELECTROLUX PROFESSIONAL 0C0673

Wire pan supports

3354002 REDUCER FOR MOKA POT 100x340 mm
made of chrome-plated iron
for old series



ELECTROLUX PROFESSIONAL 0A0500 5702

3354001 REDUCER FOR MOKA POT 265x265 mm
in stainless steel



ELECTROLUX PROFESSIONAL 0A2000 ELECTROLUX PROFESSIONAL 025056

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com
- LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com
- EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com
- LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de
- LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com
- OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru
- LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es
- LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK**
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk
- LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch
- LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk
- LF Central Est Europe S.r.o. CZECH REPUBLIC**
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz
- LF SPARE PARTS INC. USA**
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis
-
- AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
- AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
- BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
- BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
- LATIN AMERICA AND THE CARRIBEANS**
www.lfrepuestos-horeca724.es
export@lfrepuestos.es
- POLAND**
www.lfspareparts724.pl
info@lfspareparts.pl
- SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
- TURKEY**
www.lfyedekparca724.com
export@lfspareparts.com