Spare parts for the professional sector:

Ovens

Suitable for:

FOINOX

This catalogue is automatically generated.
Therefore, the sequence of the items might not be always shown at best.
Updates will be issued in case of additions and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2018-02131635

FOINOX

Suitable for:

Suitable for:

Axial motor fans

5091523 **AXIAL FAN ADDA 80x80x25 mm**
230V 50/60Hz 9W 0.07/0.06A
AA8382HS-AW

FOINOX 10720 FOINOX 10721

3240501 **AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN

FOINOX 10724

Buzzers

3397302 **ALARM BELL 220V**



FOINOX 1553

Castors, rollers and accessories

3346066 **CASTOR SWIVEL PLATE WITH BRAKE**
with ZINC PLATED supports
thermoplastic nucleus
rubber ring and thread guard
dimension ø 125x30 mm - capacity 80 kg
fixing plate 60x60 mm

FOINOX 15034

3346065 **CASTOR SWIVEL WITH PLATE**
with ZINC PLATED supports
thermoplastic nucleus
rubber ring and thread guard
dimension ø 125x30 mm - capacity 80 kg
fixing plate 60x60 mm

FOINOX 15033

Contactors

5052636 **CONTACT AUXILIARY ALLEN-BRADLEY**
10A
3 contacts NO
1 contacts NC



FOINOX 10000

Contactors

1454001 **CONTACTOR ALLEN-BRADLEY K09 20A 400V**
coil 230V 50/60Hz
4 normally open contacts

FOINOX 10071

5052636 **CONTACT AUXILIARY ALLEN-BRADLEY**
10A
3 contacts NO
1 contacts NC



FOINOX 10000

3446509 **CONTACTOR SIEMENS 3RT1025-1A**
coil 17A 240V 50Hz 7.5Kw
3 normally open contacts
1 normally open auxiliary contact
1 normally closed auxiliary contact



FOINOX 10004

3351049 **CONTACTOR SIEMENS 3RT2016-1AP01**
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

FOINOX 10001

3351059 **THERMAL RELAY SIEMENS 1,8-2,5A**
1 contact NO
1 contact NC
3RU2116-1CB0 series S00

FOINOX 10003

3351062 **THERMAL RELAY SIEMENS 2,8-4 A**
1 contact NO
1 contact NC
3RU2116-1EB0 series S00

FOINOX 10012

Controllers and changeover switches

5091353 **PROGRAMMER P045 2 CAMS 230V 50Hz**
clockwise rotation
cycle 120 min
D-shaped pin ø 6x4.6 mm



FOINOX 10047

FOINOX

Suitable for:

Suitable for:

Door catches

3242298 **CATCH 6195 69 mm - 42 mm**
mounting distance 57 mm - 30 mm
RAHRBACH

FOINOX 0117B

Door glasses for oven and accessories

5016468 **GLASS EXTERNAL OVER DOOR 545x445 mm**

FOINOX 15196

5057096 **GLASS EXTERNAL OVER DOOR 722x650 mm**

FOINOX 15165

Drain pumps

3122000 **DRAIN PUMP 40W 230V 50Hz**
inlet external ø 30 mm - output external ø 22 mm

FOINOX 3363

Electrical cables

5091424 **DISPLAY USB CONNECTING CABLE**
cable length 1500 mm

FOINOX 10679

FOINOX

Suitable for:

Suitable for:

Electrical capacitors

3068019 **CAPACITOR DUCATI ENERGIA 12,5µF**
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
ø 36xh70 mm

FOINOX 0932

3068006 **CAPACITOR DUCATI ENERGIA 4µF**
450V 50/60Hz
operating temperature -25 +85°C
lead connection 6.35x0.8 mm
ø 28xh55 mm

FOINOX 1103

3068081 **CAPACITOR ELECTRICAL 12.5µF**
450V 50/60Hz - ø 35xh71 mm

FOINOX 0932

3068095 **CAPACITOR ELECTRICAL 4µF**
450V 50/60Hz - ø 30xh51 mm

FOINOX 1103

Electrical gas valves and accessories

3526124 **KNOB EXTENSION LENGTH 67 mm**
for VALVE 820 NOVA-824 NOVASIT

FOINOX 3020

3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

FOINOX 1119

3526181 **VALVE VK4105C HONEYWELL ø 1/2"**
inlet-outlet ø 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz



FOINOX 11017

3526090 **VALVE 810 ELETTROSIT ø 3/4"FF**
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple

FOINOX 0766

FOINOX

Suitable for:

3526079 **VALVE 820 NOVA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz

FOINOX 3015

Suitable for:

3526140 **VALVE 836 TANDEM ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



FOINOX 11002

2110979 **VALVE 840 SIGMA ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
gas inlet maximum pressure 60 mbar
pressure calibration field outlet
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz

FOINOX 11009

Electronic boards

5023359 **CONTROL PC BOARD 393x76 mm**

FOINOX 10535

5091248 **DISPLAY BOARD 390x75 mm**

FOINOX 10525

5091251 **DISPLAY BOARD 390x75 mm**

FOINOX 10513

5091245 **DISPLAY BOARD+TOUCH FC BASE**

FOINOX 10655

FOINOX

Suitable for:

5091272 DISPLAY ELECTRONIC BOARD

dimensions 480x90 mm
with ENCODER

FOINOX 10512

Suitable for:

5091311 ELECTRONIC BOARD BUTTON PANEL 275x105 mm



FOINOX 0614

5091406 ELECTRONIC BOARD DISPLAY 225x80 mm



FOINOX 11160

5091366 ELECTRONIC BOARD DISPLAY 320x240 mm

FOINOX 10576A

5091319 ELECTRONIC BOARD INTERFACE LCD

dimensions 160x111 mm
programmation in ITALIAN



FOINOX 10571AITA

5091270 ELECTRONIC BOARD POWER TOUCH

dimensions 300x105 mm



FOINOX 10664

5091420 ELECTRONIC BOARD POWER 170x100 mm



FOINOX 10591

5091423 EXPANSION BOARD USB OVENS TOUCH



FOINOX 10663

5091256 EXPANSION BOARD 135x90 mm



FOINOX 10570

7100752 PC BOARD DISPLAY 91x80 mm



FOINOX 10029

5070061 PC BOARD FOR BOILER 119x93 mm



FOINOX 10538

7109021 PC BOARD REVERSE 95x80 mm

FOINOX 10672

FOINOX

Suitable for:

5091288 **POWER BOARD TOUCH**
dimensions 172x105 mm



FOINOX 10682

Suitable for:

5091231 **POWER MOTHER BOARD 300x180 mm**



FOINOX 10569

5091434 **TERMOTIMER BOARD REVERSE 90x80 mm**



FOINOX 10028

Electronic boxes

3526402 **CONTROL BOX S4560A1008**
model HONEYWELL - 220/240V 50Hz 10VA



FOINOX 11003 FOINOX 11020 FOINOX 11020+10807A

3526182 **CONTROL BOX S4565A2092B**
model HONEYWELL - 220/240V 50/60Hz 4VA

FOINOX 11016

3091032 **CONTROL BOX S4565BD1064**
model HONEYWELL - 220/240V 50/60Hz 4VA

FOINOX

3091024 **CONTROL BOX 537 ABC**
model SIT - 230V 50/60Hz 10VA

FOINOX 11010

Electronic controllers

3445076 **THERMOSTAT EVK411 PTC/NTC/PT100/PT1000**

power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm

FOINOX 1549

Energy regulators

3350024 **ENERGY REGULATOR**

contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction



FOINOX 0280

Fans for motors

5091471 **FAN ø 145 mm**

thickness 35 mm blades 28 -
conical hole ø 7x8 mm



FOINOX 15094

5091438 **FAN ø 150 mm**

thickness 38 mm blades 36 -
D-shaped hole 8x6 mm



FOINOX 15078

5032086 **FAN ø 160 mm**

thickness 60 mm
number of blades 15 - ø hole 8 mm

FOINOX 1104

5050086 **FAN ø 160 mm**

thickness 60 mm
curved blades 15 - conical hole ø 11-15 mm

FOINOX 1118

FOINOX

Suitable for:

5091440 **FAN ø 160 mm**
thickness 60 mm straight blades 14
conical hole ø 11-15 mm

FOINOX 1124

5091439 **FAN ø 180 mm**
thickness 43 mm blades 40
D-shaped hole 8x6 mm



FOINOX 15092

7108158 **FAN ø 200 mm**
thickness 43 mm
number of blades: 45 - hole ø 8.3 mm



FOINOX 15093

3240392 **FAN ø 300 mm**
thickness 100 mm
total blades 24 - ø tapered hole 19-24 mm



FOINOX 3196

3240036 **FAN ø 350 mm**
thickness 100 mm
total blades 24 - ø tapered hole 19-24 mm

FOINOX 0759

Suitable for:

3240030 **FAN ø 180 mm**
thickness 60 mm
curved blades 16 - conical hole ø 11 .5-16 .5 mm

FOINOX 0758

5091465 **FAN ø 180 mm**
thickness 60 mm
straight blades 16
conical hole ø 11 .5-16 .5 mm



FOINOX 0761

3240109 **FAN ø 220 mm**
thickness 79 mm
total blades 20 - ø tapered hole 11.5-16.5 mm



FOINOX 15016

3240722 **FAN ø 300 mm**
thickness 100 mm
totale blades 24 - ø tapered hole 20-23 mm



FOINOX 15038

3240721 **FAN ø 350 mm**
thickness 100 mm
totale blades 24 - ø tapered hole 20-23 mm

FOINOX 15039

FOINOX

Suitable for:

Suitable for:

Gas burners

3023158 **BURNER ø 50x325 mm**
overall length 355 mm
made of STAINLESS steel

FOINOX 3131

3023159 **BURNER ø 50x480 mm**
overall length 490 mm
made of STAINLESS steel

FOINOX 0767A

3023154 **BURNER ø 51x620 mm**
overall length 625 mm
made of STAINLESS steel

FOINOX 11030 FOINOX 1361

Gas taps and accessories

3348041 **OLIVE FOR PIPE ø 16 mm**
for model PEL 23

FOINOX 0665

Gaskets for oven door

3286032 **GASKET FOR OVEN DOOR - 25 m**
made of silicone elastomer
profile dimensions 26x25.5 mm
COLOUR RED

FOINOX 14011 FOINOX 14012 FOINOX 14013
FOINOX 14014 FOINOX 14020 FOINOX 14021
FOINOX 14028 FOINOX 14029

3286085 **GASKET FOR OVEN DOOR - 3 m**
made of silicone elastomer
profile dimensions 26x25.5 mm
COLOUR RED

FOINOX 14011 FOINOX 14012 FOINOX 14013
FOINOX 14014 FOINOX 14020 FOINOX 14021
FOINOX 14028 FOINOX 14029

FOINOX

Suitable for:

3286031 **GASKET FOR OVEN DOOR - 6 m**
made of silicone elastomer
profile dimensions 26x25.5 mm
COLOUR RED

FOINOX 14011 FOINOX 14012 FOINOX 14013
FOINOX 14014 FOINOX 14020 FOINOX 14021
FOINOX 14028 FOINOX 14029

3286030 **GASKET FOR OVEN DOOR 04880 - 15 m**
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR

FOINOX 0324 FOINOX 1093 FOINOX 1217
FOINOX 3351 FOINOX 3352

3286029 **GASKET FOR OVEN DOOR 04880 - 6 m**
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR



FOINOX 0324 FOINOX 1093 FOINOX 1217
FOINOX 3351 FOINOX 3352

3786621 **GASKET FOR OVEN DOOR 2200 mm**
made of silicone elastomer
profile dimensions 22x11 mm
COLOUR BLACK



FOINOX 60320

Suitable for:

5069306 **GASKET FOR OVEN DOOR KIT**
made of silicone elastomer
4 pieces profile dimensions 26.4x26 mm
2 pcs length 475 mm - 2 pcs length 680 mm
COLOUR: BLACK



FOINOX 0323 FOINOX 1095 FOINOX 1442(2)+1443(2)

3286084 **GASKET FOR OVEN DOOR 04880 - 3 m**
made of silicone elastomer
profile dimensions
BLACK COLOUR



FOINOX 0324 FOINOX 1093 FOINOX 1217
FOINOX 3351 FOINOX 3352

3786115 **GASKET FOR OVEN DOOR 1435x660 mm**
made of silicone elastomer
profile dimensions 26x16 mm
COLOUR BLACK



FOINOX 14082

3786622 **FASTENING PLATE FOR GASKET**

FOINOX 60303

FOINOX

Suitable for:

3786619 **GASKET FOR OVEN DOOR 400x330 mm**
made of silicone elastomer
profile dimensions 10x9 mm
with fastening clips
COLOUR BLACK

FOINOX 0162

Suitable for:

3786637 **GASKET FOR OVEN DOOR 470x390 mm**
made of silicone elastomer
profile dimensions 10x9 mm
with fastening clips
COLOUR BLACK

FOINOX 14070

3786112 **GASKET FOR OVEN DOOR 650x515 mm**
made of silicone elastomer
profile dimensions 26x16 mm
COLOUR BLACK



FOINOX 14080

3786620 **GASKET FOR OVEN DOOR 660x380 mm**
made of silicone elastomer
profile dimensions 10x9 mm
with fastening clips
COLOUR BLACK

FOINOX 14076

5058644 **GASKET FOR OVEN DOOR 760x665 mm**
made of siliconee elastomer
profile dimensions 15/12x27 mm
colour black

FOINOX 14097

3186344 **GASKET FOR OVEN GLASS 1100 mm**
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK



FOINOX 30093

3286028 **GASKET FOR OVEN GLASS 3198 - 25 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR



FOINOX 0489 FOINOX 1444

3286027 **GASKET FOR OVEN GLASS 3198 - 6 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR



FOINOX 0489 FOINOX 0490 FOINOX 1441+1441
FOINOX 1444

FOINOX

Suitable for:

3786108 **GLASS TOP/BOTTOM GASKET**
length 490 mm
made of silicone elastomer
profile dimensions 12x5 mm
BLACK COLOR

FOINOX 14018

Suitable for:

3786109 **LATERAL GASKET FOR OVEN GLASS 1210 mm**
made of silicone elastomer
profile dimensions 12x5 mm
COLOUR BLACK

FOINOX 14017

Grids for oven

5091656 **GRID CHROMED 330x265 mm**



FOINOX 0017

5091669 **GRID INOX 460x330 mm**



FOINOX 20048

Guides

5091662 **PLASTIC SUPPORT RH-LH FOR OVEN**
ext. sizes 250x245 mm

FOINOX 0020

5091663 **PLASTIC SUPPORT RH-LH FOR OVEN**
ext. sizes 265x245 mm
12 lides

FOINOX 0027

5091665 **PLASTIC SUPPORT RH-LH FOR OVEN**
ext. sizes 370x270 mm
4 TRAYS



FOINOX 0083

5091668 **PLASTIC SUPPORT RH-LH FOR OVEN**
ext. sizes 370x270 mm
4 TRAYS



FOINOX 20041

5091672 **PLASTIC SUPPORT RH-LH FOR OVEN**
ext. sizes 370x185 mm
3 TRAYS

FOINOX 20043

Handles

3242255 **CENTRAL LOCK MECHANISM RIGHT**

FOINOX 3747

3242110 **COMPLETE OVEN DOOR HANDLE**
spring retainer 31 mm

FOINOX 90199

3242718 **DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm

FOINOX 1500

3242291 **DOOR LOCK CENTRAL FOOT**

FOINOX

5091367 **DOOR LOCKING MECHANISM**
hook length 42 mm
distance between holes 60 mm



FOINOX 60380

3242447 **FASTENING PLATE FOR DOOR HANDLE**

FOINOX 3773

3242080 **HANDLE GUIDE LOCK**

FOINOX 3775

3242254 **HANDLE LOCK FOR OVEN DOOR**



FOINOX 3760A

3242409 **LATCH DOUBLE FOR DOOR HANDLE M8**
overall length 51.5 mm

FOINOX 3772

3398021 **OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm



FOINOX 0285 FOINOX 0285+0285B FOINOX 0285B

FOINOX

Suitable for:

3242144 **OVEN DOOR HANDLE 260x30 mm**
with strike mounting distance 45 mm
handle mounting distance 133 mm

FOINOX 1496

Suitable for:

3242718 **DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm

FOINOX 1500

3242448 **OVEN HANDLE TOP/BOT.TIE ROD 172 mm**

FOINOX 40332

3242253 **PIN FOR DOOR HANDLE**



FOINOX 3759.02

3242252 **WASHER FOR DOOR HANDLE**

FOINOX 3754

Heating elements

3355854 **HEATING ELEMENT 16000W 230V**
external ø 360 mm - internal ø 340 mm
total height 173 mm
flange 142x25 mm

FOINOX 10638

3455385 **HEATING ELEMENT 1800W 230V**
length 357 mm - width 392 mm
overall length 390 mm - overall width 485 mm
flange 100x22 mm



FOINOX 10645 FOINOX 10647

3355862 **HEATING ELEMENT 2000W 230V**
immersed length 220 mm - width 65 mm
flange 80x27 mm

FOINOX 10621

3755207 **HEATING ELEMENT 2500W 230V**
external ø 200 mm - internal ø 188 mm
total height 78 mm
flange 100x22 mm

FOINOX 0022

FOINOX

Suitable for:

5035015 **HEATING ELEMENT 2500W 240V**
external ø 200 mm - internal ø 180 mm
total height 80 mm
flange 100x22 mm

FOINOX 0152 FOINOX 0159

Suitable for:

3755092 **HEATING ELEMENT 3000/3266W 230/240V**
external ø 190 mm - internal ø 178 mm
total height 70 mm
flange 100x22 mm

FOINOX 0508

3755209 **HEATING ELEMENT 3000W 230V**
immersed length 220 mm - width 65 mm
flange 80x27 mm

FOINOX 10622

3355433 **HEATING ELEMENT 3500W 240V**
length 115 mm - width 625 mm
flange 70x22 mm

FOINOX 1466

3755261 **HEATING ELEMENT 3900W 230V**
external ø 235 mm - overall height 107 mm
flange 93x22 mm

FOINOX 10601

3355431 **HEATING ELEMENT 4000W 230V**
for boiler
immersed length 310 mm
flange external ø 63 mm
with bulb sheath ø 6 mm
complete with O-ring
nut and washer upon request

FOINOX 3434

3355863 **HEATING ELEMENT 6000W 230V**
immersed length 440 mm - width 65 mm
flange 80x27 mm

FOINOX 10620

3755206 **HEATING ELEMENT 6000W 240V**
external ø 230 mm - internal ø 218 mm
total height 130 mm
flange 140x25 mm



FOINOX 1023

Suitable for:

5063176 **HEATING ELEMENT 700W 230V**
length 300 mm - width 140 mm
fittings M10x1 mm

FOINOX 10643

Suitable for:

3755237 **HEATING ELEMENT 7500W 230V**
external ø 260 mm - internal ø 240 mm
total height 165 mm
flange 142x25 mm

FOINOX 3016

3355769 **HEATING ELEMENT 8000W 230V**
external ø 300 mm - internal ø 287 mm
total height 165 mm
flange 145x25 mm

FOINOX 10628

3355432 **HEATING ELEMENT 8000W 240V**
external ø 260 mm - internal ø 250 mm
height 80 mm
flange 140x25 mm



FOINOX 3016 FOINOX 3016A

3755208 **HEATING ELEMENT 920W 230V**
length 260 mm - width 210 mm
overall height 120 mm - connections ø 1/4"

FOINOX 1126

Hinges, catches and accessories

3053351 **RIGHT/LEFT HINGE FOR OVEN**
mounting distance 130 mm - overall length 170 mm
height 50 mm

FOINOX 15062 FOINOX 15063 FOINOX 15066

Incandescent lamps and neon lamps

3221041 **LAMP E14 15W 230V**
max temperature 300°C - ø 22x50 mm



FOINOX 10341 FOINOX 35.0003.01

3221061 **LAMP E14 25W 230V**
max temperature 300°C - ø 26x57 mm

FOINOX 3546

Suitable for:

Suitable for:

3221105 **NEUTRAL HALOGEN LAMP G4 20W 12V**
max. temperature 250°C

FOINOX 10307

Indicator lights

3221132 **INDICATOR LIGHT GREEN 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application

FOINOX 0631

3221095 **INDICATOR LIGHT ORANGE 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application

FOINOX 0592

3221080 **INDICATOR LIGHT RED 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C

FOINOX 0591

Ironmongery (screws,nuts,washers)

3242041 **CLASP ø 3x25 mm**
stainless steel C70 - UNI 6873 - DIN 1481 - ISO 87

FOINOX 3750.02

FOINOX 3780

5015285 **COUNTERSUNK FLAT HEAD SCREWS M6x16**
hexagon socket - stainless steel
UNI 5933 - DIN 7991 - ISO 10642

FOINOX 17116

Knobs

3241336 **KNOB BLACK ø 50 mm**
D-shaped hole 6x4.6 mm

FOINOX 0808

FOINOX 15019

FOINOX 15075

Labels for control panels

7110330 **PLATE ELECTRONIC BLUE-WHITE**
dimensions 890x110 mm

FOINOX 23033AF0 FOINOX 23033EU0

Lamp receptacles and spare parts

3221172 **FRAME FOR OVEN LAMP RECEPTACLE**
external dimensions 96x80 mm

FOINOX 10306

3221255 **FRAME FOR OVEN LAMP RECEPTACLE**
external dimensions 140x72 mm

FOINOX 3545

3221257 **GASKET F. OVEN LAMP RECEPTACLE SILICONE**
external dimensions 140x75 mm

FOINOX 3543

3186173 **GASKET FOR OVEN LAMP RECEPTACLE**
external dimensions 93x79 mm

FOINOX 10304

3221053 **GASKET FOR OVEN LAMP RECEPTACLE**
dimensions ø 48x38x5 mm
for OVEN

FOINOX

3221173 **GLASS FOR OVEN LAMP RECEPTACLE**
external dimensions 73x58 mm

FOINOX 10305

3221256 **GLASS FOR OVEN LAMP RECEPTACLE**
external dimensions 112x65 mm
max temperature 500°C

FOINOX 3544

3221052 **GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm**
thread ø 33.5 mm - overall height 34 mm

FOINOX 35.0001.01

FOINOX

Suitable for:

3221171 HALOGEN LAMP RECEPTACLE G4 20W 12V

FOINOX 40863

3186173 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 93x79 mm

FOINOX 10304

3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V

UL certified - wire connection length 300 mm

FOINOX 10308

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V

max. temperature 250°C

FOINOX 10307

Suitable for:

3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm

FOINOX 10306

3221173 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x58 mm

FOINOX 10305

3221175 HALOGEN LAMP RECEPTACLE KIT G4 20W 12V

complete with 2 ceramic terminal blocks 2 poles
complete with cables length 2000 mm
wire connection length 100 mm

FOINOX 10867 FOINOX 10867+10360(2PZ)

3221204 HALOGEN LAMP RECEPTACLE G4 20W 12V

UL certified - wire connection length 300 mm

FOINOX 10308

3221175 HALOGEN LAMP RECEPTACLE KIT G4 20W 12V

complete with 2 ceramic terminal blocks 2 poles
complete with cables length 2000 mm
wire connection length 100 mm

FOINOX 10867 FOINOX 10867+10360(2PZ)

Suitable for:

5013466 **LAMP HOLDER WITH LAMP E14 25W 230V**
extern size 140x72 mm
maximal temperature 300°C

FOINOX

Suitable for:

3221274 **LAMP RECEPTACLE E14 25W 230V**
external dimensions 75x60 mm



FOINOX 10342

2101372 **LAMP RECEPTACLE FOR LAMP E14 15-25W 230V**
mounting hole ø 38 mm
max temperature 300°C

FOINOX 35.0002.01

3221120 **LAMP RECEPTACLE FOR LAMP E14 25W 230V**
dimensioni esterne 106x65 mm



FOINOX 3542

3221049 **LAMP RECEPTACLE W/LAMP E14 15W 230V**
lamp glass ø 54 mm
mounting hole ø 51 mm
max.temperature 300°C
ceramic socket height 18 mm
for OVEN

FOINOX 10340

Level regulators

3341026 **LEVEL REGULATOR RL30/3ES/F/G**
230V 50/60Hz

FOINOX 10532 FOINOX 3386

FOINOX

Suitable for:

Suitable for:

Level sensors

3341028 **LEVEL PROBE ø 1/4"M-150 mm**

FOINOX 3572

3341014 **SET BOILER PROBE M12x1 mm 3 PCS**

this kit includes:
1 probe 155 mm
1 probe 160 mm
1 probe 173 mm

FOINOX 3681

Magnets

3240724 **MAGNET FOR MICROSWITCH ø 23x10 mm**



FOINOX 10420

Microswitches, magnetic

3240256 **MAGNETIC MICROSWITCH STEM E550 1B**

1 contact NO 250V 1A 50W
cable length 1200 mm

FOINOX 70201

Microswitches, mechanical

3240410 **MICROSWITCH 16(4)A 250V**

FOINOX 1519

Motors

5021231 **COUNTER FLANGE FOR CRANKSHAFT**
external ø 60 mm - internal ø 25 mm - thickness 6

FOINOX 0691

5021232 **FLANGE FOR MOTOR SHAFT**
external ø 60 mm - internal ø 25 mm - thickness 8



FOINOX 0690

2000183 **MOTOR FIR 1057.1957**
0.37/0.07 kW 220/240V 50Hz
2/0.7A - 2700/1400rpm
shaft length 122 mm
shaft ø 15 mm - thread ø 12 mm
capacitor 20 µf
WITH THERMAL

FOINOX 0764

3240109 **FAN ø 220 mm**
thickness 79 mm
total blades 20 - ø tapered hole 11.5-16.5 mm



FOINOX 15016

3186421 **GASKET SEALING MOTOR SHAFT**
external ø 20 mm - internal ø 14.5 mm - thickness

FOINOX 0689

3240391 **MOTOR FIR 1057.2157**
0,37 kW 220/240V 50Hz
2700rpm
shaft length 107 mm
shaft ø 15 mm - thread ø 12 mm
capacitor 12,5 µf

FOINOX 10705

5050086 **FAN ø 160 mm**
thickness 60 mm
curved blades 15 - conical hole ø 11-15 mm

FOINOX 1118

FOINOX

Suitable for:

3240030 **FAN ø 180 mm**
thickness 60 mm
curved blades 16 - conical hole ø 11 .5-16 .5 mm

FOINOX 0758

3186421 **GASKET SEALING MOTOR SHAFT**
external ø 20 mm - internal ø 14.5 mm - thickness

FOINOX 0689

3240696 **MOTOR FIR 3003A2350**
0.12/0.18 kW 230V 50Hz
0.8A - 2800rpm
shaft length 65 mm
shaft ø 8 mm - thread ø 6 mm
capacitor 5 µf

FOINOX 1720

3240723 **MOTOR LAFERT FB100L 4/8**
0.55/0.13 kW 380/415V 50/60Hz
1.4/0.38A - 1600/700rpm
shaft length 95 mm
shaft ø 24 mm - thread ø 20 mm

FOINOX 0841B

3240721 **FAN ø 350 mm**
thickness 100 mm
totale blades 24 - ø tapered hole 20-23 mm



FOINOX 15039

Suitable for:

3240109 **FAN ø 220 mm**
thickness 79 mm
total blades 20 - ø tapered hole 11.5-16.5 mm



FOINOX 15016

3240722 **FAN ø 300 mm**
thickness 100 mm
totale blades 24 - ø tapered hole 20-23 mm



FOINOX 15038

3186447 **MAIN SHAFT SEALING GASKET**
external ø 29.5 mm - internal ø 23.5 mm
thickness 3 mm

FOINOX 0688

FOINOX

Suitable for:

3240031 **MOTOR LAFERT LM63/2**
0.11 kW 220/240V 50/60Hz
0.90A - 2760rpm
shaft length 70 mm
shaft ø 9 mm - thread ø 8 mm
capacitor 4 µF not included
ex model FIR 1572



FOINOX 1100C

Suitable for:

3240000 **MOTOR WITH FAN 45W 220V 50/60Hz**
fan ø 150 mm

FOINOX 0016 FOINOX 0016A FOINOX 10731

Nozzles

5091601 **GAS JET M10x1 ø 1.00R mm**

FOINOX 2122

5091555 **GAS JET M10x1 ø 1.05R mm**

FOINOX 12121

5091586 **GAS JET M10x1 ø 1.15 mm**

FOINOX 2103

5091548 **GAS JET M10x1 ø 1.25 mm**

FOINOX 2104

5091549 **GAS JET M10x1 ø 1.30 mm**

FOINOX 2105

5091560 **GAS JET M10x1 ø 1.45 mm**

FOINOX 2107

3500337 **GAS JET M10x1 ø 1.50 mm**

FOINOX 2108

5091602 **GAS JET M10x1 ø 1.60R mm**

FOINOX 2123

FOINOX

Suitable for:

5091571 GAS JET M10x1 ø 1.70 mm

FOINOX 2110

5091591 GAS JET M10x1 ø 1.75R mm

FOINOX 2125

5091547 GAS JET M10x1 ø 1.85 mm

FOINOX 2111

5091606 GAS JET M10x1 ø 2.00 mm

FOINOX 2141

5091589 GAS JET M10x1 ø 2.05R mm

FOINOX 2127

3500374 GAS JET M10x1 ø 2.20 mm

FOINOX 2142

Suitable for:

5091592 GAS JET M10x1 ø 1.70R mm

FOINOX 2124

5091574 GAS JET M10x1 ø 1.80R mm

FOINOX 2126

5091600 GAS JET M10x1 ø 1.90 mm

FOINOX 2140

5091604 GAS JET M10x1 ø 2.00R mm

FOINOX 2113

5091587 GAS JET M10x1 ø 2.15R mm

FOINOX 2150

5091577 GAS JET M10x1 ø 2.20R mm

FOINOX 2128

FOINOX

Suitable for:

5091603 GAS JET M10x1 ø 2.25R mm

FOINOX 2129

Suitable for:

5091599 GAS JET M10x1 ø 2.35R mm

FOINOX 2130

5091598 GAS JET M10x1 ø 2.40R mm

FOINOX 2131

5091565 GAS JET M10x1 ø 2.45R mm

FOINOX 2136

5091607 GAS JET M10x1 ø 2.50 mm

FOINOX 2145

5091605 GAS JET M10x1 ø 2.50R mm

FOINOX 2132

5091578 GAS JET M10x1 ø 2.55R mm

FOINOX 2137

5091579 GAS JET M10x1 ø 2.70R mm

FOINOX 2138

5091637 GAS JET M10x1 ø 2.75 mm

FOINOX 2146

5091570 GAS JET M10x1 ø 2.80R mm

FOINOX 2151

5091608 GAS JET M10x1 ø 2.90 mm

FOINOX 2147

5091639 GAS JET M10x1 ø 3.10 mm

FOINOX 2148

Suitable for:

5091636 GAS JET M10x1 ø 3.40 mm

FOINOX 2117

Suitable for:

5091593 NOZZLE AL135

FOINOX 2106

5091557 NOZZLE AL145 R

FOINOX 2135

Outlet solenoid valves and accessories

3525006 BOILER MOTOR DRAIN VALVE
4 wires - type 224D-230-VI15-006
230V 50/60Hz 2,5W
fittings ø 1/2"FF DN15

FOINOX 10036

Penetration probes

3397026 PENETRATION PROBE
connector fitting
probe length 180 mm
cable length 1200 mm

FOINOX 10405 FOINOX 10406

3397040 PENETRATION PROBE PT100
connector fitting
probe length 185 mm
compartment internal cable length 445 mm
compartment external cable length 1440 mm

FOINOX 10401

3397041 PENETRATION PROBE TCJ
2 wires
probe length 185 mm
chamber internal cable length 730 mm
chamber external cable length 1440 mm
with fastening coupling ø 1/8"

FOINOX 3567

3397006 PROBE PENETRATION PT100
connector fitting
probe length 180 mm
compartment internal cable length 680 mm
compartment external cable length 1400 mm

FOINOX 10402

Pilot burners and accessories

3020084 **FITTING AND OLIVE ø 6 mm**



FOINOX 0830

3020055 **PILOT JET ø 0.35 mm**

FOINOX 1667

3020006 **THREE-FLAME PILOT BURNER SIT**
multigas with jet ø 0.20 mm
with 3 positions bracket

FOINOX 0836

3001003 **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

FOINOX 0832

Potentiometers

5067628 **SELECTOR SWITCH ENCODER**
pin ø 6x4,5 mm



FOINOX 10635

Probes

3445117 **PROBE PT100 VETROTEX 3000 mm**
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm

FOINOX 0634

3397128 **PROBE TEMPERATURE PT100**
2 wires - bulb ø 6x37 mm
probe length 120 mm
cable length 1400 mm
with fastening coupling M10x1 mm

FOINOX 10411

Suitable for:

Suitable for:

3397088 **PROBE TEMPERATURE T**
2 wires - temperature probe f/boiler and chamber
probe length 225 mm
cable length 1000 mm
for ALL MODELS

FOINOX 3569

Relays

3351007 **POWER RELAY FINDER 55.32.8.230.0040**
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge

FOINOX 10504

FOINOX 10507

3446057 **SOCKET WITH TERMINAL BLOCK FINDER 90.26**
10A 250V

FOINOX 10503

Selector switches

3057097 **SELECTOR SWITCH 0-2 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



FOINOX 0038

3057010 **SELECTOR SWITCH 0-4 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm



FOINOX 0281

3057335 **SELECTOR SWITCH 10 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm



FOINOX 10027

3057047 **SELECTOR SWITCH 6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm



FOINOX 3018

Solenoid valves

5046981 **OUTLET REDUCER 0.10 L/Min BROWN**

FOINOX 13001

5036913 **OUTLET REDUCER 0.2 L/min PINK**

FOINOX 0289

3120005 **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm

FOINOX 0282

3120505 **SOLEN. VALVE ELBI TYPE 329 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm

FOINOX LF-3120530

3120007 **SOLEN. VALVE ELBI TYPE 349 2 WAY 180°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm

FOINOX 1363

3120512 **SOLEN. VALVE ELBI TYPE 351 1 WAY 180°**
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm

FOINOX

Spark generators

3181002 **SPARK GENERATOR 2 OUTLETS**
220/240V 50/60Hz

FOINOX 0825

Sparking and detection plugs

3001003 **IGNITION PLUG ROUND ø 7x44 mm**
M faston M4x1 mm
overall length 65 mm

FOINOX 0832

3020065 **ROUND IGNITION PLUG ø 9.5x77 mm**
overall length 125 mm
connection ø 4 mm

FOINOX 11001

FOINOX 11007

FOINOX

Suitable for:

Suitable for:

Supports

3786622 FASTENING PLATE FOR GASKET

FOINOX 60303

Switches

3319168 BIPOLAR SWITCH 16A 250V



FOINOX 3473

3319617 DOUBLE CONTACT SWITCH 16A 250V

FOINOX 3474

3319080 HOUSING FOR PUSH-BUTTON GREY
mounting hole 28x28 mm - for push-button ø 23 mm

FOINOX 3475

3319272 BUTTON ELLIPTICAL 17x13 mm LIGHT GREY

FOINOX 10312

3319271 ELLIPT. PUSH-BUTT. HOUSING 17x13mm GREY
mounting hole 21x17 mm - pale gray colour

FOINOX 10313

3319396 PUSH-BUTTON ROUND BLACK ø 12 mm

FOINOX 3480

Telethermometers

3441037 TELE-THERMOMETER WHITE ø 52 mm 50-350°C
plastic sheath
capillary length 970 mm
bulb ø 6x40mm

FOINOX 0593 FOINOX 0594 FOINOX 0694

Thermocouples and accessories

3440067 **INTERRUPTED THERMOCOUPLE M9x1 100 cm.**
interrupted contact with terminals



FOINOX 0831

3440837 **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**

FOINOX 1668

3440037 **THERMOCOUPLE SIT M9x1 100 cm.**

FOINOX 1668

3440837 **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**

FOINOX 1668

3440039 **THERMOCOUPLE SIT M9x1 150 cm**

FOINOX 1556

3440839 **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

FOINOX 1556

3440839 **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

FOINOX 1556

Thermostats

3444352 **SINGLE-PHASE THERMOSTAT 130°C**
with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm



FOINOX 0599 FOINOX 3528

3444339 **SINGLE-PHASE THERMOSTAT 30-110°C**
D-shaped pin 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb ø 6x130 mm



FOINOX 10005

FOINOX

Suitable for:

3444552 **SINGLE-PHASE THERMOSTAT 30-120°C**
D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 6x115 mm



FOINOX 10008

Suitable for:

3444676 **SINGLE-PHASE THERMOSTAT 335°C**
with manual reset
covered capillary length 920 mm - 16A 250V
bulb ø 3x150 mm

FOINOX 0154

3444043 **SINGLE-PHASE THERMOSTAT 50-270°C**
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm



FOINOX 0283 FOINOX 0596 FOINOX 3529

3444174 **SINGLE-PHASE THERMOSTAT 50-320°C**
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm

FOINOX 0026

3444695 **3-PHASE THERMOSTAT 160°C**
with manual reset
covered capillary length 900 mm - 20A 380V
bulb ø 6x89 mm - with stuffing gland fitting M10x1



FOINOX 3019 FOINOX 3023 FOINOX 3023+0830

Timers

5091502 **TIMER BIPOLAR 30 MINUTES M12**
mechanical timer with manual reset
manually set cycle of 30 min.
2-poles with contact capacity 16(4)A 250V
temperature max 125°C
D-shaped pin ø 6x4.6 mm

FOINOX 0051

5091505 **TIMER BIPOLAR 60 MINUTES M12**
mechanical timer with manual reset
manually set cycle of 60 min.
2-poles with contact capacity 16(4)A 250V
temperature max 125°C
D-shaped pin ø 6x4.6 mm



FOINOX 0059

FOINOX

Suitable for:

3446055 **TIMER FINDER 85.32 10A 230V**
10 h maximum time



FOINOX 10508

Suitable for:

3446056 **TIMER 120 MINUTES M2**
mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm

FOINOX 0039 FOINOX 0050 FOINOX 3433

3446053 **TIMER 6 SECONDS 5A 250V**

FOINOX 10501

3446057 **SOCKET WITH TERMINAL BLOCK FINDER 90.26**
10A 250V

FOINOX 10503

3446054 **TIMER 60 SECONDS 5A 230V**

FOINOX 10502

3446057 **SOCKET WITH TERMINAL BLOCK FINDER 90.26**
10A 250V

FOINOX 10503

Transformers

3445110 **TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved

FOINOX 1551

Vibratory pumps

5071467 **KIT VIBRATORY PUMP 32W 220/240V 50Hz**
complete with thermic 110°C
PUMP CEME E51210EN02240C3
connections ø 1/8"- ø 7 mm



FOINOX 11023

Wash arms for ovens

5030206 **EXTENSION FOR VAPORISER ø 8x293 mm**
height 140 mm

FOINOX 3873

Washing showers

3359605 **WHITE SHOWER HEAD NEW ø 1/2"F**

FOINOX 1518.01

Watertight seals and rings

3186421 **GASKET SEALING MOTOR SHAFT**
external ø 20 mm - internal ø 14.5 mm - thickness

FOINOX 0689

5025713 **GASKET SEALING MOTOR SHAFT**
ø external 12 mm - ø internal 7 mm - thickness 3 m

FOINOX 14001

3186447 **MAIN SHAFT SEALING GASKET**
external ø 29.5 mm - internal ø 23.5 mm
thickness 3 mm

FOINOX 0688

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

Distributing Components, Spare Parts & Accessories
in original quality worldwide

LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com

LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com

EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com

LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de

LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com

OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru

LF Repuestos Horeca S.L.U. SPAIN
Polígono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es

LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk

LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch

LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk

LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz

LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis

AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com

AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at

BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com

BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com

LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es

POLAND
www.lfspareparts724.pl
info@lfspareparts.pl

SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com

TURKEY
www.lfyedekparca724.com
export@lfspareparts.com