




Spare parts for the professional sector: Ovens



Suitable for:

SILKO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

SILKO



Suitable for:

Air regulators

- 3020097 PILOT AERATION REGULATOR**
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



SILKO 0101151

Cables for piezo igniters

- 3001002 IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for ignition plug



SILKO 0100858

- 3001016 IGNITION LEAD 1000 mm**
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



SILKO CR0688770
SILKO 0109082

SILKO 0101628
SILKO 9303461

SILKO 0108189

Contactors

- 3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



SILKO MACM187400

SILKO 0105031

- 3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



SILKO 0101330

- 5021314 AUXILIARY CONTACT AEG HS8K11**
1 contact NO
1 contact NC





Electrical gas valves and accessories

- 3526077 ELBOW FLANGE $\varnothing$ 1/2" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SILKO MA2865800

SILKO 2865800

- 3526102 ELECTRIC COUPLING WITH CABLE**
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SILKO MA1880600

- 3526090 Elettrosit Valve $\varnothing$ 3/4" FF**
inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



SILKO LAR63025030

SILKO 0100883

- 3526100 COIL 220V**
for VALVE Elettrosit



- 3526108 ELBOW FLANGE $\varnothing$ 1/2" F**
with screws and "O" ring
for Elettrosit Valve



- 3526093 EXTENSION FOR Elettrosit Button 34 mm**
for switching on/off buttons



- 3001008 PIEZO IGNITER**
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



- 3526136 SPRING FOR PUSH-BUTTON**



- 3526106 STRAIGHT FLANGE $\varnothing$ 1/2" F**
with screws and "O" ring
for Elettrosit Valve





Suitable for:

3526107 STRAIGHT FLANGE $\varnothing$ 3/4"F
with screws and "O" ring
for ELETROSIT VALVE



SILKO



Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660
SILKO 0109011

SILKO MA1454900

SILKO 0100888

3440200 TWIN LEAD THERMOPILE $\varnothing$ 9x65 mm
cable length 800 mm - with coupling M11X1



SILKO MA1870712

SILKO 0105109

SILKO 1870712

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT




SILKO CR0507660
SILKO 0109011

SILKO MA1454900

SILKO 0100888

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



SILKO 0109010

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



2100054 COIL 220V 60Hz
per VALVOLA 820 NOVA-822 NOVA-828 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE $\varnothing$ 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



SILKO MA2865800

SILKO 2865800



Suitable for:

- 3526078 ELBOW FLANGE $\varnothing$ 3/4" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




- 5047586 EXTENSION FOR VALVE 820 NOVA**
D-shaped pin $\varnothing$ 10x8 mm




- 3526124 KNOB EXTENSION LENGTH 67 mm**
for VALVE 820 NOVA-824 NOVASIT



- 3182008 MAGNETIC UNIT SIT**
 $\varnothing$ head 35 mm - $\varnothing$ end 20 mm - length 47 mm
for valve SIT NOVASIT 820



- 3020084 NUT & OLIVE $\varnothing$ 6 mm**



SILKO 0100884

SILKO



Suitable for:

- 3526102 ELECTRIC COUPLING WITH CABLE**
cable length 1000 mm - 3 wires
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



SILKO MA1880600

- 3241141 EXTENSION FOR 820 NOVA VALVE**
D-shaped pin 10x8 mm
for OVEN- FRYER



- 3241142 KNOB GASKET $\varnothing$ 44 mm**



- 3020083 NUT & OLIVE $\varnothing$ 4 mm**



SILKO MA1394700

SILKO 1394700

- 3001008 PIEZO IGNITER**
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm





Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526075 STRAIGHT FLANGE $\varnothing$ 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 VALVE EXTENSION 820 NOVA
D-shaped pin $\varnothing$ 6x4.6 mm




3526269 VALVE 820 NOVA EXTENSION
D shaft $\varnothing$ 10x8 mm



SILKO

Suitable for:

5017951 PROTECTION RUBBER VALVE 820-824 NOVA
 $\varnothing$ external 50 mm - $\varnothing$ internal 20 mm
depth 1 mm



3526076 STRAIGHT FLANGE $\varnothing$ 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



SILKO CR0507660
SILKO 0109011

SILKO MA1454900


SILKO 0100888

3526104 VALVE 830 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz



SILKO 0102481

2100724 COIL 24V
for valve 830 TANDEM-836 TANDEM





Suitable for:

2100757 CONNECTION FOR OLIVE $\varnothing$ 16 mm
thread $\varnothing$ 1/2" M




SILKO MA1127500

SILKO 0100843

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



3020084 NUT & OLIVE $\varnothing$ 6 mm



SILKO 0100884

SILKO

Suitable for:

3526292 COUPLING ELECTRIC WITH CABLE
cable length 1000 mm - 3 wires
for valve sit 836 TANDEM



3020083 NUT & OLIVE $\varnothing$ 4 mm



SILKO MA1394700

SILKO 1394700

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23




SILKO MA1127400

SILKO 0100765

Electronic boxes

3526011 IGNITION CONTROL BOX S4565AF1007
model HONEYWELL - 220/240V 50/60Hz 4VA



SILKO 63060100

3091005 KIT CONTROL BOX 571 DBC
complete with cable
model SIT - 230V 50/60Hz



SILKO 0102480





Suitable for:

SILKO



Suitable for:


Energy regulators

3350024 ENERGY REGULATOR
contact capacity 240V 13A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction



SILKO 0108231

3350026 ENERGY REGULATOR
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



SILKO CM189600
SILKO MACM293900
SILKO 0105171

SILKO CM293900
SILKO SIR0108203
SILKO 0108203

SILKO LAR6508025
SILKO SI0108203
SILKO 1037108713

Feet

3313041 ADJUSTABLE S/STEEL FOOT $\varnothing$ 1"3/4 xh 115mm
with fixed screw M10x25 mm
adjustable height 115÷180 mm



SILKO SIR0100323

SILKO 0100323

Fittings

7102591 FITTING STRAIGHT WITH STEM JG PM061006E
stem $\varnothing$ 6 mm - tube $\varnothing$ 10 mm



SILKO R62090548

Gas taps and accessories

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



SILKO MA673600

SILKO 0100778

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



SILKO MA1127400

SILKO 0100765



Gaskets and seals

3186009 ASBESTOS FREE FLAT GASKET $\varnothing$ 45x33x2 mm



SILKO CR0682770

Heating elements

3355106 HEATING ELEMENT 6000W 230/400V
for boiler and wash tank
immersed length 350 mm
ext. $\varnothing$ flange 72 mm - with bulb-sheathing
with O-ring gasket $\varnothing$ 67 mm (3186014)
nut (3528232) and washer (3528238) on request



3528238 FLAT WASHER M4
internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



SILKO

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3186014 O-RING 06225 EPDM $\varnothing$ 67 mm



Indicator lights

3221166 INDICATOR LAMP GREEN 400V
 $\varnothing$ head 14 mm - $\varnothing$ hole 11.5 mm - 120°C
universal application



SILKO 0101169



Suitable for:

SILKO



Suitable for:

Indicator lights

- 3221165 INDICATOR LAMP ORANGE 400V**
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



SILKO 0101170

- 3221166 INDICATOR LAMP GREEN 400V**
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



SILKO 0101169

- 3221011 ORANGE INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SILKO CR0587500

- 3221033 RED INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



- 3221032 GREEN INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



- 3221215 ORANGE INDICATOR LAMP 230V**
head ø 16 mm - hole ø 11.5 mm - 120°C



SILKO SIR0101167

- 3221258 OVEN NEON LAMP Ba9s 1.5mA 230V**
dimensions ø 10x28 mm



SILKO 0102476

Injectors

- 3500082 GAS JET M10x1 ø 1.90 mm**



SILKO 707200



Knobs

- 3241055 FIXING CLIP**
for knob with $\varnothing$ 8 mm hole



SILKO MA9003088700

SILKO 0101455

SILKO 9003088700

Level regulators

- 3341000 LEVEL REGULATOR RL30/3ES/F/G**
230V 50/60Hz



SILKO 0102477

- 3341003 LEVEL PROBE $\varnothing$ 1/4"M-110 mm**



- 3341002 LEVEL PROBE $\varnothing$ 1/4"M-114.5 mm**



- 3341001 LEVEL PROBE $\varnothing$ 1/4"M-155 mm**



- 3391037 LEVEL PROBE SPACER**
external $\varnothing$ 8 mm
internal $\varnothing$ 2.5 mm
overall length 11.5 mm



- 3391038 LEVEL PROBE SPACER**
external $\varnothing$ 8 mm - 7.5 mm height



Magnets

- 5027849 DOOR LOCK MAGNET**
distance between magnetic part holes 68 mm
distance between holes of strike plate 58 mm



SILKO R69110030

SILKO 0100384



Suitable for:

SILKO



Suitable for:

Microswitches, mechanical

3240189 MICRO SWITCH M1DX20 10A 250V



SILKO 0101180

SILKO 0103452

SILKO 109062

3250071 MICROSWITCH SPRING $\varnothing$ 13x25 mm



5003350 ROD MICROSWITCH 48x30 mm



**3240820 MICROSWITCH ELECTRICA NR48W 5
1NO + 1NC 16A 250V**




SILKO MA1037111300

SILKO 0105025

3240473 GASKET FOR BUSHING



**3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm**



3240234 LIMIT SWITCH PIN



3240235 RING NUT M16x1.5 mm



3240152 BUSHING FOR MICROSWITCH



**5035454 MICRO SUPPORT
for WASHING MACHINE LF25**



3240153 ROD FOR MICROSWITCH





Suitable for:

3240154 SPRING FOR MICROSWITCH ROD




SILKO

Suitable for:



3240241 MICROSWITCH OMRON V-166-1C5
1NO + 1NC 16A 250V
with roll lever 28 mm



SILKO SIR0108059

SILKO 0108059

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm




SILKO MA1888400
SILKO 1888400

SILKO 0100620

SILKO 0100807

3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1




SILKO MA1891700
SILKO 1891700

SILKO 0100742

SILKO 0100817


3020083 NUT & OLIVE ø 4 mm



SILKO MA1394700

SILKO 1394700

3020084 NUT & OLIVE ø 6 mm



SILKO 0100884

3020082 OLIVE FOR 12 mm ø PIPE



SILKO MA417810

SILKO 0100842

SILKO 417810

3020081 OLIVE FOR 6 mm ø PIPE



SILKO R62070023

SILKO 0100743

SILKO 0100745

3020112 OLIVE FOR 6 mm ø PIPE



SILKO 0100806



Suitable for:

SILKO



3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle $\varnothing$ 0.35 mm
with 3 position bracket



SILKO CR0588730


5048713 DEFLECTOR 3 FLAMES



4058525 NOZZLE FOR PILOR BURNER $\varnothing$ 0.30 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



SILKO 0100884

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



SILKO MA673600

SILKO 0100778

3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



SILKO 0101151

Suitable for:

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE $\varnothing$ 4 mm



SILKO MA1394700

SILKO 1394700

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



SILKO MA417810

SILKO 0100842

SILKO 417810

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



SILKO R62070023

SILKO 0100743

SILKO 0100745

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm





Suitable for:

3020054 PILOT JET ø 0.20 mm



SILKO MA1415100

SILKO 0100829

3020055 PILOT JET ø 0.35 mm



3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



SILKO MA459300

SILKO 0100841

**3020078 PIPE FITTING ø 6 mm
thread M10x1**




SILKO R62060223

SILKO 0100744

SILKO

Suitable for:

3020156 PILOT JET ø 0.25 mm



SILKO MA1842300

SILKO 0101153

5015516 PILOT NOZZLE ø 0.40 mm



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823

3020105 PILOT WITH 0.20 mm ø JET



3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



SILKO 0100777

**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



SILKO SIR0109027

SILKO 0109027





Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



SILKO MA1888300
SILKO 1888300

SILKO MA224211
SILKO 224211

SILKO 0100832

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020110 THREE-FLAME DEFLECTOR



3020104 THREE-POSITION BRACKET CLAMP



3020201 PILOT GAS JET $\varnothing$ 0.14 mm



SILKO MA1888000

SILKO 1888000

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



SILKO MA1887800

SILKO 0109078

SILKO 1887800

SILKO



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SILKO MA1949900
SILKO 0108194

SILKO 0100830
SILKO 1949900

SILKO 0100831

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020103 THREE-POSITION BRACKET



3020042 PILOT GAS JET $\varnothing$ 0.19 mm



SILKO MA1033722000

SILKO 1033722000

3020054 PILOT JET $\varnothing$ 0.20 mm



SILKO MA1415100

SILKO 0100829

SILKO 1415100



SILKO



Suitable for:

Suitable for:

3020557 PILOT JET ø 0.20 mm



SILKO MA1033719600

SILKO 0105144

SILKO 1033719600

3020156 PILOT JET ø 0.25 mm



SILKO MA1842300

SILKO 0101153

SILKO 1842300

3020157 PILOT JET ø 0.25 mm



SILKO MA1874700

SILKO 1874700

3020040 PILOT JET ø 0.30 mm



SILKO CR0410100

SILKO 0100802

SILKO SIR0100802

SILKO 0105145

SILKO 0100801

3020041 PILOT JET ø 0.41 mm



SILKO MA1033719700

SILKO 1033719700

3020113 PILOT OLIVE FOR PIPE ø 4 mm



SILKO MA1888100

SILKO 0109080

SILKO 1888100

3020106 PILOT WITH 0.25 mm ø JET



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" M**



SILKO MA459300

SILKO 0100841


SILKO 459300

**3020077 PIPE FITTING ø 4 mm
thread M10x1**



SILKO 0100777

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



SILKO R62060223

SILKO 0100744

SILKO 0100805

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



SILKO CM029000

SILKO 0109047

SILKO MACM029000

SILKO 0105054

**5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm**





Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SILKO MA1888400
SILKO 1888400

SILKO 0100620

SILKO 0100807

5047578 NOZZLE FOR PILOT $\varnothing$ 0.24 mm



3020114 OLIVE FOR PIPE $\varnothing$ 6 mm



3020201 PILOT GAS JET $\varnothing$ 0.14 mm



SILKO MA1888000

SILKO 1888000

3020542 PILOT GAS JET $\varnothing$ 0.20 mm




3020043 PILOT GAS JET $\varnothing$ 0.36 mm



SILKO

Suitable for:

**3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1**



SILKO MA1891700
SILKO 1891700

SILKO 0100742

SILKO 0100817

5022050 NOZZLE FOR PILOT BURNER $\varnothing$ 0.50 mm



SILKO MA1887900

SILKO 1887900

**3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22**



SILKO MA673600

SILKO 0100778

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



SILKO MA1033722000

SILKO 1033722000

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



SILKO MA1887800

SILKO 0109078

SILKO 1887800

3020543 PILOT GAS JET $\varnothing$ 0.38 mm





Suitable for:

3020086 PILOT GASKET



3020077 PIPE FITTING ø 4 mm
thread M10x1



SILKO 0100777

3020078 PIPE FITTING ø 6 mm
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



SILKO MA1888300
SILKO 1888300

SILKO MA224211
SILKO 224211

SILKO 0100832

3020124 SPARKING PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 58 mm



SILKO

Suitable for:

3020113 PILOT OLIVE FOR PIPE ø 4 mm



SILKO MA1888100

SILKO 0109080

SILKO 1888100

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SILKO MA1949900
SILKO 0108194

SILKO 0100830
SILKO 1949900

SILKO 0100831

3020365 SPARKING PLUG ROUND ø 7x44 mm
connection ø 2.4 mm
overall length 52 mm






Suitable for:

SILKO



Suitable for:

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



SILKO 0108109

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm




SILKO MA1888400
SILKO 1888400

SILKO 0100620

SILKO 0100807

3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1



SILKO MA1891700
SILKO 1891700

SILKO 0100742

SILKO 0100817

3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



SILKO 0100806

3020044 PILOT GAS JET $\varnothing$ 0.20 mm



3020452 PILOT GAS JET $\varnothing$ 0.32 mm



3020045 PILOT GAS JET $\varnothing$ 0.50 mm



3020449 PILOT GAS JET $\varnothing$ 0.54 mm



5071220 PILOT JET $\varnothing$ 0,22 mm



3020464 PILOT NOZZLE $\varnothing$ 0.64 mm





Suitable for:

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



SILKO 0100777

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SILKO MA1949900

SILKO 0100830

SILKO 0100831

SILKO 0108194

SILKO 1949900

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting




SILKO 0101047

SILKO

Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



SILKO MA1888300

SILKO MA224211

SILKO 0100832

SILKO 1888300

SILKO 224211

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm





Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



SILKO MA1888400
SILKO 1888400

SILKO 0100620

SILKO 0100807

5026012 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



SILKO 0100806

3020452 PILOT GAS JET $\varnothing$ 0.32 mm



3020449 PILOT GAS JET $\varnothing$ 0.54 mm




3020464 PILOT NOZZLE $\varnothing$ 0.64 mm



SILKO

Suitable for:

3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1



SILKO MA1891700
SILKO 1891700

SILKO 0100742

SILKO 0100817

3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



3020044 PILOT GAS JET $\varnothing$ 0.20 mm



3020045 PILOT GAS JET $\varnothing$ 0.50 mm



5071220 PILOT JET $\varnothing$ 0,22 mm



3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



SILKO 0100777





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



SILKO R62060223

SILKO 0100744

SILKO 0100805

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



SILKO MA1888300
SILKO 1888300

SILKO MA224211
SILKO 224211

SILKO 0100832

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



SILKO



Suitable for:

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



SILKO SIR0109027

SILKO 0109027

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SILKO MA1949900
SILKO 0108194

SILKO 0100830
SILKO 1949900

SILKO 0100831

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



SILKO 0100822

SILKO 0100824

5048713 DEFLECTOR 3 FLAMES



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm






Suitable for:

4058525 NOZZLE FOR PILOT BURNER $\varnothing$ 0.30 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



SILKO 0100884

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



SILKO MA673600

SILKO 0100778

3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



SILKO 0101151

3020054 PILOT JET $\varnothing$ 0.20 mm



SILKO MA1415100

SILKO 0100829

SILKO 1415100

3020055 PILOT JET $\varnothing$ 0.35 mm



SILKO

Suitable for:

3020083 NUT & OLIVE $\varnothing$ 4 mm



SILKO MA1394700

SILKO 1394700

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



SILKO MA417810

SILKO 0100842

SILKO 417810

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



SILKO R62070023

SILKO 0100743

SILKO 0100745

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



3020156 PILOT JET $\varnothing$ 0.25 mm



SILKO MA1842300

SILKO 0101153

SILKO 1842300

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



SILKO CR0684580

SILKO SIR0100823

SILKO 0100823



Suitable for:

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm



3020106 PILOT WITH 0.25 mm $\varnothing$ JET



SILKO SIR0101152

SILKO 0101152

**3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" M**



SILKO MA459300

SILKO 0100841

**5033138 PIPE FITTING $\varnothing$ 4 mm
thread $\varnothing$ 1/8" M**



**5027953 PIPE OLIVE $\varnothing$ 4 mm
for COPRECI CAL3200**



SILKO

Suitable for:

3020105 PILOT WITH 0.20 mm $\varnothing$ JET



3020107 PILOT WITH 0.35 mm $\varnothing$ JET



**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



SILKO 0100777

**3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1**



SILKO R62060223

SILKO 0100744

SILKO 0100805

**3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm**



SILKO SIR0109027

SILKO 0109027





Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



SILKO MA1888300
SILKO 1888300

SILKO MA224211
SILKO 224211

SILKO 0100832

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020110 THREE-FLAME DEFLECTOR



3020104 THREE-POSITION BRACKET CLAMP



SILKO



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



SILKO MA1949900
SILKO 0108194

SILKO 0100830
SILKO 1949900

SILKO 0100831

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020103 THREE-POSITION BRACKET



Pressure switches

3320053 ADJUSTABLE PRESSURE SWITCH $\varnothing$ 1/4" M
operating pressure regulation 10-50 mbar
differential 3 mbar
contact capacity 16(4)A 250V
max operating temperature 85°C
for OVEN



SILKO 0102485



Probes

- 3445107 PTC PVC PROBE 3000 mm**
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



SILKO 995562

Relays

- 3351029 POWER RELAY FINDER 62.82.8.230.0300**
230V 50/60Hz
2 contacts NO 16A



SILKO CR0687240

Rotary switches


- 3057050 CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.



SILKO 0101374

SILKO 0101378

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat




SILKO MA710300

SILKO 0101379


SILKO 710300

- 3057177 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



SILKO 0101398

- 3057178 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



SILKO 0108007



Suitable for:

SILKO




3057041 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6



SILKO R65080020

Suitable for:

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm



SILKO MA1937800

SILKO 0101399

Solenoid valves

3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



SILKO 0101341

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%





Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



SILKO

Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



SILKO 2709000

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%





Suitable for:

SILKO



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120204 OUTLET ADJUSTER ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 25%



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



SILKO 0101193 SILKO 0101196 SILKO 0101197 SILKO 0101194 SILKO 0101199

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



SILKO 0101195 SILKO 0101200

Sparking and detection plugs

3020169 ROUND DETECTION PLUG $\varnothing$ 7x55 mm
overall length 100 mm



SILKO R63050350

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm


SILKO MA1888300
SILKO 1888300

SILKO MA224211
SILKO 224211

SILKO 0100832

3020170 ROUND SPARKING PLUG $\varnothing$ 7x56 mm
overall length 95 mm



SILKO R63050340

5012742 SPARK PLUG TURNING ROUND $\varnothing$ 7x56 mm
total length 174 mm



SILKO R63050060

SILKO 0102479

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F


SILKO MA1949900
SILKO 0108194

SILKO 0100830
SILKO 1949900

SILKO 0100831

Switches

3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK
mounting hole $\varnothing$ 25 mm



SILKO 0101188

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
for push-buttons with mounting hole $\varnothing$ 25 mm



SILKO CR0410310



Suitable for:

SILKO



3319012 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



SILKO 4640500

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



Suitable for:

3319780 BLOCK CONNECTION WHITE 22x30 mm




3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



3319944 BIPOLAR SWITCH GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



SILKO 0109015

3319779 BLOCK CONNECTIONS BLACK 22x30 mm



3319783 FRAME SAFETY 4 SIDES BLACK 22x30 mm



3319780 BLOCK CONNECTION WHITE 22x30 mm



3319782 FRAME SAFETY 2 SIDES BLACK 22x30 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



- 3319151 SWITCH PROTECTION CAP**
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



SILKO CR0410310

Terminal blocks

- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V




SILKO CR0588170

SILKO 0101255

Thermocouples and accessories

- 3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**
 interrupted contact with fastons



SILKO 0100797

SILKO 0100810

- 3440015 INTERRUPTION CONNECTOR M9x1**



SILKO 0100835

SILKO 1533400

- 3440064 NUT FOR THERMOCOUPLE M8x1**



SILKO 939300


- 2100820 THERMOCOUPLE SIT QUICK M9x1 40 cm**



SILKO MA1031504300

SILKO 1031504300

- 3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS**



SILKO 1916000



SILKO



Suitable for:

Suitable for:

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1

3440064 NUT FOR THERMOCOUPLE M8x1



SILKO 1665000

SILKO 939300

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SILKO 0100818

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



SILKO 0100818

SILKO 0100818

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SILKO 263800

SILKO 263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



SILKO 263800

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



SILKO 0100808

SILKO 0100808



SILKO



Suitable for:

Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SILKO 0100808

SILKO 0100815

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
CONNECTOR M8x1**

3440064 NUT FOR THERMOCOUPLE M8x1



SILKO 0100812

SILKO 939300

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

3440064 NUT FOR THERMOCOUPLE M8x1



SILKO 0100812

SILKO 939300

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
CONNECTOR M8x1**



SILKO 0100812

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



SILKO 0100815

SILKO 0100815

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SILKO 0100809



SILKO



Suitable for:

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



SILKO CM029100

SILKO MACM029100

SILKO 0100809

SILKO 0100809

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



SILKO MA1206400


SILKO 1206400

SILKO MA1033027800

SILKO 1033027800

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



SILKO SIR0100818

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



SILKO MA1031500400

SILKO 1031500400

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



SILKO MA1916000


SILKO 1916000

SILKO 1916000

Thermostats

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1

3444120 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x80 mm



SILKO MA7800300

SILKO 0101403

SILKO 10140

SILKO 0101387



Suitable for:

SILKO



3444312 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb ø 4x110 mm




SILKO SIR0101375

SILKO 0101372

SILKO 0101375

Suitable for:

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm



SILKO 101389

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



SILKO 0101382

3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm



SILKO 0108113

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb ø 3x230 mm



SILKO MA1309115

SILKO 1309115

SILKO 0101384

SILKO 0105157

3444452 THREE-PHASE THERMOSTAT 50-450°C
D-shaped pin 6x4.6 mm
capillary length 1200 mm - 10A 400V
bulb ø 4x228 mm



SILKO MACM293800

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |